



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME RITE AID #5578			REINSPECTION DATE Not Specified	INSPECTOR Ngoc Le	DATE 3/27/2018
LOCATION 4200 CHINO HILLS PKWY 500, CHINO HILLS, CA 91709			PERMIT EXPIRATION 11/30/2018	IDENTIFIER: Food	
TIME IN 9:51 AM	TIME OUT 10:20 AM	FACILITY ID FA0004326	RELATED ID PR0008063	PE 1646	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

### RETAIL FOOD PROTECTION - Convenience Store (0-499 SqFt)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K992 Permit Reinstatement

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

**Inspector Comments:** Health permit to operate was temporarily suspended on 3-26-18 due to the lack of hot water.

On this date, observed hot and cold water were available throughout the facility.

Permit to operate is hereby reinstated.

Manager and Rite Aid's compliance officers were informed regarding to possible billable elevated risk inspection with the rate of \$245.00 per hour.

No further action is warranted at this time.

**Description:** The health permit to operate is hereby reinstated and facility may open.

#### 16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

**Inspector Comments:** This follow up inspection was requested by compliance senior manager.

On 3-26-18, the ice cream bar was closed due to the lack of hot water. Hot water from 2-compartment and the handwashing sink measured between 96-98 F.

On this day, measured hot water from the 2-compartment sink and the handwashing sink consistently between 130-144 F.

Facility may now open to the public.

No further action is warranted at this time.

**Description:** Reinspection conducted at this time to determine compliance from prior inspection.

#### Overall Inspection Comments

Grade card "A" posted on this date.

#### Signature(s) of Acknowledgement

NAME: Candace Irvin  
TITLE: Store manager.

Total # of Images: 0