



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME POMONA VALLEY WORKSHOP			REINSPECTION DATE 1/18/2019	INSPECTOR Eduardo Ramirez	DATE 1/4/2019
LOCATION 4650 BROOKS ST, MONTCLAIR, CA 91763			PERMIT EXPIRATION 6/30/2019	IDENTIFIER: None	
TIME IN 1:15 PM	TIME OUT 2:59 PM	FACILITY ID FA0008940	RELATED ID PR0005897	PE 1622	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 18 - PERMIT SUSPENSION CONTINUANCE

RETAIL FOOD PROTECTION - Public Eating PI (100-Up Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A reinspection was conducted to ensure this facility is free from vermin-including but not limited to-cockroaches.

Note: This reinspection was conducted at the request of the operator. This facility was not currently operating at the time of this inspection.

FINDINGS:

On this date, the following vermin and evidence of vermin was observed in the following areas:

- 1) Observed one live adult cockroach on the upper corner wall in the employee restroom. The operator killed and removed this cockroach.
- 2) Observed one live nymph cockroach on the stainless steel wall behind the ovens. The operator killed and removed this cockroach.

In addition, observed dead cockroaches of all live stages and dried egg casings throughout the floors in the following areas:

-Dead cockroaches on the floors below the three compartment sink, on the floors behind the reach-in refrigeration units, on the floors in the dry storage room and on the floors below the ovens and cooking equipment. Dead cockroaches were also observed throughout the walls mainly behind paper work and posters on the walls.

-One dead cockroach was observed inside the two door reach-in refrigeration unit and two dead cockroaches were observed on the door gasket in the three door reach-in refrigeration unit.

-Several dead cockroaches were also observed in the front storage cabinets and on the floors inside the ware washing areas.

Note: Due to the live vermin and evidence of vermin observed on this date, the health permit could not be reinstated. The operator provided pest control reports/ receipts showing pest control service was conducted on 12/10/2018, 12/17/2018, 12/21/2018 and 12/28/2018.

-Continue conducting proper exclusion methods to ensure this vermin infestation is completely eliminated.

Caulk and seal any openings that can harbor vermin and clean and sanitize all affected critical areas.

Call this office when you are ready to re-open and re-inspection will be conducted to determine compliance.

This facility must remain closed for business until a re-inspection is conducted and the health permit to operate this facility is reinstated by a representative of this agency.

-Any re-reinspection conducted after this date shall be conducted at a billable rate of \$245/hour with a half an hour minimum charge of \$122.50.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: Isabel Mcdaniel

TITLE: Work Services Manager

Total # of Images: 0