



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME CIRCLE K		REINSPECTION DATE Not Specified		INSPECTOR Steven Uhlman	DATE 7/2/2021
LOCATION 1292 W MILL ST 101, SAN BERNARDINO, CA 92410				PERMIT EXPIRATION 9/30/2021	IDENTIFIER: None
TIME IN 10:45 AM	TIME OUT 11:22 AM	FACILITY ID FA0010004	RELATED ID PR0002313	PE 1648	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

RETAIL FOOD PROTECTION - Convenience Store (2500-Up SqFt)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: Observed critical major violation resulting in closure on July 1, 2021 has been corrected.

Facility reopened / permit reinstated.

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: This reinspection was done to verify that the overflowing sewage condition, observed on July 1, 2021, has been corrected.

Observations:

- * No standing water observed in all floor sinks.
- * With all facility water taps running, all floor sinks observed to be free flowing.
- * Observed floors mopped with water containing in excess of 200 parts per million chlorine, determined with chlorine test paper.
- * All sewage soaked throw rugs have been removed and will be replaced with clean ones by a vendor.

Critical major violation corrected. Facility reopened and permit reinstated.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Sewage violation observed corrected.

Facility reopened / permit reinstated.

Closure notice removed. "A" letter grade card reposted.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: osaf khan
TITLE: owner



Public Health
Environmental Health Services

www.SBCounty.gov
www.SBCounty.gov/dph/dehs

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME CIRCLE K	DATE 7/2/2021
LOCATION 1292 W MILL ST 101, SAN BERNARDINO, CA 92410	INSPECTOR Steven Uhlman

Total # of Images: 0