



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR					DATE 2/5/2015	SIGNATURE	
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405					REINSPECTION DATE 8/05/2015	PERMIT EXPIRATION 1/31/2015	
MAILING ADDRESS 1437 MIDNIGHT SUN DR, BEAUMONT CA 92223					REHS Anies Kondoker		
FA # FA0010008	PR # PR0002622	SR #	CO #	PE 1622	PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine		
TIME IN 6:53 PM	TIME OUT 7:49 PM	CONTACT Not Captured			RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required		

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 90

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE				COS	MAJ	OUT
In	N/O		1. Demonstration of knowledge; food safety certification			⊗
EMPLOYEE HEALTH & HYGIENIC PRACTICES						
In			2. Communicable disease; reporting, restrictions & excl		4	
In	N/O		3. No discharge from eyes, nose, and mouth			2
In	N/O		4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS						
In	N/O		5. Hands clean and properly washed; gloves used prop		4	2
In			6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS						
In	N/O	N/A	7. Proper hot and cold holding temperatures		4	2
In	N/O	N/A	8. Time as a public health control; procedures & record		4	2
In	N/O	N/A	9. Proper cooling methods		4	2
In	N/O	N/A	10. Proper cooking time & temperatures		4	
In	N/O	N/A	11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION						
In	N/O	N/A	12. Returned and reserve of food			2
In			13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES				COS	MAJ	OUT
In			15. Food obtained from approved source		4	
In	N/O	N/A	16. Compliance with shell stock tags, condition, display			2
In	N/O	N/A	17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES						
In		N/A	18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY						
In	N/O	N/A	19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS						
In		N/A	20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER						
In			21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL						
In			22. Sewage and wastewater properly disposed		4	2
VERMIN						
In			23. No rodents, insects, birds, or animals		4	⊗

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	⊗
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	⊗
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR	DATE 2/5/2015	SIGNATURE
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405		REHS Anies Kondoker

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified	Inspector Comments: Observed no food manager's certification. Provide proof of enrollment to a manager certification class within 30 days. Post original certificate on site.
	Not In Compliance	

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS 2	Compliance date not specified	Inspector Comments: Observed dead cockroaches in a non-functional refrigerator in bar. Observed accumulation of rodent droppings on floors along the wall in 3-compartment sink area. Take proper measure to eliminate infestation.
	Not In Compliance	

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

29. TOXIC SUBSTANCES PROPERLY IDENTIFIED, STORED, USED

POINTS 1	Compliance date not specified	Inspector Comments: Observed an unlabeled chemical-filled spray bottle on kitchen counter. Label all spray bottles with contents. Store all chemicals in a designated place, away from food and food contact surfaces.
	Not In Compliance	

Violation Description: All poisonous substances, detergents, bleaches, and cleaning compounds shall be stored separate from food, utensils, packing material and food-contact surfaces. (114254, 114254.1, 114254.2) An insecticide, rodenticide, or other pesticide must be used in accordance with the manufacturer's instructions.

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Observed ice scoops stored on top of ice machine and on top of a CO2 tank. Store scoops in a cleanable container or inside ice machine with handle out of ice.
	Not In Compliance	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE

POINTS 1	Compliance date not specified	Inspector Comments: Observed a pressurized CO2 tank not secured to a rigid structure. Ensure to secure pressurized CO2 tank to a rigid structure.
	Not In Compliance	

Violation Description: All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR	DATE 2/5/2015	SIGNATURE
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405	REHS Anies Kondoker	

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified	Inspector Comments: Observed missing light cover over a light bulb above 3-compartment sink. Replace,
	Not In Compliance	

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Observed no air gap between drain pipe of ice machine and rim of floor sink. Provide a minimum of 1" air gap.
	Not In Compliance	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: - Observed debris accumulation on floor under unused soda fountain. Clean and maintain. - Observed peeling ceiling panels above 3-compartment sink. Observed damaged ceiling due to rain near 3-compartment sink. Repair all ceilings so that they are smooth and easily cleanable.
	Not In Compliance	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

No summary comments have been made for this inspection.