



Public Health
Environmental Health Services

www.SBCounty.gov

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME MILLIKEN SHELL		DATE 4/30/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 5/31/2015
LOCATION 11289 BASELINE RD, RANCHO CUCAMONGA, CA 91730			INSPECTOR Tin Nguyen	
MAILING ADDRESS 11289 BASELINE RD, RANCHO CUCAMONGA, CA 91730			IDENTIFIER: None	
<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT			SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
TIME IN 4:56 PM	TIME OUT 5:00 PM	FACILITY ID FA0000317	RELATED ID PR0003777	PE 1619
RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE				
ACTION: 01 - NO FURTHER ACTION REQUIRED				

RETAIL FOOD PROTECTION - Food Handling PI (2500-Up SqFt)

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments:

-A follow-up inspection was conducted at facility regarding hot water observed below 120F at mop sink shared with "Lambertos Mexican Food", during most recent routine inspection, conducted 03/26/15 and 04/28/15.

-Upon inspection, measured hot water at 120F at mop sink.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: Chris Margil

TITLE: Manager

Total # of Images: 0