



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME DOCTOR INK'S TATTOO		DATE 5/26/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 12/31/2016
LOCATION 15165 7TH ST F, VICTORVILLE, CA 92392			INSPECTOR Yong Aday	
MAILING ADDRESS 15165 7TH ST STE F, VICTORVILLE CA 92392			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 11:33 AM	TIME OUT 1:48 PM	FACILITY ID FA0012613	RELATED ID PR0016539	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
77

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *

POINTS
3

Inspector Comments:
Observed no sink in the room with an autoclave. The operator stated that it was rarely used. The operator was given options to either install a sink in the room or remove the autoclave, and the operator has decided to remove the autoclave.

Violation Description:

119314 (c) (1) Decontamination and sterilization areas within a body art facility shall meet all of the following requirements: Be separated from procedure areas by a space of at least five feet or by a cleanable barrier.
119314 (c) (2) Be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

6 119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS
3

Inspector Comments:
The usable log for disposable instruments (needles and tubes, etc.) has not been maintained at this time. Maintain above usage log for three year.

The invoices/receipts for the disposable instruments have not been kept on record. Keep the invoices/receipts for 90 days after the instrument being used.

The letter from disposable instruments supplier company stating that the items are presterilized is not available at this time. Obtain the letter as needed.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME DOCTOR INK'S TATTOO	DATE 5/26/2016	INSPECTOR Yong Aday
LOCATION 15165 7TH ST F, VICTORVILLE, CA 92392		

BODY ART INSPECTION

7 119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *

POINTS
3

Inspector Comments:
No record for sharps waste disposal was observed. Maintain above record for 3 years accord to the code.

Violation Description:

119311 (g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.
119314 (e) Each procedure area shall have a sharps waste container that meets the following requirements:
(1) The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm#s reach of the practitioner.
(2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD."
(3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed by either of the following methods: (A) Removal and disposal by a licensed waste hauler. Materials shall be disposed of at a licensed treatment facility or removed and transported through a mail-back system authorized by the State Department of Public Health. (B) As solid waste, after being disinfected by a method approved by the department pursuant to paragraph (3) of subdivision (a) of Section 118215.
(4) Documentation of proper disposal of sharps waste shall be maintained for three years and shall be available for inspection at the request of the enforcement officer.

8 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

POINTS
3

Inspector Comments:
Observed a reusable forceps and many not sterilized jewelry in the piercing room. Since the operator has decided to remove the autoclave, only presterilized forceps can be used, which are available at this time. The operator shall replace all the non-sterile jewelry with presterilized jewelry soon as possible. Discontinue piercing until proper supplies are in place.

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.
119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.
119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).
119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.
119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.
119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.
119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9 119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes

10 119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

POINTS
3

Inspector Comments:
Observed no soap and paper towel at the hand washing sink at procedure area. Provide soap and paper towel from dispensers immediately, and paper towel dispenser should be touchless.

Violation Description:

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.
119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section
119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.
119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.
119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *

13 119309(j) - Branding is completed with no other customers in procedure area



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME DOCTOR INK'S TATTOO	DATE 5/26/2016	INSPECTOR Yong Aday
LOCATION 15165 7TH ST F, VICTORVILLE, CA 92392		

BODY ART INSPECTION

- 14 119302(a-d) - Customers eighteen (18) years of age or older
- 15 119308(a)(5)(6) - Skin adequately prepared for procedure.
- 16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS 3	Inspector Comments: The consent form is missing the phrase stating that inks and pigments are not approved by the FDA. Revise the consent form according to the code (Section 119303(a)).
---------------------------	---

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions.C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

- 17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

POINTS 3	Inspector Comments: The aftercare instruction is not meeting the code requirement. Revise the aftercare instruction according to code (Section 119303(a)(5)). A code handbook was given to the operator.
---------------------------	--

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:

- (1) Answer questions regarding the procedure site.
- (2) Provide postprocedure instructions.

- 18 119311(i) - Safe machine design
- 19 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
- 20 119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
- 21 119309(a-c) - Workstation/procedure area decontaminated
- 22 119301(k) - Appropriate chemical disinfectant used
- 23 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
- 24 119311(h) - Barriers available and used appropriately *
- 25 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
- 26 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
- 27 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
- 28 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
- 29 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
- 30 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
- 31 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *



Public Health
Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME DOCTOR INK'S TATTOO	DATE 5/26/2016	INSPECTOR Yong Aday
LOCATION 15165 7TH ST F, VICTORVILLE, CA 92392		

BODY ART INSPECTION

32 119306;312(g);318(d,e) - Permit/registration and required signs posted *

POINTS
2

Inspector Comments:

Two practitioners are not registered at this time: Chris Shin and Rod Andrade. Obtain registration soon as possible, and discontinue practice until the registration is approved by this department.

Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:
TITLE:

Total # of Images: 0