



**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>GOLDEN CHOPSTIX</b>			REINSPECTION DATE <b>Not Specified</b>	INSPECTOR <b>Christine Pascua</b>	DATE <b>9/8/2021</b>
LOCATION <b>12119 APPLE VALLEY RD, APPLE VALLEY, CA 92308</b>			PERMIT EXPIRATION	IDENTIFIER: None	
TIME IN <b>12:46 PM</b>	TIME OUT <b>1:23 PM</b>	FACILITY ID <b>FA0014793</b>	RELATED ID <b>CO0080111</b>	PE <b>1620</b>	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

**RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**16K992 Permit Reinstatement**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Reference - HSC**

**Inspector Comments:** Permit was suspended on 09/07/2021 during a compliant investigation. Health permit reinstated on this date. Facility may re-open to the public.

**Description:** The health permit to operate is hereby reinstated and facility may open.

**16K994 Reinspection**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Reference - HSC**

**Inspector Comments:** Re-inspection conducted on this date to follow up from a compliant investigation conducted on 09/07/2021.

Compliant investigation on 09/07/2021 stated the following:  
 - Per complainant roaches near the register front counter area.  
 - Observed on 09/07/2021 German cockroaches (adults and nymphs) in the following areas: water heater, behind three compartment, underneath the steam table hot holding unit near the front counter and a couple near the cooking line.

Observed no live cockroaches on this date during the re-inspection. Person in charge stated pest control service was conducted the day prior.

Results: Continue to maintain facility free from vermin. Take the necessary steps of pest control and eliminate vermin as needed. Permit reinstated on this date. Notice of closure sign was removed and grade card was placed near the entrance of the facility. This compliant is closed.

**Description:** Reinspection conducted at this time to determine compliance from prior inspection.

**Overall Inspection Comments**

Re-inspection conducted on this date to verify compliance from a compliant investigation on 09/07/2021.

**FREE Classes to L.E.A.R.N!**

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

**Signature(s) of Acknowledgement**

*no sig*

NAME: Ken N.  
TITLE: Person in charge

Total # of Images: 0