



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME JACK IN THE BOX 3370		DATE 5/12/2015	REINSPECTION DATE 5/26/2015	PERMIT EXPIRATION 7/31/2015
LOCATION 3910 SIERRA AV, FONTANA, CA 92336			INSPECTOR Isaac Gebreslassie	
MAILING ADDRESS 1551 E 4TH ST, ONTARIO CA 91764			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 10:47 AM	TIME OUT 12:12 PM	FACILITY ID FA0000540	RELATED ID PR0012463	PE 1621

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 90

See the following pages for the code sections and general requirements that correspond to each violation listed below.

○ In = In compliance
+ COS = Corrected on-site

○ N/O = Not observed
⊗ MAJ = Major violation

○ N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
○ In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
○ In		2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O	3. No discharge from eyes, nose, and mouth			2
○ In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	⊗
In		6. Adequate handwashing facilities supplied & accessib			⊗
TIME AND TEMPERATURE RELATIONSHIPS					
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	2
In	N/O	○ N/A		4	2
○ In	N/O	N/A		4	
In	N/O	○ N/A		4	
PROTECTION FROM CONTAMINATION					
○ In	N/O	N/A			2
○ In		13. Food in good condition, safe and unadulterated		4	2
○ In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
○ In		15. Food obtained from approved source		4	
In	N/O	○ N/A			2
In	N/O	○ N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		○ N/A			2
CONSUMER ADVISORY					
In	N/O	○ N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		○ N/A		4	
WATER/HOT WATER					
○ In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
○ In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
○ In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	⊗
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME JACK IN THE BOX 3370	DATE 5/12/2015
LOCATION 3910 SIERRA AV, FONTANA, CA 92336	INSPECTOR Isaac Gebreslassie

5. HANDS CLEAN AND PROPERLY WASHED; GLOVES USED PROPERLY **⚠ CRITICAL ⚠**

POINTS 4	Compliance date not specified Not In Compliance Violation Reference -	Inspector Comments: Observed 2 food workers donning gloves without hand washing. Ensure hands are properly washed with soap and warm water (100 - 108 deg F) prior to donning gloves. (COS)
---------------------------	---	---

Violation Description: Employees are required to wash their hands: before beginning work; before handling food / equipment / utensils; as often as necessary, during food preparation, to remove soil and contamination; when switching from working with raw to ready to eat foods, after touching body parts; after using toilet room; or any time when contamination may occur. Gloves shall be worn if an employee has cuts, wounds, fake nails, nail polish, and/or rashes. Gloves are to be used for no more than one task. Employees are not to wrap or package leftover food using bare hands or unclean utensils. Hand sanitizers may be used after proper hand washing. Employees handling food must have fingernails that are trimmed, cleanable, and smooth. (113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f))

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Handwashing_done_right_Final_11_29_11.pdf

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS 2	Compliance date not specified Not In Compliance Violation Reference -	Inspector Comments: Observed paper towel missing at hand washing in the drive thru area. Provide paper towel/heated air dryer at hand washing sink at all times. (COS)
---------------------------	---	---

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

34. WAREWASHING FACILITIES: INSTALLED, MAINTAINED, USED; TEST STRIPS

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114067(f,g), 114099	Inspector Comments: Observed sanitizer level in sanitizer bucket at undetectable level. Ensure sanitizer concentration in sanitizing solution is at 100 ppm chlorine or 200 ppm quat.
---------------------------	---	--

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Three_Comp_Sink_Eng_Spn_final_11_30_11.pdf

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Observed: - dust buildup on ceiling around air vent in the kitchen. Clean and maintain, - damaged and missing coving tile on wall by entrance to walk-in freezer. Replace.
---------------------------	--	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME JACK IN THE BOX 3370	DATE 5/12/2015
LOCATION 3910 SIERRA AV, FONTANA, CA 92336	INSPECTOR Isaac Gebreslassie

48. FOOD WORKER CERTIFICATION

POINTS 2	Compliance date not specified	Inspector Comments: Observed 10 food workers with missing food worker certifications. Provide San Bernardino county approved food worker certifications within 14 days to avoid charged inspection.
	Not In Compliance Violation Reference - SBCC - 33.0410, 33.044	

Violation Description: This facility is currently in violation with the food worker certification requirement for San Bernardino County, which states all food workers must obtain a valid food worker certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food worker certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Worker" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

Maira C.

NAME: mMaira
 TITLE: team leader