



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BEAR CLAW SALOON		DATE 9/21/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 5/31/2016
LOCATION 24087 LAKE DR, CRESTLINE, CA 92325			INSPECTOR Yvette Velasco	
MAILING ADDRESS 1020 N AVE 51, LOS ANGELES CA 90042			IDENTIFIER: None	
TIME IN 2:26 PM	TIME OUT 3:29 PM	FACILITY ID FA0006710	RELATED ID PR0013467	PE 1621
			SERVICE: 001 - Inspection - Routine RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

A
SCORE 91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊘ MAJ = Major violation
- ⊘ OUT = Out of compliance

		DEMOS	COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊘
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	2

		FOOD	COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	⊘

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	⊘
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	⊘
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	⊘
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊘
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	⊘

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BEAR CLAW SALOON	DATE 9/21/2015
LOCATION 24087 LAKE DR, CRESTLINE, CA 92325	INSPECTOR Yvette Velasco

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113947-113947.1	Inspector Comments: Observed no valid food manager's certificate on site. Obtain current, valid food manager's certificate; keep original certificate on site at all times (photocopies of food manager's certificate are not accepted.) Certification must be from an ANSI-approved organization. For more information on how to obtain a food manager's certificate from an ANSI-approved organization, please visit: https://www.ansica.org/wwwersion2/outside/ALLdirectoryListing.asp?menuID=8&prgID=8&status=4
---	---	--

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 114259.1, 114259.4, 11425	Inspector Comments: Observed rodent droppings on the floor of the back dry storage area. Observed no contamination of food or food contact surfaces. Employee stated that facility has regular pest control service but could not provide receipts for service. Take the necessary steps to eliminate vermin. Continue with regular pest control service. Thoroughly clean and sanitize affected areas.
---	---	---

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

34. WAREWASHING FACILITIES: INSTALLED, MAINTAINED, USED; TEST STRIPS

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114067(f,g), 114099	Inspector Comments: Observed no sanitizer test strips available on site. Ensure to maintain appropriate sanitizer test strips to verify sanitizer levels.
---	---	---

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Three_Comp_Sink_Eng_Spn_final_11_30_11.pdf

36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114074, 114081, 114119	Inspector Comments: Observed several unchained CO2 tanks throughout the facility. Secure all CO2 tanks to a rigid structure. Observed build-up dirt and debris in bar area reach-in refrigerator which stores clean glasses. Clean and sanitize refrigerator regularly. Maintain food contact surfaces in a clean, dry area.
---	--	--

Violation Description: All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)



Public Health

Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BEAR CLAW SALOON	DATE 9/21/2015
LOCATION 24087 LAKE DR, CRESTLINE, CA 92325	INSPECTOR Yvette Velasco

39. THERMOMETERS PROVIDED AND ACCURATE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114157, 114159	Inspector Comments: Observed thermometer in bar reach-in refrigeration unit broken. Observed potentially hazardous foods in refrigerator. Provide thermometer. Ensure that the thermometer is readily visible and placed in the warmest part of the refrigeration unit.
--------------------	---	--

Violation Description: An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/CalibratingThermometer.pdf>

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Observed an insufficient air gap at the three-compartment sink floor sink. Ensure to have an air gap of at least one inch or twice the diameter of the draining pipe, whichever is greater. Pipes had diameters of greater than a half inch, and therefore must have air gaps of at least twice the diameter of the pipes.
--------------------	---	---

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

44. PREMISES; PERSONAL/CLEANING ITEMS; VERMIN-PROOFING

POINTS 1	Compliance date not specified Complied on 9/21/2015 Violation Reference - HSC - 114067 (j), 114123	Inspector Comments: Observed back door propped open. Corrected on site. Door was closed. In order to prevent cockroaches, flies and other vermin from entering the facility, cease from propping the door open.
--------------------	---	---

Violation Description: The premises of each food facility shall be kept clean and free of litter and rubbish; all clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces; the facility shall be kept vermin proof. (114067 (j), 114123, 114143 (a) & (b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282) Food preparation sinks, handwashing sinks and warewashing equipment shall not be used for the cleaning of maintenance tools, the holding of maintenance materials, or the disposal of liquid wastes. (114123) Open-air barbecue and/or outdoor wood burning oven must operate on the same premises, in conjunction with a permanent food facility and not in an area that may pose as a fire hazard. (114143(a) (b)) Janitorial sink or approved curbed cleaning facility (exemption for restricted food service facilities Section 114279 (b)) shall be provided. (114279(a)) First aid supplies must have a legible manufacturer's label and stored in a kit or container that is located to prevent contamination. (114256.4) Insect electrocution devices are not allowed in food or utensil handling areas. (114259.3)

Overall Inspection Comments

Letter grade "A" posted.

Signature(s) of Acknowledgement

NAME: gretchen larkin
TITLE: bartender