



**Public Health**  
**Environmental Health Services**  
**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>TORTAS SINALOA</b>		DATE <b>3/31/2015</b>	REINSPECTION DATE <b>Next Routine</b>	PERMIT EXPIRATION <b>9/30/2015</b>
LOCATION <b>9765 SIERRA AV A2, FONTANA, CA 92335</b>			INSPECTOR <b>Patrick Baccari</b>	
MAILING ADDRESS <b>9765 SIERRA AV A2, FONTANA, CA 92335</b>			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 03 - Corrective Action / No Follow up Required	
			ACTION: 01 - No Further Action Required	
TIME IN <b>3:10 PM</b>	TIME OUT <b>4:40 PM</b>	FACILITY ID <b>FA0000844</b>	RELATED ID <b>PR0012815</b>	PE <b>1621</b>

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



**SCORE 93**

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance  
+ COS = Corrected on-site
- N/O = Not observed  
⊗ MAJ = Major violation
- N/A = Not applicable  
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	⊗

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	⊗
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



**Public Health**  
Environmental Health Services

**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME TORTAS SINALOA	DATE 3/31/2015
LOCATION 9765 SIERRA AV A2, FONTANA, CA 92335	INSPECTOR Patrick Baccari

**14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED**

<b>POINTS</b> <b>2</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 113984(e), 114097, 114099	<b>Inspector Comments:</b> Provide a faucet at three compartments sink to wash rinse and sanitize in that order. A spray nozzle is not adequate to fill wash well with water.
	<hr/>	

**Violation Description:** All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

**More Information:** [http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel\\_Sanitizing\\_solution\\_Eng\\_Spn\\_final\\_11\\_30\\_11.pdf](http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf)

**35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	<b>Inspector Comments:</b> Provide cleaning to coils to condenser on refrigeration units.
	<hr/>	

**Violation Description:** All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

**39. THERMOMETERS PROVIDED AND ACCURATE**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114157, 114159	<b>Inspector Comments:</b> Provide a temperature measuring device with a suitable probe designed to measure the temperature of thin masses of food is not provided and readily accessible to measure thin foods such as meat.
	<hr/>	

**Violation Description:** An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

**More Information:** <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/CalibratingThermometer.pdf>

**41. PLUMBING; PROPER BACKFLOW DEVICES**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	<b>Inspector Comments:</b> Repair leaking hand wash sink and faucet at three compartments sink.
	<hr/>	

**Violation Description:** The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

**43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114250, 114276	<b>Inspector Comments:</b> Womens restroom door is not self-closing. Repair hole in wall of womens restroom.
	<hr/>	

**Violation Description:** Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



**Public Health**  
**Environmental Health Services**

[www.SBCounty.gov](http://www.SBCounty.gov)

**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME TORTAS SINALOA	DATE 3/31/2015
LOCATION 9765 SIERRA AV A2, FONTANA, CA 92335	INSPECTOR Patrick Baccari

**45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN**

<b>POINTS</b> <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Repair base cove in men's restroom.
	Not In Compliance Violation Reference - HSC - 114143 (d), 114266	

**Violation Description:** The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

**Overall Inspection Comments**

No summary comments have been made for this inspection.

**Signature(s) of Acknowledgement**

NAME: silvia mercado  
 TITLE: