



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME TAQUERIA MEXICO		REINSPECTION DATE Not Specified	INSPECTOR Sujin Lee	DATE 3/27/2019
LOCATION 8127 MULBERRY AV 103, FONTANA, CA 92335		PERMIT EXPIRATION	IDENTIFIER: None	
TIME IN 11:05 AM	TIME OUT 12:48 PM	FACILITY ID FA0013343	RELATED ID CO0065160	PE 1620
SERVICE: 004 - COMPLAINT - INITIAL RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED				

### RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K999 Complaint Inspection

Compliance Date: Not Specified

Inspector Comments: The purpose of this visit was to conduct a complaint investigation.

Reference - HSC

Nature of complaint:

The complainant alleged that he or she witnessed multiple cockroaches at the facility. He alleged he found a cockroach inside his or her food.

Observation/findings:

1. Observed multiple live and dead German cockroaches in the following areas:

Underneath the hot holding unit:

- 1) Observed one live adult cockroach.
- 2) Observed one live adult cockroach on a glue trap.
- 3) Observed four dead adult cockroaches.
- 4) Observed one dead cockroach on a strainer of the floor sink.
- 5) Observed two dead cockroaches underneath the strainer of the floor sink.

Inside a hole underneath the cold holding unit:

- 1) Observed two live nymph cockroaches.
- 2) Observed two live adult cockroaches on glue trap.
- 3) Observed five dead adult cockroaches.

2. Talked to the manager of the facility and she stated the facility was self-closed from 7am to 11 to treat cockroaches. The facility was observed to be closed at 10:20 am and a sign at the door indicated "closed 7am to 11 am. The operator stated she observed approximately three live cockroaches on the floor at kitchen area yesterday. The operator stated a pest control service was conducted this morning to treat cockroaches. The operator provided the invoice for pest control service conducted today. The report stated the facility was treated with gel and liquid treatment in the kitchen area from 6:56 am to 8:04 am.

3. Talked the owner of the facility and he stated he will self-close today. Observed an operator posted a sign indicating "closed for maintenance".

Description: A complaint report has been received by Environmental Health.

#### 16K054 Permit Suspension



Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114409, 114405

Inspector Comments: The health permit to this facility was suspended this date due to live cockroaches infestation that was observed in the kitchen. A supervisor will contact the owner of the facility on March 28, 2019 to schedule a supervisory review. Provide any pest control receipts/reports to the supervisory review. Continue conducting proper exclusion methods to eliminate the cockroach infestation.

Seal any holes, gaps, cracks/ crevices that can harbor vermin. Clean and sanitize all affected areas and discard any food/ utensils that is exposed to the pesticides during treatment. Call this office when you are ready to re-open, and re-inspection will be conducted to determine compliance. This facility must remain closed for business until a re-inspection is conducted and the health permit to operate this facility is reinstated by Environmental Health Service. DO NOT REMOVE, RELOCATE OR MOVE CLOSURE SIGN. Non-compliance will result in a charged follow-up inspection at an hourly rate of \$245 with a minimum charge of \$122.50.

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)

#### Overall Inspection Comments



**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME TAQUERIA MEXICO	DATE 3/27/2019
LOCATION 8127 MULBERRY AV 103, FONTANA, CA 92335	INSPECTOR Sujin Lee

An "A" grade sign was removed this date. One "Notice of closure" sign was posted on the front window.

A "Food facility risk based inspection frequency" handout was provided.

**Signature(s) of Acknowledgement**

NAME: Alicia Meza  
TITLE: Supervisor

Total # of Images: 0