



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME SPRING VALLEY LAKE COUNTRY CLUB				REINSPECTION DATE Not Specified	INSPECTOR Kelly Eredia	DATE 1/3/2020
LOCATION 13229 SPRING VALLEY LAKE PKWY, VICTORVILLE, CA 92392				PERMIT EXPIRATION	IDENTIFIER: None	
TIME IN 7:51 AM	TIME OUT 8:04 AM	FACILITY ID FA0006828	RELATED ID CO0068755	PE 1622	SERVICE: 004 - COMPLAINT - INITIAL RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE ACTION: 01 - NO FURTHER ACTION REQUIRED	

RETAIL FOOD PROTECTION - Public Eating PI (100-Up Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K999 Complaint Inspection

Compliance Date: Not Specified	Inspector Comments: Environmental Health received a complaint stating the country club had just received a "B" letter grade 12/19/19, and yet, as of 12/31/19, they still have their "A" grade posted.
Reference - HSC	When arrived to facility, facility observed closed with no operator on site. Access was gained by inspector through open doors prior to facility opening. "A" grade placard dated 12/6/18 was observed displayed directly over "B" grade card (preventing "B" from being seen), which was dated and posted 12/20/19. "A" grade placard was confiscated by inspector at time of complaint investigation, leaving "B" grade placard visible for customers to view. Do not remove, relocate, or obstruct the view of most current grade placard. Billable reinspection will be conducted to replace or to unobstruct grade card.

Description: A complaint report has been received by Environmental Health.

Overall Inspection Comments

Do not remove, relocate, or obstruct the view of most current grade placard. Billable reinspection will be conducted to replace or to unobstruct grade card.

Signature(s) of Acknowledgement

NAME: SNA
TITLE:

Total # of Images: 0