



**RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>DOVID OVED RETREAT CENTER</b>				REINSPECTION DATE <b>Not Specified</b>	INSPECTOR <b>Michelle Lamont</b>	DATE <b>7/25/2016</b>
LOCATION <b>3500 SEYMOUR RD, RUNNING SPRINGS, CA 92382</b>				PERMIT EXPIRATION <b>5/31/2017</b>	IDENTIFIER: Pool	
TIME IN <b>10:30 AM</b>	TIME OUT <b>11:15 AM</b>	FACILITY ID <b>FA0006928</b>	RELATED ID <b>PR0006528</b>	PE <b>3620</b>	SERVICE: 001 - INSPECTION - ROUTINE	
				RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE		
				ACTION: 01 - NO FURTHER ACTION REQUIRED		

**RECREATIONAL HEALTH - Public Pool - Initial Pool at Facility**




Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

**96**  
SCORE

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

Ideal
In Compliance
Not in Compliance



temperature (°F)	No Data
observed flow (gpm)	90
required flow (gpm)	208
volume (gal)	75,000
area (sq ft)	No Data
occupancy	No Data

**IMPORTANT: Replacement of Suction Outlet Covers**  
Suction Outlet covers (anti-entrapment covers over main drains and skimmer equalizer outlets) shall be replaced upon expiration. The expiration (in years) is stamped on the front of each cover, indicating the amount of time the cover is valid after installation. Each replacement cover shall:

- Meet the latest ANSI/APSP-16 performance standard
- Be rated for the maximum designed flow-rate of the pump

Retain all records which indicate the make/model number of the replacement cover and date of installation. Records shall be made available to your inspector upon request.

**36K504 Water Quality – Non-Critical – Disinfectant level low**

<b>POINTS</b> <b>1</b>	Compliance Date: <b>Not Specified</b>	Inspector Comments: <b>Observed chlorine residual at 1.0 ppm.</b>
	<b>Not In Compliance</b>	
	Violation Reference - <b>HSC - 65529</b>	<u>Ensure that free chlorine residual is between 2.0 - 10.0 ppm when a stabilizer is used (cyanuric acid).</u>

**Violation Description:** The minimum concentration of disinfectant residual in public pools shall be 1.0 ppm free-chlorine without cyanuric acid or 2.0 ppm free-chlorine with cyanuric acid. The minimum concentration of disinfectant residual in public spas, wading pools, and spray grounds shall be 3.0 ppm free-chlorine. The maximum concentration of disinfectant residual shall be 10.0 ppm free-chlorine.

The minimum concentration of bromine residual in public pools shall be 2.0 ppm. The minimum concentration of bromine residual in public spas, wading pools, and spray grounds shall be 4.0 ppm.



## RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT

FACILITY NAME DOVID OVED RETREAT CENTER	DATE 7/25/2016
LOCATION 3500 SEYMOUR RD, RUNNING SPRINGS, CA 92382	INSPECTOR Michelle Lamont

### 36K527 Safety – Safety signs

POINTS <b>1</b>	Compliance Date: Not Specified	Inspector Comments: Observed KEEP GATE CLOSED sign on interior or all doors.  Move signs to the exterior of all doors.
	Not In Compliance	
	Violation Reference - CCR - 3120B	

**Violation Description:** All signs shall have clearly legible letters or numbers not less than 4 inches high, unless otherwise required, affixed to a wall, pole, gate or similar permanent structure in a location visible to all pool users. The following shall be posted:

- Maximum number of pool users permitted for each pool.
- ""NO DIVING"" at pools with a maximum water depth of 6 feet or less.
- Where no lifeguard service is provided, a warning sign shall be posted stating, ""WARNING: NO LIFEGUARD ON DUTY."" The sign also shall state in letters at least 1 inch high, ""Children under the age of 14 shall not use pool without a parent or adult guardian in attendance.""
- An illustrated diagram with text at least 1/4 inch high of artificial respiration and CPR procedures.
- The emergency telephone number 911 with numbers not less than 4 inches (102mm), the number of the nearest emergency services and the name and street address of the pool facility with numbers and text not less than 1 inch (25 mm) shall be posted.
- A warning sign for spa pools with ""CAUTION"" language.
- Where pools were constructed for which lighting was not required, a sign shall be posted at each pool entrance on the outside of the gate(s) stating, ""NO USE OF POOL ALLOWED AFTER DARK.""
- A sign shall be posted on the exterior side of gates and doors leading into the pool enclosure area stating, ""KEEP GATE CLOSED"" or ""KEEP DOOR CLOSED"".
- A sign in letters at least 1 inch high and in a language or diagram that is clearly stated shall be posted at the entrance area of a public pool which states that persons having currently active diarrhea or who have had active diarrhea within the previous 14 days shall not be allowed to enter the pool water.
- A sign in letters at least 1 inch high shall be posted that describes the requirements for wave pools.
- A sign shall be posted at each spray ground and be visible from any part of the spray ground that states, ""CAUTION: WATER IS RECIRCULATED. DO NOT DRINK.""

### 36K546 Equipment – Non-Critical - Water treatment system operation

POINTS <b>1</b>	Compliance Date: Not Specified	Inspector Comments: a) Observed a leak at pool pump #2.  Find and repair leak.  b) Observed one flow meter non-functional and one with a reading of 90 GPM.  Repair/replace broken flow meter to be accurate within 10% of the actual flow. Flow rate should be at 208 GPM to provide the required turn over rate (104 per system).
	Not In Compliance	
	Violation Reference - HSC - 65525	

**Violation Description:** The pool operator shall operate pumps, filters, disinfectant and chemical feeders, flow indicators, gauges, recirculation systems, disinfection systems, and all parts of the water treatment system whenever the public pool is available for use, and at such additional times and periods as may be necessary to maintain clean pool water, clear pool water, and the disinfection standards required in section 65529 [Health and Safety Code].

### 36K562 Skimmers - Pool skimming systems

POINTS <b>1</b>	Compliance Date: Not Specified	Inspector Comments: Observed no float assemblies in all skimmers.  Provide missing float assemblies.
	Not In Compliance	
	Violation Reference - CCR - 3136B	

**Violation Description:** The pool shall be equipped with one or more skimming methods to provide continuous skimming of the pool water and shall be capable of continually withdrawing not less than 100 percent of the flow rate. Each surface skimmer shall comply with the requirements in accordance with section 3136B, Title 24, California Code of Regulations.

### Overall Inspection Comments

No summary comments have been made for this inspection.

### Signature(s) of Acknowledgement

NAME: Menachem Hecht  
TITLE: Camp Director



**Public Health**  
Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)  
[www.SBCounty.gov/dph/dehs](http://www.SBCounty.gov/dph/dehs)

**RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT**

<small>FACILITY NAME</small> DOVID OVED RETREAT CENTER	<small>DATE</small> 7/25/2016
<small>LOCATION</small> 3500 SEYMOUR RD, RUNNING SPRINGS, CA 92382	<small>INSPECTOR</small> Michelle Lamont

**Total # of Images: 0**