385 N. Arrowhead Ave. 2nd Floor, San Bernardino, CA 92415-0160 | Phone: 800.442.2283 Fax: 909.387.4323
www.SBCounty.gov

SAN BERNARDINO COUNTY

Public Health

Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME	DATE	REINSPECTION DATE	PERMIT EXPIRATION
COSTCO VICTORVILLE 1010	3/30/2015	Next Routine	9/30/2015

LOCATION	INSPECTOR
14555 VALLEY CENTER DR, VICTORVILLE, CA 92392	Patrick Baccari

MAILING ADDRESS: PO BOX 35005, SEATTLE WA 98124 ☐FACILITY ☐OWNER ☑ACCOUNT

IDENTIFIER: Food Court
SERVICE: 001 - Inspection - Routine
RESULT: 03 - Corrective Action / No Follow up Required
ACTION: 01 - No Further Action Required

TIME IN	TIME OUT	FACILITY ID	RELATED ID	PE
9:49 AM	10:56 AM	FA0015796	PR0020983	1622

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of $61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of $122.50.

A

SCORE 97

See the following pages for the code sections and general requirements that correspond to each violation listed below.

In = In compliance
COS = Corrected on-site
N/O = Not observed
MAJ = Major violation
N/A = Not applicable
OUT = Out of compliance

			DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT
In	N/O		**1.** Demonstration of knowledge; food safety certification			2
			EMPLOYEE HEALTH & HYGIENIC PRACTICES			
In			**2.** Communicable disease; reporting, restrictions & excl		4	
In	N/O		**3.** No discharge from eyes, nose, and mouth			2
In	N/O		**4.** Proper eating, tasting, drinking or tobacco use			2
			PREVENTING CONTAMINATION BY HANDS			
In	N/O		**5.** Hands clean and properly washed; gloves used prop		4	2
In			**6.** Adequate handwashing facilities supplied & accessib			2
			TIME AND TEMPERATURE RELATIONSHIPS			
In	N/O	N/A	**7.** Proper hot and cold holding temperatures		4	2
In	N/O	N/A	**8.** Time as a public health control; procedures & record		4	2
In	N/O	N/A	**9.** Proper cooling methods		4	2
In	N/O	N/A	**10.** Proper cooking time & temperatures		4	
In	N/O	N/A	**11.** Proper reheating procedures for hot holding		4	
			PROTECTION FROM CONTAMINATION			
In	N/O	N/A	**12.** Returned and reservice of food			2
In			**13.** Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	**14.** Food contact surfaces: clean and sanitized		4	2

			FOOD FROM APPROVED SOURCES	COS	MAJ	OUT
In			**15.** Food obtained from approved source		4	
In	N/O	N/A	**16.** Compliance with shell stock tags, condition, display			2
In	N/O	N/A	**17.** Compliance with Gulf Oyster Regulations			2
			CONFORMANCE WITH APPROVED PROCEDURES			
In		N/A	**18.** Compliance with variance, specialized process, and HACCP Plan			2
			CONSUMER ADVISORY			
In	N/O	N/A	**19.** Consumer advisory provided for raw or undercooked foods			2
			HIGHLY SUSCEPTIBLE POPULATIONS			
In		N/A	**20.** Licensed health care facilities/public and private schools; prohibited foods not offered		4	
			WATER/HOT WATER			
In			**21.** Hot and cold water available		4	2
			LIQUID WASTE DISPOSAL			
In			**22.** Sewage and wastewater properly disposed		4	2
			VERMIN			
In			**23.** No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	

385 N. Arrowhead Ave. 2nd Floor, San Bernardino, CA 92415-0160 | Phone: 800.442.2283 Fax: 909.387.4323

www.SBCounty.gov

Public Health

Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME	DATE
COSTCO VICTORVILLE 1010	3/30/2015
LOCATION	INSPECTOR
14555 VALLEY CENTER DR, VICTORVILLE, CA 92392	Patrick Baccari

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED

POINTS
2

Compliance date not specified
Not In Compliance
Violation Reference - HSC - 113984(e), 114097, 114099

Inspector Comments: Wet pans were stacked together. Allow pans to air dry prior to stacking containers into one another.

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS
1

Compliance date not specified
Not In Compliance
Violation Reference - HSC - 114171, 114189.1

Inspector Comments: Repair leaking faucet at three compartments sink.

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: Jimmie Gatten
TITLE: