



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME QUICK STOP		REINSPECTION DATE Not Specified		INSPECTOR Jin Lee	DATE 7/7/2021
LOCATION 10120 25TH ST, RANCHO CUCAMONGA, CA 91730				PERMIT EXPIRATION 10/31/2021	IDENTIFIER: None
TIME IN 9:25 AM	TIME OUT 9:40 AM	FACILITY ID FA0007692	RELATED ID PR0022470	PE 1620	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: This re-inspection was conducted at the request of the operator.

This Deli was closed for business at the time of this inspection.

On 07/06/2021, the health permit for this facility was suspended due to no cold water available at the handwashing sink and the 3-compartment sink.
On this date, Observed a cold water from both 3-compartment sink and handwashing sink in the kitchen.
Observed both hot and cold water available to all sinks in the kitchen.

The health permit for this facility was re-instated on this date. The notice of closure sign was removed. This Deli may open to public.

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: This re-inspection was conducted as a result of the recent plan check inspection conducted on 07/06/2021. On 07/06/2021, observed no cold water at the 3-compartment sink and the handwashing sink.

On this date, all of the previously noted violations were observed to have been corrected. Observed a cold water from both 3-compartment sink and handwashing sink in the kitchen. Observed both hot and cold water available to all sinks in the kitchen.
No further action warranted on this date. The "Notice of Closure" sign was removed.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

No summary comments have been made for this inspection.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Total # of Images: 0