



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME 7-ELEVEN #13965		DATE 10/15/2015	REINSPECTION DATE 10/29/2015	PERMIT EXPIRATION 9/30/2015
LOCATION 12041 BRYANT ST, YUCAIPA, CA 92399			INSPECTOR Jessica Duron	
MAILING ADDRESS 11352 WINDCREST DR, FONTANA CA 92337			IDENTIFIER: None	
TIME IN 2:00 PM			SERVICE: 001 - Inspection - Routine	
TIME OUT 3:25 PM			RESULT: 05 - Corrective Action / Follow up Required	
FACILITY ID FA0007636			ACTION: 03 - Reinspection Required	
RELATED ID PR0009688			PE 1647	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 86

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
In	N/O			⊗
1. Demonstration of knowledge; food safety certification				
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
In			4	
2. Communicable disease; reporting, restrictions & excl				
In	N/O			2
3. No discharge from eyes, nose, and mouth				
In	N/O			2
4. Proper eating, tasting, drinking or tobacco use				
PREVENTING CONTAMINATION BY HANDS				
In	N/O		4	2
5. Hands clean and properly washed; gloves used prop				
In				⊗
6. Adequate handwashing facilities supplied & accessib				
TIME AND TEMPERATURE RELATIONSHIPS				
In	N/O	N/A	4	2
7. Proper hot and cold holding temperatures				
In	N/O	N/A	4	2
8. Time as a public health control; procedures & record				
In	N/O	N/A	4	2
9. Proper cooling methods				
In	N/O	N/A	4	
10. Proper cooking time & temperatures				
In	N/O	N/A	4	
11. Proper reheating procedures for hot holding				
PROTECTION FROM CONTAMINATION				
In	N/O	N/A		2
12. Returned and reserve of food				
In			4	2
13. Food in good condition, safe and unadulterated				
In	N/O	N/A	4	2
14. Food contact surfaces: clean and sanitized				

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
In			4	
15. Food obtained from approved source				
In	N/O	N/A		2
16. Compliance with shell stock tags, condition, display				
In	N/O	N/A		2
17. Compliance with Gulf Oyster Regulations				
CONFORMANCE WITH APPROVED PROCEDURES				
In	N/A			2
18. Compliance with variance, specialized process, and HACCP Plan				
CONSUMER ADVISORY				
In	N/O	N/A		2
19. Consumer advisory provided for raw or undercooked foods				
HIGHLY SUSCEPTIBLE POPULATIONS				
In	N/A		4	
20. Licensed health care facilities/public and private schools; prohibited foods not offered				
WATER/HOT WATER				
In			4	2
21. Hot and cold water available				
LIQUID WASTE DISPOSAL				
In			4	2
22. Sewage and wastewater properly disposed				
VERMIN				
In			4	2
23. No rodents, insects, birds, or animals				

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	⊗
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊗
48. Food handler cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME 7-ELEVEN #13965	DATE 10/15/2015
LOCATION 12041 BRYANT ST, YUCAIPA, CA 92399	INSPECTOR Jessica Duron

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold; color: red;">2</div>	Compliance date not specified Not In Compliance Violation Reference - HSC - 113947-113947.1	Inspector Comments: Observed an expired manager's certificate on site for this facility. No current, valid food safety manager's certification was available at the time of the inspection. Ensure at least one person who works at the facility has and maintains a current original copy of their food safety manager certification from an ANSI-approved organization on site within 60 days. Investigator will follow-up in 60 days to ensure permit has been obtained.
---	---	---

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold; color: red;">2</div>	Compliance date not specified Not In Compliance Violation Reference -	Inspector Comments: Observed no paper towels available in a permanent dispenser at the hand washing station behind the register area and at the hand washing station in the restroom. Ensure paper towels are provided in a permanent dispenser at all times to allow proper hand washing to occur and to prevent potential contamination. ----- Observed vendor totes stored in the restroom directly in front of the hand washing sink blocking access to the sink. Ensure hand washing sinks are kept unobstructed and easily accessible at all times to promote proper hand washing. Remove totes immediately.
---	---	---

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold; color: red;">1</div>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	Inspector Comments: Observed significant debris build-up on fan near 3-compartment sink and back door. Ensure fan is cleaned and maintained clean to prevent potential contamination.
---	--	---

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold; color: red;">1</div>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114149, 114149.1	Inspector Comments: Observed the light in the reach-in freezer between the water and gatorade is hanging loosely in refrigerator. Repair light fixture and maintain all light fixtures in good repair. ----- Observed no shatter guard or shatter-proof bulbs installed in back room above 3-compartment sink. Ensure bulb covers (shatter guards) or shatter-proof bulbs are installed to prevent potential contamination.
---	--	--

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)



Public Health Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME 7-ELEVEN #13965	DATE 10/15/2015
LOCATION 12041 BRYANT ST, YUCAIPA, CA 92399	INSPECTOR Jessica Duron

39. THERMOMETERS PROVIDED AND ACCURATE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114157, 114159	Inspector Comments: Observed only 1 thermometer available in the facility to measure temperature of hot food items and the thermometer was not in working order. Immediately replace broken thermometer and ensure an accurate thermometer is available on site at all times.
--------------------	---	--

Violation Description: An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/CalibratingThermometer.pdf>

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114135, 114185.1	Inspector Comments: Observed a wet wiping cloth stored in the counter behind the register area. Employee said it was her cloth that she was using to clean. Ensure wet wiping cloths are not left out on counters. Wet wiping cloths must be stored in sanitizer solution at the proper concentration (100 PPM for chlorine and 200 PPM for quaternary ammonium) or single-use towels can be used and disposed of after each use.
--------------------	---	--

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Observed significant debris build-up and a mold-like substance build-up in the floor drain behind the register area and below the 3-compartment sink. Immediately clean floor drains and maintain all floor drains clean and in good condition to allow proper drainage to occur.
--------------------	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114250, 114276	Inspector Comments: Observed toilet paper in the restroom not stored on a permanent dispenser, but placed on rack next to toilet. Ensure toilet paper is available in a permanent dispenser at all times to prevent potential contamination.
--------------------	---	---

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



Public Health Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME 7-ELEVEN #13965	DATE 10/15/2015
LOCATION 12041 BRYANT ST, YUCAIPA, CA 92399	INSPECTOR Jessica Duron

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Observed significant debris build-up on the floor beneath the 3-compartment sink. Ensure floor beneath 3-compartment sink is thoroughly cleaned and all floors are maintained clean and in good repair. Equipment should be moved regularly to facilitate cleaning beneath equipment.
---------------------------	---	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

47. SIGNS POSTED; LAST INSPECTION REPORT AVAILABLE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 113725.1, 113953.5	Inspector Comments: Observed no copy of the last routine inspection report available on site. Ensure a copy of the last routine inspection report is kept on site at all times.
---------------------------	---	---

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

48. FOOD HANDLER CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0409	Inspector Comments: Observed 1 employee with an expired food handler card. Ensure all employees have and maintain a current copy of their San Bernardino County food handler card available on site within 14 days of hire date.
---------------------------	---	--

Violation Description: This facility is currently in violation with the food handler certification requirement for San Bernardino County, which states all food handlers must obtain a valid food handler certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food handler certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Handler" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

"B" letter grade posted

Provided employee with copy of routine inspection report, food handler card form, HELP brochure, and voluntary re-score form.

Signature(s) of Acknowledgement

NAME: michael robinson
TITLE: