



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME PETRO STOPPING CENTERS		REINSPECTION DATE 12/30/2021	INSPECTOR Amanda Tieu	DATE 12/15/2021
LOCATION 4325 E GUASTI RD, ONTARIO, CA 91761		PERMIT EXPIRATION 12/30/2021	IDENTIFIER: Popeye's	
TIME IN 3:52 PM	TIME OUT 4:15 PM	FACILITY ID FA0009834	RELATED ID PR0003986	PE 1621
		SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 03 - REINSPECTION REQUIRED		

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: PURPOSE:

A follow up inspection was conducted on this date to observe compliance with violations noted during the complaint inspection.

PREVIOUS VIOLATIONS:

During the complaint inspection, the following items was noted:

- Approximately (2) to (3) dry rodent droppings located on the flooring beneath the steam table.
- (4) fruit flies within the metal cabinet below the soda machine dispenser at the customer sale floor

OBSERVATIONS:

1) On this date, the following was observed:

- Flooring below the steam table to be clean and free of rodent droppings
- Approximately (8) to (10) fruit flies was observed within the soda machine dispenser at the customer sale floor
- Excessive unknown black mold-like substance accumulating within the floor drain of the soda machine dispenser

OUTCOME:

Clean and sanitized the affected area in an approve manner. Maintain and keep the facility free of vermin.

Eliminate all vermin and evidence of vermin from this facility including but not limited to fruit flies / vermin.

A billable follow up inspection with a minimum charge of \$122.50 will be conducted on 12/21/2021 to verify the facility is clean, sanitized, and free of fruit flies.

Failure to comply may result in future billable follow up inspections.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

16C023 No rodents, insects, birds, or animals

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC - 114259.1,
114259.4, 11425

Inspector Comments: Approximately (8) to (10) fruit flies was observed within the soda machine dispenser at the customer sale floor

Clean and sanitized the affected areas in an approve manner. Maintain and keep the facility free of vermin. Eliminate all vermin and evidence of vermin from this facility including but not limited to rodents and fruit flies.

*NOTE:

A billable follow up inspection with a minimum charge of \$122.50 will be conducted on or after 12/21/2021 to verify compliance.

Failure to comply may result in future billable follow up inspections with a minimum charge of \$122.50.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME PETRO STOPPING CENTERS	DATE 12/15/2021
LOCATION 4325 E GUAISTI RD, ONTARIO, CA 91761	INSPECTOR Amanda Tieu

16C041 Plumbing; proper backflow devices

Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114171, 114189.1

Inspector Comments: Excessive unknown black mold-like substance accumulating within the floor drain of the soda machine dispenser.

Clean and sanitize floor drain. Ensure all plumbing and plumbing fixtures are maintained clean, fully operative, and in good repair.

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Overall Inspection Comments

No signature obtained due to COVID-19 safety measures. "No Signature." The contents of the follow up inspection has been discussed with the facility manager.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NO SIGNATURE

NAME: Andrew Tapia
TITLE: Manager

Total # of Images: 0