



**Public Health**  
**Environmental Health Services**  
**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>KAISER PERMANENTE OVAS/MOB</b>		DATE 5/8/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 12/31/2015
LOCATION 2295 S VINEYARD AV, ONTARIO, CA 91761			INSPECTOR Veronica Martinez	
MAILING ADDRESS 2295 S VINEYARD AV BLDG H, ONTARIO CA 91761			IDENTIFIER: Food - Cafeteria Kitchen	
TIME IN 12:46 PM			SERVICE: 001 - Inspection - Routine	
TIME OUT 1:59 PM			RESULT: 03 - Corrective Action / No Follow up Required	
FACILITY ID FA0012661			ACTION: 01 - No Further Action Required	
RELATED ID PR0030464			PE 1622	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



**SCORE 97**

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance  
+ COS = Corrected on-site
- N/O = Not observed  
⊗ MAJ = Major violation
- N/A = Not applicable  
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	⊗

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	⊗
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



**Public Health**  
**Environmental Health Services**  
**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME KAISER PERMANENTE OVAS/MOB	DATE 5/8/2015
LOCATION 2295 S VINEYARD AV, ONTARIO, CA 91761	INSPECTOR Veronica Martinez

**14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED**

<b>POINTS</b> <b>2</b>	Compliance date not specified	<b>Inspector Comments:</b> Observed the towel drying of cleaned and sanitized utensils. Discontinue towel drying and ensure utensils are air dried or sufficiently drained to prevent possible contamination.
	Not In Compliance Violation Reference - HSC - 113984(e), 114097, 114099	

**Violation Description:** All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

**More Information:** [http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel\\_Sanitizing\\_solution\\_Eng\\_Spn\\_final\\_11\\_30\\_11.pdf](http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf)

**36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE**

<b>POINTS</b> <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Observed in service knives stored in a container of sanitizer used to cut quesadilla then returned to container of sanitizer. Discontinue practice and ensure utensils are stored in an unapproved manner during pauses in food preparation or dispensing to prevent possible contamination.
	Not In Compliance Violation Reference - HSC - 114074, 114081, 114119	

**Violation Description:** All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)

**Overall Inspection Comments**

Letter grade "A" posted.

**Signature(s) of Acknowledgement**

NAME: Vivien Choi  
 TITLE: