



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME FRESCO GRILL				REINSPECTION Next Routine	INSPECTOR Reydesel Salazar	DATE 5/5/2022
LOCATION 11416 CHAMBERLAINE WY, ADELANTO, CA 92301				PERMIT 2/28/2022	IDENTIFIER: None	
TIME IN 10:15 AM	TIME OUT 11:13 AM	FACILITY ID FA0005009	RELATED ID PR0012398	PE 1621	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED	

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: Health permit is reinstated and facility may reopen due to correction of critical violation.

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A reinspection was conducted on this date to observe compliance of violation noted on routine inspection conducted on 5/04/2022 which noted a sewage overflow in the floor sinks in the facility.

On this date, a plumber was observed at facility who stated the floor sinks were snaked and hydrojetted and the blockage was removed. Water was observed to be draining into the floor sink and no sewage overflow was observed.

Conclusion: Facility is compliant with no sewage overflow. No further action required at this time. Permit is reinstated (See permit reinstatement comment).

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Reinspection conducted on this day. Permit is reinstated.

Notice of closure sign removed; "B" grade card posted.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME:

TITLE:

Total # of Images: 0