



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BOSTON MARKET #842		REINSPECTION DATE Not Specified	INSPECTOR Nick Thalasinis	DATE 9/24/2015
LOCATION 10890 FOOTHILL BL, RANCHO CUCAMONGA, CA 91730		PERMIT EXPIRATION	IDENTIFIER: None	
TIME IN 11:45 AM	TIME OUT 1:00 PM	FACILITY ID FA0001780	RELATED ID CO0052304	PE 1621
SERVICE: 004 - COMPLAINT - INITIAL RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED				

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K995 Permit - Suspension ⚠ CRITICAL ⚠

Compliance Date: Not Specified **Inspector Comments:** Due to the lack of hot water in the food prep and warewashing areas the Permit is SUSPENDED and the facility is CLOSED.
Not In Compliance

Violation Reference - HSC

Violation Description: Violation(s) observed pose an immediate threat to public health and safety and the health permit to operate is hereby suspended and ordered closed until the listed violation(s) have been corrected and verified by DEHS. Facility is to remain closed until permission from DEHS is given. Contact your inspector at your local office to schedule a reinspection to reinstate the health permit. Posted closed, do not move, hide, or remove sign.

16K999 Complaint Inspection

Compliance Date: Not Specified **Inspector Comments:** Complaint received 9/23/15 of no hot water in the facility.

Not In Compliance

Reference - HSC

Description: A complaint report has been received by Environmental Health.

16K021 Hot and cold water available ⚠ CRITICAL ⚠

Compliance Date: Not Specified **Inspector Comments:** Observed no hot water at the prep, warewashing, handwashing or mop sinks (hot water present in mens toilet room handwashing sink only) ; An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided to all plumbing fixtures as needed.
Not In Compliance

Violation Reference - HSC - 113953(c), 114099.2(b)

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

Overall Inspection Comments

Due to the lack of hot water in the food prep and warewashing areas the Permit is SUSPENDED and the facility is CLOSED.

Contact EHS for recheck of plumbing fixtures PRIOR to reopening.

Signature(s) of Acknowledgement

NAME:
TITLE:

Total # of Images: 0