



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME MAR Y TIERRA		REINSPECTION DATE 9/25/2015		INSPECTOR Veronica Martinez	DATE 9/11/2015
LOCATION 826 W MISSION BL, ONTARIO, CA 91762				PERMIT EXPIRATION 11/30/2015	IDENTIFIER: Food
TIME IN 3:15 PM	TIME OUT 4:08 PM	FACILITY ID FA0009786	RELATED ID PR0012055	PE 1621	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 03 - REINSPECTION REQUIRED

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A reinspection was conducted today in regard to refrigeration units observed with ambient temperature measuring 50°F.

Upon reinspection, observed reach in refrigeration unit measuring an ambient temperature of 38F. Observed one inoperable reach in refrigeration unit not in use. Observed walk in refrigeration unit measuring ambient temperature of 58F. Soup cooled and placed in walk in refrigeration unit one day prior observed holding out of temperature (54F). Potentially hazardous foods moved from walk in refrigeration unit to upright reach in refrigeration units and freezer. Work order placed for walk in refrigeration unit. Maintain all potentially hazardous foods at 41F or below in properly working refrigeration units.

Reinspection to verify properly working refrigeration units.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: Jose

TITLE:

Total # of Images: 0