




Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #5484		DATE 8/20/2015	REINSPECTION DATE 9/03/2015	PERMIT EXPIRATION 4/30/2016
LOCATION 1466 E FOOTHILL BL P, UPLAND, CA 91786			INSPECTOR Denise Martinez	
MAILING ADDRESS 1466 E FOOTHILL BL P, UPLAND, CA 91786			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 9:00 AM	TIME OUT 10:15 AM	FACILITY ID FA0004752	RELATED ID PR0009330	PE 1620

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊘ MAJ = Major violation
- N/A = Not applicable
⊘ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
In	2. Communicable disease; reporting, restrictions & excl		4	
In	N/O 3. No discharge from eyes, nose, and mouth			2
In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
In	6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS				
In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
In	N/O N/A 8. Time as a public health control; procedures & record		4	2
In	N/O N/A 9. Proper cooling methods		4	2
In	N/O N/A 10. Proper cooking time & temperatures		4	
In	N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
In	N/O N/A 12. Returned and reserve of food			2
In	13. Food in good condition, safe and unadulterated		4	2
In	N/O N/A 14. Food contact surfaces: clean and sanitized	+	4	⊘

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
In	15. Food obtained from approved source		4	
In	N/O N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
In	N/O N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
In	N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
In	21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL				
In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
In	23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊘
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊘
48. Food handler cards	⊘
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health

Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

www.SBCounty.gov

FACILITY NAME SUBWAY #5484	DATE 8/20/2015
LOCATION 1466 E FOOTHILL BL P, UPLAND, CA 91786	INSPECTOR Denise Martinez

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED

POINTS 2	Compliance date not specified Complied on 8/20/2015 Violation Reference - HSC - 113984(e), 114097, 114099	Inspector Comments: Observed soda dispensing nozzles of "Ole!" machine to have excessive debris build-up inside of nozzles. Clean and maintain all soda nozzles on a regular basis. Corrected on site: Employee removed all nozzles and properly washed and sanitized equipment before re-installing on dispensing machine.
--------------------	--	---

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Observed no air gap between drain pipes from ice machine and rim of floor sink in back room near 3-compartment sink. Ensure that all equipment/piping that discharges waste into a floor sink has an air gap of at least 1" to prevent any potential back flow issues or contamination.
--------------------	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

47. SIGNS POSTED; LAST INSPECTION REPORT AVAILABLE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 113725.1, 113953.5	Inspector Comments: A copy of the most recent routine inspection report was not available upon request at the facility. Ensure that a copy of the most recent inspection report is printed and maintained onsite at the facility at all times.
--------------------	---	---

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

48. FOOD HANDLER CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0409	Inspector Comments: Observed (1) employee working within this facility without a valid San Bernardino County food worker card on site. Ensure that all employees obtain a valid San Bernardino County Food Worker Card within 14 days of this inspection. Failure to provide our office with proof of compliance within 14 business days will result in a charged inspection billed at a rate of \$245 per hour with a 30-minute minimum or other further action. Fax provided Missing Food Worker Card form to DEHS office at (909) 387-4272.
--------------------	---	---

Violation Description: This facility is currently in violation with the food handler certification requirement for San Bernardino County, which states all food handlers must obtain a valid food handler certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food handler certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Handler" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

"A" letter grade card posted.
Missing Food Worker Card Form left on site with operator.

Signature(s) of Acknowledgement



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #5484	DATE 8/20/2015
LOCATION 1466 E FOOTHILL BL P, UPLAND, CA 91786	INSPECTOR Denise Martinez

A handwritten signature in blue ink, appearing to read "Mandy Kaur".

NAME: Mandy Kaur
TITLE: