



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SPRING VALLEY MARKET		DATE 4/27/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 12/31/2015
LOCATION 13295 SPRING VALLEY PKWY B, VICTORVILLE, CA 92392			INSPECTOR Patrick Baccari	
MAILING ADDRESS SVL BOX 9323, VICTORVILLE CA 92392			IDENTIFIER: Market	
TIME IN 11:36 AM	TIME OUT 12:14 PM	FACILITY ID FA0003456	RELATED ID PR0009871	PE 1611
			SERVICE: 001 - Inspection - Routine RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			⊗
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	⊗

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊗
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SPRING VALLEY MARKET	DATE 4/27/2015
LOCATION 13295 SPRING VALLEY PKWY B, VICTORVILLE, CA 92392	INSPECTOR Patrick Baccari

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS 2	Compliance date not specified	Inspector Comments: Hand wash sink must not be obstructed. Lack of required soap in wall mounted dispenser at hand wash sink in restroom. Maintain soap and paper towels in operable wall mounted dispensers at hand wash sinks.
	Not In Compliance	
	Violation Reference -	

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

27. FOOD SEPARATED AND PROTECTED

POINTS 1	Compliance date not specified	Inspector Comments: Limit items in restroom to those needed in the restroom. Remove liquor, storage containers, dollies, mop bucket, store items in an approved area.
	Not In Compliance	
	Violation Reference - HSC - 113984 (a, b, c, d, f)	

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Provide cleaning to condenser coils in walk in refrigerator. Lint / dust observed built up in noted area.
	Not In Compliance	
	Violation Reference - HSC - 114130, 114130.1, 114130	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified	Inspector Comments: Provide light cover to fluorescent lights above ice machine,
	Not In Compliance	
	Violation Reference - HSC - 114149, 114149.1	

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS 1	Compliance date not specified	Inspector Comments: Maintain restroom door in closed position. Toilet paper not provided in permanently installed dispensers at toilet. Repair urinal in restroom.
	Not In Compliance	
	Violation Reference - HSC - 114250, 114276	

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



Public Health
Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SPRING VALLEY MARKET	DATE 4/27/2015
LOCATION 13295 SPRING VALLEY PKWY B, VICTORVILLE, CA 92392	INSPECTOR Patrick Baccari

44. PREMISES; PERSONAL/CLEANING ITEMS; VERMIN-PROOFING

POINTS 1	Compliance date not specified	Inspector Comments: Maintain access to mop sink. Store mop and mop bucket in this area.
	Not In Compliance	
	Violation Reference - HSC - 114067 (j), 114123	

Violation Description: The premises of each food facility shall be kept clean and free of litter and rubbish; all clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces; the facility shall be kept vermin proof. (114067 (j), 114123, 114143 (a) & (b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282) Food preparation sinks, handwashing sinks and warewashing equipment shall not be used for the cleaning of maintenance tools, the holding of maintenance materials, or the disposal of liquid wastes. (114123) Open-air barbecue and/or outdoor wood burning oven must operate on the same premises, in conjunction with a permanent food facility and not in an area that may pose as a fire hazard. (114143(a) (b)) Janitorial sink or approved curbed cleaning facility (exemption for restricted food service facilities Section 114279 (b)) shall be provided. (114279(a)) First aid supplies must have a legible manufacturer's label and stored in a kit or container that is located to prevent contamination. (114256.4) Insect electrocution devices are not allowed in food or utensil handling areas. (114259.3)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Patch holes in wall at the entrance to the storage room. Maintain walls smooth and easily cleanable.
	Not In Compliance	
	Violation Reference - HSC - 114143 (d), 114266	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

47. SIGNS POSTED; LAST INSPECTION REPORT AVAILABLE

POINTS 1	Compliance date not specified	Inspector Comments: A copy of the most recent routine inspection report is not maintained at the food facility and is not available upon request.
	Not In Compliance	
	Violation Reference - HSC - 113725.1, 113953.5	

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: hany
 TITLE: