




Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME POORKY'S		DATE 10/13/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 5/31/2015
LOCATION 208 E MAIN ST, BARSTOW, CA 92311			INSPECTOR Michelle Saltis	
MAILING ADDRESS 18210 FRESNO ST, HESPERIA CA 92345			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 03 - Corrective Action / No Follow up Required	
			ACTION: 01 - No Further Action Required	
TIME IN 1:33 PM	TIME OUT 2:42 PM	FACILITY ID FA0000196	RELATED ID PR0000434	PE 1620

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊘ MAJ = Major violation
- ⊘ OUT = Out of compliance

		DEM ONSTRATION OF KNOWLEDGE	COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊘
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	+		⊘

		FOOD FROM APPROVED SOURCES	COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊘
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊘
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊘
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊘
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME POORKY'S	DATE 10/13/2015
LOCATION 208 E MAIN ST, BARSTOW, CA 92311	INSPECTOR Michelle Saltis

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED **⚠ CRITICAL ⚠**

POINTS 4	Compliance date not specified Complied on 10/13/2015 Violation Reference - HSC - 113984(e), 114097, 114099	Inspector Comments: Observed an employee washing dishes/utensils in the 3 compartment sink with a wash water temperature of 95F and no sanitizer. Ensure to properly wash, rinse, sanitize and than air dry equipment/utensils. Ensure to wash dishes/ utensils in hot water at a minimum temperature of 110F. Employee corrected by changing water to a temperature of 120F and set up sanitizer to correctly sanitize dishes.
---------------------------	--	--

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113947-113947.1	Inspector Comments: Observe no managers certificate on site at time of inspection. Provide a valid food safety certification (managers certificate) on site within 60 days. Photo copies are not accepted.
---------------------------	---	--

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	Inspector Comments: Observed excessive debris/grease on kitchen hood/filters. Clean and maintain on a routine basis.
---------------------------	--	--

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114149, 114149.1	Inspector Comments: Observed light bulbs missing in kitchen hood. Replace light bulbs in hood.
---------------------------	--	--

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)



Public Health
Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME POORKY'S	DATE 10/13/2015
LOCATION 208 E MAIN ST, BARSTOW, CA 92311	INSPECTOR Michelle Saltis

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold;">1</div>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Observed leak at faucet and pipe at the 3 compartment sink. Repair leak at 3 compartment sink.
---	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS <div style="border: 1px solid black; padding: 5px; display: inline-block; font-size: 24pt; font-weight: bold;">1</div>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Observed paint peeling on the wall by the kitchen hood/freezer. Repair walls from paint chipping.
---	---	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

"A" card posted.

 Facility referral and information on the food safety help program provided.

Signature(s) of Acknowledgement

NAME: jason lowe
 TITLE: