



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MANNA DONUTS		DATE 7/31/2015	REINSPECTION DATE 8/14/2015	PERMIT EXPIRATION 7/31/2015
LOCATION 1604 WASHINGTON ST, COLTON, CA 92324			INSPECTOR John Babalola	
MAILING ADDRESS 1604 WASHINGTON ST, COLTON, CA 92324			IDENTIFIER: None	
TIME IN 9:44 AM	TIME OUT 11:22 AM	FACILITY ID FA0006525	RELATED ID PR0007954	PE 1620
			SERVICE: 001 - Inspection - Routine RESULT: 05 - Corrective Action / Follow up Required ACTION: 03 - Reinspection Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 87

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
○ In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
○ In		2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O	3. No discharge from eyes, nose, and mouth			2
○ In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
○ In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
○ In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	⊗ 2
In	N/O	○ N/A		4	2
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	
○ In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
○ In	N/O	N/A			2
○ In		13. Food in good condition, safe and unadulterated		4	2
○ In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
○ In		15. Food obtained from approved source		4	
In	N/O	○ N/A			2
In	N/O	○ N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		○ N/A			2
CONSUMER ADVISORY					
In	N/O	○ N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		○ N/A		4	
WATER/HOT WATER					
○ In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
○ In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	⊗ 2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗ 1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗ 1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗ 1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗ 1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗ 1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	⊗ 1
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	⊗ 1
53. Impoundment	
54. Permit Suspension	



Public Health Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MANNA DONUTS	DATE 7/31/2015
LOCATION 1604 WASHINGTON ST, COLTON, CA 92324	INSPECTOR John Babalola

7. PROPER HOT AND COLD HOLDING TEMPERATURES



POINTS
4

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
113996, 113998, 114037

Inspector Comments: Observed creamer, required to be kept refrigerated, at 52 degrees F. Maintain at 41 degrees F or below. See VC&D.

Violation Description: Potentially hazardous foods shall be held at or below 41F or at or above 135F. (113996, 113998, 114037, 114343(a))

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/510012_how_to_keep_food_out_of_danger_zone.pdf

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS
2

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114259.1, 114259.4, 11425

Inspector Comments: Observed a lot of dead German roaches in the prep and storage areas. Continue steps to completely eliminate these pests from the facility.

Observed flies and ants in the prep area. Take effective steps to eliminate these flies and ants.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

27. FOOD SEPARATED AND PROTECTED

POINTS
1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
113984 (a, b, c, d, f)

Inspector Comments: Observed raw eggs stored above ready-to-eat food. Store raw eggs below ready-to-eat food/produce.

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS
1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114130, 114130.1, 114130

Inspector Comments: Debris buildup observed on the bottom shelf inside the cold prep table. Maintain clean.

Ice buildup observed inside the chest freezer. Defrost and maintain clean.

Flour spillage and debris buildup observed on the wood shelves in the storage area. Maintain clean.

Debris buildup observed inside all cabinets in the prep and in the service area. Maintain clean.

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS
1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114149, 114149.1

Inspector Comments: Grease and lint buildup observed on the exhaust hood above the oven and fryer. Maintain clean.

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)



Public Health Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MANNA DONUTS	DATE 7/31/2015
LOCATION 1604 WASHINGTON ST, COLTON, CA 92324	INSPECTOR John Babalola

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Repair the leaks under the employee hand washing sink in the prep area. Debris buildup observed inside all floor sinks. Maintain clean. Debris buildup observed inside the mop sink. Maintain clean.
--------------------	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Debris buildup observed on the floor under the 2-compartment sink, under the prep table, and in the storage area. Maintain clean. Replace all damaged ceiling panels in the back storage area.
--------------------	---	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

48. FOOD HANDLER CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0409	Inspector Comments: Renew the food worker certification card that expired on 12-10-2014. Note: Lefty a copy of the form to be returned to our office within 2 weeks.
--------------------	---	---

Violation Description: This facility is currently in violation with the food handler certification requirement for San Bernardino County, which states all food handlers must obtain a valid food handler certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food handler certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Handler" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

52. VC & D

POINTS 0	Compliance date not specified Not In Compliance Violation Reference - HSC - 113980	Inspector Comments: Observed about 5 cups of creamer, required to be kept refrigerated, at 52 degrees F.
--------------------	---	--

Violation Description: Operator has voluntarily consented to the condemnation and destruction of food as said material being unfit for human consumption or otherwise in violation of California Health and Safety Code, Division 104, Part 5, Chapter 1 through 8, the disposition of which is provided for by Chapter 8, Article 3, Section 111895.

"I (We) hereby voluntarily agree to the condemnation and destruction of the following material(s) listed in violation number 52. By signing this Official Inspection Report (OIR), I (We) hereby release the County of San Bernardino and its agent from any and all liability."

Overall Inspection Comments

Posted a B grade placard and left a copy of re-score inspection request form.

Signature(s) of Acknowledgement



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MANNA DONUTS	DATE 7/31/2015
LOCATION 1604 WASHINGTON ST, COLTON, CA 92324	INSPECTOR John Babalola

A handwritten signature in blue ink, appearing to read "Ly".

NAME: Albert Ly
TITLE: Cashier