



Public Health
Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HIGH RANK TATTOO CO		DATE 9/29/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 2/28/2016
LOCATION 605 E MAIN ST, BARSTOW, CA 92311			INSPECTOR Rose Ann Dooley	
MAILING ADDRESS 605 E MAIN ST, BARSTOW CA 92311			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE	
			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R	
TIME IN 11:17 AM	TIME OUT 12:07 PM	FACILITY ID FA0014367	RELATED ID PR0018977	PE 2502
			ACTION: 01 - NO FURTHER ACTION REQUIRED	

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
97

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterilizing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS 3	Inspector Comments:
	observed no invoice logs for single use equipment. Ensure invoice logs are maintained on site and available for review for a minimum of 90 days.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire
17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HIGH RANK TATTOO CO	DATE 9/29/2015	INSPECTOR Rose Ann Dooley
LOCATION 605 E MAIN ST , BARSTOW, CA 92311		

BODY ART INSPECTION

22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b);119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *
33	119306, 119307, 119318 - IPCP and employee training records and Hepatitiis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

Overall Inspection Comments:

Annual inspection conducted on this date. Ensure invoice logs are maintained on site for review.

Signature(s) of Acknowledgement

NAME:
TITLE:

Total # of Images: 0