



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR		DATE 10/21/2015	REINSPECTION DATE 11/04/2015	PERMIT EXPIRATION 1/31/2016
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405			INSPECTOR Anies Kondoker	
MAILING ADDRESS 1437 MIDNIGHT SUN DR, BEAUMONT CA 92223			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 13 - Permit Suspended / Facility Closed	
TIME IN 2:46 PM	TIME OUT 4:04 PM	FACILITY ID FA0010008	RELATED ID PR0002622	PE 1622

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 92

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊘ MAJ = Major violation
- ⊘ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
○ In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
○ In	2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O 3. No discharge from eyes, nose, and mouth			2
○ In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
○ In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
○ In	6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS				
In	N/O ○ N/A 7. Proper hot and cold holding temperatures		4	2
In	N/O ○ N/A 8. Time as a public health control; procedures & record		4	2
In	N/O ○ N/A 9. Proper cooling methods		4	2
In	N/O ○ N/A 10. Proper cooking time & temperatures		4	
In	N/O ○ N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
In	○ N/O N/A 12. Returned and reserve of food			2
○ In	13. Food in good condition, safe and unadulterated		4	2
○ In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
○ In	15. Food obtained from approved source		4	
In	N/O ○ N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O ○ N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	○ N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
In	N/O ○ N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
In	○ N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
In	21. Hot and cold water available	+ COS	4	⊘ OUT
LIQUID WASTE DISPOSAL				
○ In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
○ In	23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊘ OUT
42. Garbage and refuse properly disposed; facilities m	⊘ OUT
43. Toilet facilities: properly constructed, supplied, clea	⊘ OUT
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊘ OUT
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	⊘ OUT



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR	DATE 10/21/2015
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405	INSPECTOR Anies Kondoker

54. PERMIT SUSPENSION

POINTS 0	Compliance date not specified Not In Compliance Violation Reference - HSC - 114409, 114405	Inspector Comments: The facility is hereby ordered closed by Division of Environmental Health Services (DEHS) due to no hot water. Call DEHS before opening.
---------------------------	--	--

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)

21. HOT AND COLD WATER AVAILABLE ⚠ CRITICAL ⚠

POINTS 4	Compliance date not specified Complied on 10/21/2015 Violation Reference - HSC - 113953(c), 114099.2(b)	Inspector Comments: Observed no hot water in this facility. Water temperature was measured at maximum of 77 F. Owner stated that there's no gas connected into the facility. Ensure to provide hot water at minimum of 120 F to one of the sinks and at minimum of 100 F to all other sinks.
---------------------------	---	---

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: - Observed leaky sink in bar. Repair/replace. - Observed insufficient air gap between drain pipe of ice bin in bar and rim of floor sink. Ensure to provide a minimum of 1" air gap or an air gap that is the size of two times of pipe diameter.
---------------------------	--	---

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

42. GARBAGE AND REFUSE PROPERLY DISPOSED; FACILITIES MAINTAINED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114244, 114245	Inspector Comments: - Observed lids of dumpsters open. Ensure to maintain lid of dumpsters closed at all times. - Observed garbage accumulation (shopping carts, damaged couches, etc) and near dumpster. Ensure to clean and maintain the area clean.
---------------------------	--	--

Violation Description: All food waste and rubbish shall be kept in leak proof and rodent proof containers. Containers shall be covered at all times. All waste must be removed and disposed of as frequently as necessary to prevent a nuisance. The exterior premises of each food facility shall be kept clean and free of litter and rubbish. (114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114250, 114276	Inspector Comments: Observed no paper towel dispenser in men's restroom. Ensure to install a paper towel dispenser in men's restroom.
---------------------------	--	---

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME CASA BLANCA RESTAURANT & SPORTS BAR	DATE 10/21/2015
LOCATION 2347 N SIERRA WY, SAN BERNARDINO, CA 92405	INSPECTOR Anies Kondoker

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Observed peeling wall above ice machine. Observed peeling ceiling above storage of dishes and utensils in dish scraping area and above plates and glass storage near oven. Observed large hole on ceiling in storage room. Observed detached base cove tile near kitchen. Ensure to repair wall, floor and ceiling so that they are smooth and easily cleanable. The hole on the ceiling shall be closed to prevent vermin harborage.

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

This facility does not serve food at this time.

Signature(s) of Acknowledgement

NAME: ana olvera
 TITLE: president