



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BARSTOW STATION SUBWAY		DATE 3/17/2020	REINSPECTION DATE 3/31/2020	PERMIT EXPIRATION 12/31/2020
LOCATION 1611 E MAIN, BARSTOW, CA 92311			INSPECTOR Erick Tilus	
MAILING ADDRESS 13825 PAMLICO RD, APPLE VALLEY CA 92307			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 2:50 PM	TIME OUT 4:46 PM	FACILITY ID FA0000882	RELATED ID PR0002179	PE 1620

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 90

Reduce food loss, and feed those in need by donating your surplus food. [Learn more about donating surplus food.](#)

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
○ In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
○ In	2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O 3. No discharge from eyes, nose, and mouth			2
○ In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
○ In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
In	6. Adequate handwashing facilities supplied & accessib	+		⊗
TIME AND TEMPERATURE RELATIONSHIPS				
○ In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
○ In	N/O N/A 8. Time as a public health control; procedures & record		4	2
In	N/O ○ N/A 9. Proper cooling methods		4	2
In	○ N/O N/A 10. Proper cooking time & temperatures		4	
○ In	N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
In	○ N/O N/A 12. Returned and reserve of food			2
○ In	13. Food in good condition, safe and unadulterated		4	2
○ In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
○ In	15. Food obtained from approved source		4	
In	N/O ○ N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O ○ N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	○ N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
In	N/O ○ N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
In	○ N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
○ In	21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL				
○ In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
In	23. No rodents, insects, birds, or animals		4	⊗

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BARSTOW STATION SUBWAY	DATE 3/17/2020
LOCATION 1611 E MAIN , BARSTOW, CA 92311	INSPECTOR Erick Tilus

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS 2	Compliance date not specified	Inspector Comments: Observed the rear handwash sink paper towel dispenser to be empty. Ensure all handwash sinks are equipped with hot wash water (100-108F), soap dispenser, and paper towel holder.
	Complied on 3/17/2020	
	Violation Reference -	

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS 2	Compliance date not specified	Inspector Comments: Observed multiple cockroaches in varying stages of life including egg casings, nymphs, adults, dead nymphs, and dead adults. Roaches observed on floor beneath hot holding portion of sandwich station, behind loose/ missing coving near the rear prep sink, near the equipment storage adjacent to the water heater, and beneath CO2 bottle and soda syrup storage rack. No food, food contact surfaces or utensils observed to be contaminated by vermin.
	Not In Compliance	
	Violation Reference - HSC - 114259.1, 114259.4, 11425	

Clean and sanitize all affected areas as soon as possible. Repair/ Replace the loose coving near rear prep sink to eliminate any possible vermin harborage. Ensure there is an active pest control program to eliminate pest harborage and breeding. Maintain the facility in a clean and sanitary fashion to eliminate any type of vermin sustenance.

This specific facility does not have a direct pest control system because facility is located in a larger multi-concept food facility where kitchens are separated. Upon contacting pest control service, inspector was advised prior service was conducted on 2/13/2020 and was a regular monthly spraying of Subway and candy shop only. Operator stated other companies service the remainder of the building.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: 1. Observed two (2) reusable cookie sheets in disrepair with cookie dough remnants, stored on the rack with clean items above the 3 compartment sink. Ensure all utensils are maintained in good repair. Ensure all utensils are washed, rinsed, sanitized, and allowed to completely air dry before being stored for re-use.
	Not In Compliance	
	Violation Reference - HSC - 114130, 114130.1, 114130	

2. Observed there to be standing water collecting under the CO2 storage area.

Clean and maintain the area under the CO2 and soda syrup storage racks. Ensure the facility is kept in a clean and sanitary fashion.

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Observed the 3 compartment sink to not have appropriate back flow prevention. Ensure all sinks are indirectly plumbed to provide adequate back flow prevention.
	Not In Compliance	
	Violation Reference - HSC - 114171, 114189.1	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BARSTOW STATION SUBWAY	DATE 3/17/2020
LOCATION 1611 E MAIN , BARSTOW, CA 92311	INSPECTOR Erick Tilus

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: 1. Observed food debris on the floors under the front prep line, the floor near the CO2 storage, and equipment storage areas. Clean and maintain floors in a clean and sanitary condition. 2. Observed the coving to be separating form the wall near the reach-in refrigerator, and from the wall near the rear prep sink. Replace/ Repair the affected coving with an approved material as soon as possible. NOTE: If you need assistance selecting an approved material, please contact the plan check department at 800-422-2283
---------------------------	---	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

48. FOOD HANDLER CERTIFICATION

POINTS 3	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0409	Inspector Comments: Observed two (2) missing food handlers cards. Ensure that all employees have a valid San Bernardino County food handlers certification with 14 days of employment. Missing Food Handlers Card form must be received by our office within fourteen (14) days of this inspection. If the form is not received by 3/31/2020 there will be a billable re-inspection at a rate of \$245 per hour at a half hour minimum of \$122.50
---------------------------	---	---

Violation Description: This facility is currently in violation with the food handler certification requirement for San Bernardino County, which states all food handlers must obtain a valid food handler certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food handler certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the 'Missing Food Handler' form provided by the inspector and email an electronic copy (scans or photos are ok as long as they are readable to sbcfoodworker@gmail.com

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

IMPORTANT: Risk Based Inspection Frequency

Food facilities that pose a higher risk level for causing foodborne illness will be subject to an additional inspection, to be billed at the hourly rate as provided in the San Bernardino County Code [Schedule of Fees](#). Facilities that received one or more of the following will be elevated to a high risk tier:

- A score letter of "C" or lower on one of the last two graded inspections,
- A score letter of "B" on two of the last three graded inspections,
- Repeated "four (4) point violation Risk Factor" (critical violation codes 1-23) on the last two inspections, or
- Four (4) or more critical violations (codes 1-23) noted during an inspection, or
- A permit suspension (closure) on your last graded inspection.

Food Establishment Donor Survey

Will you please take a few moments of your time to complete our [Food Establishment Donor Survey](#)? The purpose of this survey is to learn about current food recovery and food waste reduction efforts and struggles throughout San Bernardino County.

The feedback from the survey will help us identify barriers and opportunities, and connect you with nearby charitable feeding organizations so you can donate your surplus food. Once you complete the survey, you can view your entry and connect with other donor food establishments and charitable feeding organizations in the following [Live Web Map](#).

Overall Inspection Comments



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME BARSTOW STATION SUBWAY	DATE 3/17/2020
LOCATION 1611 E MAIN , BARSTOW, CA 92311	INSPECTOR Erick Tilus

Letter "A" posted

Facility will be reinspected with 24 hours to ensure compliance has been achieved.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: anil mohan
TITLE: owner