



RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT

FACILITY NAME MULBERRY PLACE		REINSPECTION DATE Not Specified	INSPECTOR Ngoc Le	DATE 9/16/2016
LOCATION ARROW ROUTE / VINEYARD, RANCHO CUCAMONGA, CA 91730		PERMIT EXPIRATION 8/31/2017	IDENTIFIER: Pool SERVICE: 001 - INSPECTION - ROUTINE	
TIME IN 3:01 PM	TIME OUT 3:44 PM	FACILITY ID FA0006099	RELATED ID PR0014903	PE 3620
		RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED		

RECREATIONAL HEALTH - Public Pool - Initial Pool at Facility



Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

89
SCORE

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

Ideal
In Compliance
Not in Compliance



temperature (°F)	No Data
observed flow (gpm)	0
required flow (gpm)	45
volume (gal)	22,000
area (sq ft)	740
occupancy	37

IMPORTANT: Replacement of Suction Outlet Covers

Suction Outlet covers (anti-entrapment covers over main drains and skimmer equalizer outlets) shall be replaced upon expiration. The expiration (in years) is stamped on the front of each cover, indicating the amount of time the cover is valid after installation. Each replacement cover shall:

1. Meet the latest ANSI/APSP-16 performance standard
2. Be rated for the maximum designed flow-rate of the pump

Retain all records which indicate the make/model number of the replacement cover and date of installation. Records shall be made available to your inspector upon request.

36K995 Permit - Suspension



POINTS
NA

Compliance Date: **Not Specified**
Not In Compliance
Violation Reference - **HSC**

Inspector Comments: Permit temporarily suspended due to high chlorine concentration.

Close sign is posted. Do not reopen without approval from Environmental Health Services.

Call 1-800-442-2283 when ready to open.

Violation Description: Violation(s) observed pose an immediate threat to public health and safety. The health permit to operate is hereby suspended and the pool/spa ordered closed until the listed violation(s) have been corrected and verified by Environmental Health Services (EHS). The facility is to remain closed until permission from EHS is given. Contact your inspector at your local office to schedule a reinspection to reinstate the health permit. The facility is posted closed; do not move, hide, or remove the sign. Reopening of the pool/spa without the approval of EHS, may result in an hourly billable Professional Services fee.

36K502 Water Quality - Critical – Disinfectant level



POINTS
5

Compliance Date: **Not Specified**
Not In Compliance
Violation Reference - **HSC - 65529**

Inspector Comments: Observed free-chlorine concentration to be above maximum level of 10.0 ppm on average readings.

Maintain free-chlorine concentration to be between the required ranges of 2.0 ppm to 10.0 ppm.

Violation Description: The minimum concentration of disinfectant residual in public pools shall be 1.0 ppm free-chlorine without cyanuric acid or 2.0 ppm free-chlorine with cyanuric acid. The minimum concentration of disinfectant residual in public spas, wading pools, and spray grounds shall be 3.0 ppm free-chlorine. The maximum concentration of disinfectant residual shall be 10.0 ppm free-chlorine.

The minimum concentration of bromine residual in public pools shall be 2.0 ppm. The minimum concentration of bromine residual in public spas, wading pools, and spray grounds shall be 4.0 ppm.

A spray ground and water features with an ultraviolet light disinfection system shall be disinfected continuously at a minimum of 40 mJ/cm2 by the ultraviolet light disinfection units while the spray ground and water features are in use. If the ultraviolet dosage rate drops below 40 mJ/cm2 the operator shall close the spray ground and water features.



RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT

FACILITY NAME MULBERRY PLACE	DATE 9/16/2016
LOCATION ARROW ROUTE / VINEYARD, RANCHO CUCAMONGA, CA 91730	INSPECTOR Ngoc Le

36K527 Safety – Safety signs

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed no phone number of nearest emergency service. Provide a phone number of nearest emergency service other than 911, with text not less than 1 inch.
	Not In Compliance Violation Reference - CCR - 3120B	

Violation Description: All signs shall have clearly legible letters or numbers not less than 4 inches high, unless otherwise required, affixed to a wall, pole, gate or similar permanent structure in a location visible to all pool users. The following shall be posted:

- a) Maximum number of pool users permitted for each pool.
- b) ""NO DIVING"" at pools with a maximum water depth of 6 feet or less.
- c) Where no lifeguard service is provided, a warning sign shall be posted stating, ""WARNING: NO LIFEGUARD ON DUTY."" The sign also shall state in letters at least 1 inch high, ""Children under the age of 14 shall not use pool without a parent or adult guardian in attendance.""
- d) An illustrated diagram with text at least 1/4 inch high of artificial respiration and CPR procedures.
- e) The emergency telephone number 911 with numbers not less than 4 inches (102mm), the number of the nearest emergency services and the name and street address of the pool facility with numbers and text not less than 1 inch (25 mm) shall be posted.
- f) A warning sign for spa pools with ""CAUTION"" language.
- g) Where pools were constructed for which lighting was not required, a sign shall be posted at each pool entrance on the outside of the gate(s) stating, ""NO USE OF POOL ALLOWED AFTER DARK.""
- h) A sign shall be posted on the exterior side of gates and doors leading into the pool enclosure area stating, ""KEEP GATE CLOSED"" or ""KEEP DOOR CLOSED"".
- i) A sign in letters at least 1 inch high and in a language or diagram that is clearly stated shall be posted at the entrance area of a public pool which states that persons having currently active diarrhea or who have had active diarrhea within the previous 14 days shall not be allowed to enter the pool water.
- j) A sign in letters at least 1 inch high shall be posted that describes the requirements for wave pools.
- k) A sign shall be posted at each spray ground and be visible from any part of the spray ground that states, ""CAUTION: WATER IS RECIRCULATED. DO NOT DRINK.""

36K548 Equipment - General Requirements - System Description

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed flow meter to be inoperable at the time of this inspection. Replace or repair flow meters so as to be in good working condition and able to provide accurate readings of flow rates.
	Not In Compliance Violation Reference - CCR 24 - 3123B.1	

Violation Description: Each pool shall be provided with a separate recirculation system designed for the continuous recirculation, filtration and disinfection of the pool water. The system shall consist of pumps, filters, chemical feeders, skimmers or perimeter overflow systems, valves, pipes, connections, fittings and appurtenances.

36K556 Equipment – Plumbing labeled

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed no labels of valves, plumbing line and the directional symbols in the equipment area. Provide labels for valves, plumbing line with the directional symbols such as arrows on all piping.
	Not In Compliance Violation Reference - CCR 24 - 3120B	

Violation Description: The direction of flow for the recirculation equipment shall be labeled clearly with directional symbols such as arrows on all piping in the equipment area. Where the recirculation equipment for more than one pool is located on site, the equipment shall be marked as to which pool the system serves. Valves and plumbing lines shall be labeled clearly with the source or destination descriptions.

36K574 Maintenance – Test kit

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed no chemical test kit on pool site at pool facility. Provide a test kit capable of measuring minimum and maximum range of disinfectant residual, pH, and if used, cyanuric acid. Ensure test kit is available for use by the pool operator and the enforcing agent at all.
	Not In Compliance Violation Reference - HSC - 65529	

Violation Description: The pool operator shall maintain a test kit for measuring the disinfectant residual, pH, and, if used, cyanuric acid concentration at the public pool. This test kit shall be available for use by the pool operator and the enforcing agent at all times the public pool is in use. The chlorine or bromine test kit shall be the diethyl-p-phenylenediamine (DPD) type or otherwise be capable of testing free-halogen residual.



RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT

FACILITY NAME MULBERRY PLACE	DATE 9/16/2016
LOCATION ARROW ROUTE / VINEYARD, RANCHO CUCAMONGA, CA 91730	INSPECTOR Ngoc Le

36K582 Maintenance - Public pool site maintenance

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed loose hand rails.
	Not In Compliance	
	Violation Reference - HSC - 65535	Tighten hand rails.
		Observed loose grab rails.
		Tighten grab rails.
		Observed shower is inoperable at the time of this inspection.
		Repair/replace shower to ensure shower is operable for pool and spa users at all times.

Violation Description: The pool operator shall keep all parts of the public pool site well-maintained, including, but not limited to, the public pools, water treatment systems, ancillary facilities, signs, showers, toilets, dressing facilities, drinking fountains, diaper-changing stations, floors, walls, partitions, doors, and lockers.

36K597 Construction - Pool shell tiles and surface

POINTS 1	Compliance Date: Not Specified	Inspector Comments: Observed chipping plaster around pool shell housing.
	Not In Compliance	
	Violation Reference - CCR - 3108B	Recommend to re-plaster by next pool season.

Violation Description: The finished pool shell shall be lined with a smooth waterproof interior finish that will withstand repeated brushing, scrubbing and cleaning procedures. The interior pool finish shall completely line the pool to the tile lines, coping, or cantilevered deck.

- The finish color shall be white except for the following which shall be of contrasting color:
1. Lane and other required pool markings described in Section 3110B of the California Code of Regulations; and
 2. The top surface edges of benches in spa pools; and
 3. The edge of pool steps; and
 4. Tiles installed at the waterline; and
 5. Tiles installed at the 4 1/2-foot (1372 mm) depth line.

36K596 Permit - Public Pool Closure

POINTS NA	Compliance Date: Not Specified	Inspector Comments: Pool is closed due to high chlorine concentration.
	Not In Compliance	
	Violation Reference - HSC - 65545	Close sign is posted. Do not reopen without approval from Environmental Health Services.
		Call 1-800-442-2283 when ready to open.

Description: A public pool that is maintained or operated in a manner that creates an unhealthful, unsafe, or unsanitary condition may be closed by the enforcing agent. Unhealthful, unsafe, or unsanitary conditions include, but are not limited to, failure to maintain clean pool water and clear pool water requirements; inadequate disinfection; improper pH; the presence of inhalation hazards; failure to meet microbiological or chemical water-quality standards; missing or broken suction outlet covers; missing or broken pool enclosures, including fencing and gates; hazards to pool users; and any other violation of these regulations identified by the enforcing agent. A public pool shall not be reopened until the unhealthful, unsafe, or unsanitary condition has been rectified and upon specific written approval from the enforcing agent.

Overall Inspection Comments

- Pool is closed due to high chlorine concentration (above 10.0 ppm).
- Close sign is posted. Do not reopen without approval from Environmental Health Services.
- Call 1-800-442-2283 when ready to open.

Signature(s) of Acknowledgement

SNA

NAME: SNA
TITLE:



Public Health
Environmental Health Services

www.SBCounty.gov
www.SBCounty.gov/dph/dehs

RECREATIONAL HEALTH - OFFICIAL INSPECTION REPORT

FACILITY NAME MULBERRY PLACE	DATE 9/16/2016
LOCATION ARROW ROUTE / VINEYARD , RANCHO CUCAMONGA, CA 91730	INSPECTOR Ngoc Le

Total # of Images: 0