



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME WOOD GRILL BUFFET 401		DATE 5/13/2015	REINSPECTION DATE 5/27/2015	PERMIT EXPIRATION 10/31/2015
LOCATION 14101 MAIN ST 401, HESPERIA, CA 92345			INSPECTOR Mahury Flores	
MAILING ADDRESS 14765 MAIN ST, HESPERIA CA 92345			IDENTIFIER: None	
			SERVICE: 033 - Re-score Grade Inspection	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 2:00 PM	TIME OUT 3:55 PM	FACILITY ID FA0016528	RELATED ID PR0022050	PE 1622

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 92

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	⊗
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	+	⊗	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
In		N/A			2
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME WOOD GRILL BUFFET 401	DATE 5/13/2015
LOCATION 14101 MAIN ST 401, HESPERIA, CA 92345	INSPECTOR Mahury Flores

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED **⚠ CRITICAL ⚠**

POINTS 4	Compliance date not specified Complied on 5/13/2015 Violation Reference - HSC - 113984(e), 114097, 114099	Inspector Comments: Ensure utensils are being sanitized. Observed active ware washing using chemical ware washing machine. When machine was tested for chlorine levels there was no chlorine being dispensed. Discontinue the use of ware washing machine until it is repaired. Corrective action: Operator had employee re- wash dishes in three compartment sink. Follow up re-inspection will be conducted at a later date to ensure that machine is functioning correctly.
---------------------------	---	---

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

7. PROPER HOT AND COLD HOLDING TEMPERATURES

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113996, 113998, 114037	Inspector Comments: Maintain hot holding temperatures of potentially hazardous foods at 135F or above. Observed ham at expo cook line with temperatures ranging from 115F to 125F. Per operator ham had been out for approximately an hour. Corrective action: Operator instructed employee to reheat ham to 165F to bring temperature back up. Observed temperature of the top layer of mashed potatoes in steam table at buffet line ranging from 115F to 125F. Temperature measured below was 140F. Ensure to keep stirred to maintain even hot holding temperatures.
---------------------------	--	---

Violation Description: Potentially hazardous foods shall be held at or below 41F or at or above 135F. (113996, 113998, 114037, 114343(a))

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/510012_how_to_keep_food_out_of_danger_zone.pdf

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114149, 114149.1	Inspector Comments: Provide missing exhaust hood filter. Observe one filter missing at expo cook line.
---------------------------	--	--

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114135, 114185.1	Inspector Comments: Maintain wet wiping cloths in sanitizer solution after every use. Observed wet wiping cloth on hot foods preparation tables.
---------------------------	--	--

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME WOOD GRILL BUFFET 401	DATE 5/13/2015
LOCATION 14101 MAIN ST 401, HESPERIA, CA 92345	INSPECTOR Mahury Flores

Overall Inspection Comments

"A" Placard Posted

Signature(s) of Acknowledgement

A handwritten signature in blue ink, appearing to read "Jose Vasquez".

NAME: jose Vasquez
TITLE: General Manager