



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME ARCO AMPM			REINSPECTION DATE Next Routine	INSPECTOR Gisel Saldana	DATE 3/4/2022
LOCATION 10087 SIERRA AV, FONTANA, CA 92335			PERMIT EXPIRATION 12/31/2022	IDENTIFIER: None	
TIME IN 2:17 PM	TIME OUT 2:55 PM	FACILITY ID FA0008051	RELATED ID PR0003094	PE 1648	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED

### RETAIL FOOD PROTECTION - Convenience Store (2500-Up SqFt)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A follow up inspection was conducted on this date to verify compliance as listed:

- Hot water available at three compartment sink, prep sink and mop sink
- Reach in cold holding unit equipment in good repair
- Proper sewage water disposal system

1. Observed all sinks at the facility to reach a temperature above 120F with a supply of cold water.
2. Observed the reach in cold holding unit thermometers to be at 30F with an ambient temperature of 38F. No ice buildup was observed.
3. Observed the restroom drain to have no standing water.

No further actions necessary.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

#### Overall Inspection Comments

A follow up inspection was conducted on this date to verify compliance.

No further actions necessary.

#### FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

#### Signature(s) of Acknowledgement

NAME: Tony Arias  
TITLE: Manager

Total # of Images: 0