



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MCDONALD'S 12273		DATE 5/15/2015	REINSPECTION DATE 5/29/2015	PERMIT EXPIRATION 12/31/2015
LOCATION 4025 PHELAN RD, PHELAN, CA 92371			INSPECTOR Mahury Flores	
MAILING ADDRESS 4025 PHELAN RD, PHELAN, CA 92371			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 12:18 PM	TIME OUT 1:45 PM	FACILITY ID FA0003072	RELATED ID PR0009199	PE 1622

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 95

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health

Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MCDONALD'S 12273	DATE 5/15/2015
LOCATION 4025 PHELAN RD, PHELAN, CA 92371	INSPECTOR Mahury Flores

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114115 (c)	Inspector Comments: Clean and maintain all non-food contact surfaces. Observed food debris build up underneath soda dispenser by drive- thru window. Observed food debris build up underneath soda syrup storage shelves.
---------------------------	--	---

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114135, 114185.1	Inspector Comments: Maintain chlorine sanitizer solution at a minimum concentration of 100ppm. Observed two sanitizer buckets with low concentration. One near hand washing sink at concentration of 10ppm, and second sanitizer bucket near ware washing sink with a concentration of 50ppm.
---------------------------	--	---

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Provide one inch air gap between floor sink and pipe. Observe pipe inside floor sink underneath soda machine at drive thru window.
---------------------------	--	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

48. FOOD WORKER CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0410, 33.044	Inspector Comments: Obtain valid San Bernardino county food worker card within 14 days and fax to (909)387-4272. Non-compliance will result in billable re-inspection charged at a rate of \$245.00 per hour. Observed 1 food worker card missing.
---------------------------	--	--

Violation Description: This facility is currently in violation with the food worker certification requirement for San Bernardino County, which states all food workers must obtain a valid food worker certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food worker certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Worker" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

"A" Placard Posted

Provided missing food worker card form

Signature(s) of Acknowledgement

NAME: selina diaz
TITLE: shift manager