



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME EL RANCHERO RESTAURANT			REINSPECTION DATE 3/12/2019	INSPECTOR Sarah Cunningham	DATE 2/26/2019
LOCATION 8697 19TH ST, RANCHO CUCAMONGA, CA 91701			PERMIT EXPIRATION 12/31/2017	IDENTIFIER: None	
TIME IN 11:50 AM	TIME OUT 12:14 PM	FACILITY ID FA0006482	RELATED ID PR0013458	PE 1621	SERVICE: 004 - COMPLAINT - INITIAL RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED

### RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K054 Permit Suspension



Compliance Date: Not Specified  
Not In Compliance  
Violation Reference - HSC - 114409, 114405

**Inspector Comments:** Upon inspection it was observed there is currently no running water throughout the facility and kitchen staff was currently preparing plates of food. Employee stated the water was turned off due to bill not being paid. At time of visit owner arrived on site and was calling about getting the water turned back on.

The facility is hereby closed due to no running water. When ready for a re-inspection please contact the health department at (800) 442-2283. A closure sign has been posted. Do not remove and or relocate the closure sign. Do not reopen the facility until a re-inspection has been conducted and approval from health department has been granted. Health permit is hereby suspended due to no running water.

**Violation Description:** If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)

#### 16C021 Hot and cold water available

Compliance Date: Not Specified  
Not In Compliance  
Violation Reference - HSC - 113953(c),  
114099.2(b)

**Inspector Comments:** Observed no running water throughout the facility.

Provide running water. Ensure facility is provided with hot (120 F) and cold running water at all times.

**Violation Description:** An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

#### 16C030 Food storage; food storage containers identified

Compliance Date: Not Specified  
Not In Compliance  
Violation Reference - HSC - 114047, 114049,  
114051

**Inspector Comments:** Observed large pot of tomatoes being stored on the floor.

**Violation Description:** Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))

#### Overall Inspection Comments

No summary comments have been made for this inspection.

#### Signature(s) of Acknowledgement

NAME:  
TITLE:

Total # of Images: 0