



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME BOULEVARD INK GALLERY LLC		DATE 5/25/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 4/30/2016
LOCATION 5542 W MISSION BL, ONTARIO, CA 91762			INSPECTOR Yong Aday	
MAILING ADDRESS 5542 W MISSION BL, ONTARIO CA 91762			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 1:26 PM	TIME OUT 2:48 PM	FACILITY ID FA0023875	RELATED ID PR0031216	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
85

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS 3	Inspector Comments: Invoice or receipt for disposable needles and tubes are not available at this time. Maintain the receipts/invoices for 90 days after being used.
	A letter from the disposable instruments supplier stating that the items are presterilized is not available at this time. Obtain the letter as needed.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME BOULEVARD INK GALLERY LLC	DATE 5/25/2016	INSPECTOR Yong Aday
LOCATION 5542 W MISSION BL , ONTARIO, CA 91762		

BODY ART INSPECTION

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

POINTS
3

Inspector Comments:

The hot water stream at the hand washing sink was too small. Repair the plumbing as needed to provide more hot water to the sink.

Violation Description:

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section

119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *

POINTS
3

Inspector Comments:

Personal PPEs such as aprons are not available at this time. The operator stated that they were in his truck. Maintain adequate PPEs on site.

Violation Description:

119308 (a) Before performing body art, the practitioner shall do all of the following:

(2) Put on a clean apron, bib, or lap pad over clean, dry clothing.

(3) Put on personal protective equipment that is appropriate for the task.

(4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client's prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

119309 (d) The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.

13 119309(j) - Branding is completed with no other customers in procedure area

14 119302(a-d) - Customers eighteen (18) years of age or older

15 119308(a)(5)(6) - Skin adequately prepared for procedure.



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME BOULEVARD INK GALLERY LLC	DATE 5/25/2016	INSPECTOR Yong Aday
LOCATION 5542 W MISSION BL., ONTARIO, CA 91762		

BODY ART INSPECTION

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS

3

Inspector Comments:

The consent form does not contain the phrase stating that inks and pigments are not approved by FDA. Revised the consent form as need.

Medicare questionnaire was not consistent with the code. Revised the questionnaire according to code (Section 119303)

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

POINTS

3

Inspector Comments:

The aftercare instruction is not meeting the code requirement. Revise the instruction according to code section 119303(a)(5). A code handbook is given to the operator.

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:

- (1) Answer questions regarding the procedure site.
- (2) Provide postprocedure instructions.

18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *
33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME BOULEVARD INK GALLERY LLC	DATE 5/25/2016	INSPECTOR Yong Aday
LOCATION 5542 W MISSION BL , ONTARIO, CA 91762		

BODY ART INSPECTION

39 119320(a-c);119321 - Closure *

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:
TITLE:

Total # of Images: 0