



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME CLASSIC TATTOO STUDIO		DATE 7/20/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 4/30/2015
LOCATION 1710 W FOOTHILL BL F 1-2, UPLAND, CA 91786			INSPECTOR Yong Aday	
MAILING ADDRESS 1710 W FOOTHILL AV F 1-2, UPLAND CA 91786			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 1:21 PM	TIME OUT 3:06 PM	FACILITY ID FA0000283	RELATED ID PR0012901	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
86

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained

POINTS 3	Inspector Comments: observed no spore test lab result, and autoclave sterilization record was only maintained for this year. Maintain above records on site for 3 years.
---------------------------	--

Violation Description:

- 119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
- 119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.
- 119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.
- 119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:
(A) The date of the load.
(B) A list of the contents of the load.
(C) The exposure time and temperature.
(D) The results of the Class V integrator.
(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS 3	Inspector Comments: A usage log has not been maintained for disposable instruments, and purchase invoice was not available for review either. Maintain both above records according to code.
---------------------------	--

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME CLASSIC TATTOO STUDIO	DATE 7/20/2015	INSPECTOR Yong Aday
LOCATION 1710 W FOOTHILL BL F 1-2, UPLAND, CA 91786		

BODY ART INSPECTION

7 119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *

POINTS
3

Inspector Comments:
Observed no record for sharps waste disposal. Maintain above record for 3 years.

Violation Description:

119311 (g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.
 119314 (e) Each procedure area shall have a sharps waste container that meets the following requirements:
 (1) The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm's reach of the practitioner.
 (2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD."
 (3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed of either of the following methods: (A) Removal and disposal by a licensed waste hauler. Materials shall be disposed of at a licensed treatment facility or removed and transported through a mail-back system authorized by the State Department of Public Health. (B) As solid waste, after being disinfected by a method approved by the department pursuant to paragraph (3) of subdivision (a) of Section 118215.
 (4) Documentation of proper disposal of sharps waste shall be maintained for three years and shall be available for inspection at the request of the enforcement officer.

8 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.
 119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.
 119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).
 119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.
 119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.
 119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.
 119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire
17	119308(b)(1)(2) - Appropriate aftercare instructions given to client

POINTS
3

Inspector Comments:
The restriction with regard to gardening and contact with animal was missing from the aftercare instruction. Revise the aftercare instruction according to the code. Corrected on site.

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:
 (1) Answer questions regarding the procedure site.
 (2) Provide postprocedure instructions.

18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *



Public Health
Environmental Health Services
BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME CLASSIC TATTOO STUDIO	DATE 7/20/2015	INSPECTOR Yong Aday
LOCATION 1710 W FOOTHILL BL F 1-2, UPLAND, CA 91786		

BODY ART INSPECTION

25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

POINTS 2	Inspector Comments:
	Observed no current registration for all five practitioners: Josh Wiscovitch, Kayle Leogrande, David Alexander, Zack Johnson, and Christopher Hamm. All above practitioners shall discontinue practice immediately until registrations are obtained or renewed. The inspector will follow up in two weeks to ensure compliance.

Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:
TITLE:



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME CLASSIC TATTOO STUDIO	DATE 7/20/2015	INSPECTOR Yong Aday
LOCATION 1710 W FOOTHILL BL F 1-2, UPLAND, CA 91786		

Total # of Images: 0