



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME FINLEYS REXALL DRUGS		REINSPECTION DATE Not Specified		INSPECTOR Virginia McDonald	DATE 5/13/2019
LOCATION 8554 SIERRA AV, FONTANA, CA 92335		PERMIT EXPIRATION 9/30/2019		IDENTIFIER: None	
TIME IN 4:10 PM	TIME OUT 4:45 PM	FACILITY ID FA0001351	RELATED ID PR0011157	PE 1620	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: This re-inspection is being conducted at the request of the operator. This facility was open for business at the time of this inspection.

On 5/7/19 the health permit for this facility was suspended due to lack of hot water throughout the facility. On this date, the following was observed:

Hot water of 120 F at the 3-compartment sink and over 100 F at the handwash sink and the employee restroom.

Facility is in compliance for hot water temperatures.

The health permit for this facility was re-instated on this date. The notice of closure sign was removed on this date.

The letter B grade was posted.

Description: The health permit to operate is hereby reinstated and facility may open.

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: Binh Nguyen

TITLE:

Total # of Images: 0