



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME LOVE LETTER CHINO HILLS BABY PIG INC				REINSPECTION DATE Not Specified	INSPECTOR Tirza Tetteh	DATE 10/15/2020
LOCATION 3277 GRAND AV H, CHINO HILLS, CA 91709				PERMIT EXPIRATION 8/31/2021	IDENTIFIER: Food	
TIME IN 5:11 PM	TIME OUT 5:25 PM	FACILITY ID FA0004149	RELATED ID PR0010957	PE 1621	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN	

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified

Inspector Comments: Permit is reinstated and facility may reopen.

Not In Compliance

Notice of closure sign removed.

Reference - HSC

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified

Inspector Comments: A reinspection was conducted on this day to verify potable hot water temperatures throughout the facility. During routine inspection conducted on this day, the following hot water temperatures were observed:

Not In Compliance

- mop sink 89.3F
- rear handwash sink 92F
- front handwash sink 91.6F
- three compartment sink 90.2F
- preparation sink 89F
- restroom #1 handwash sink 86.9F
- restroom #2 handwash sink 86.3F

Reference - HSC

Facility was closed and permit was suspended at this time due to lack of hot water.

On this day, observed hot water temperature at three compartment sink and all handwash sinks at 100F and above and at mop sink and preparation sink at 120F and above.

Maintain hot water at three compartment sink and all handwash sinks at 100F or above and at mop sink and preparation sink at 120F and above.

Facility is in compliance. No further action required.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Notice of Closure sign removed.

Grade 'B' posted.

Do not remove, relocate, or obscure letter grade card.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: Jihyun Kim
TITLE: Owner



Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

<small>FACILITY NAME</small> LOVE LETTER CHINO HILLS BABY PIG INC	<small>DATE</small> 10/15/2020
<small>LOCATION</small> 3277 GRAND AV H, CHINO HILLS, CA 91709	<small>INSPECTOR</small> Tirza Tetteh

Total # of Images: 0