



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME <b>CIRCLE K</b>		REINSPECTION DATE <b>7/15/2021</b>	INSPECTOR <b>Steven Uhlman</b>	DATE <b>7/1/2021</b>
LOCATION <b>1292 W MILL ST 101, SAN BERNARDINO, CA 92410</b>		PERMIT EXPIRATION <b>9/30/2021</b>	IDENTIFIER: None	
TIME IN <b>9:00 AM</b>	TIME OUT <b>9:56 AM</b>	FACILITY ID <b>FA0010004</b>	RELATED ID <b>PR0002313</b>	PE <b>1648</b>
		SERVICE: 004 - COMPLAINT - INITIAL RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED		

### RETAIL FOOD PROTECTION - Convenience Store (2500-Up SqFt)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K995 Permit - Suspension



Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC

Inspector Comments: Facility closed and permit suspended due to overflowing sewage.

Directives:

\* In consultation with Environmental Health supervision, the facility is to be closed until the following has taken place: 1) repairs are made to the sewage system and all sinks in the facility are free draining with no backup; 2) once repairs have been made, sanitize all floors in the facility. Bleach water may be used as a disinfectant.

Once the above has been completed, please call 1-800-442-2283 to arrange for a reinspection.

**Violation Description:** Violation(s) observed pose an immediate threat to public health and safety and the health permit to operate is hereby suspended and ordered closed until the listed violation(s) have been corrected and verified by DEHS. Facility is to remain closed until permission from DEHS is given. Contact your inspector at your local office to schedule a reinspection to reinstate the health permit. Posted closed, do not move, hide, or remove sign.

#### 16K022 Sewage and wastewater properly disposed

Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114197

Inspector Comments: Observed all floor sinks in the facility with standing sewage backup (photos taken). Also observed shop vacuums being used to remove standing water from floor sinks. Observed wet floor in restroom evidencing recent sewerage overflow. Observed puddles of water / sewage on the floor next to the self-serve beverage dispenser which appeared to have come from an adjacent backed up floor sink.

Directives:

\* In consultation with Environmental Health supervision, the facility is to be closed until the following has taken place: 1) repairs are made to the sewage system and all sinks in the facility are free draining with no backup; 2) once repairs have been made, sanitize all floors in the facility. Bleach water may be used as a disinfectant.

Once the above has been completed, please call 1-800-442-2283 to arrange for a reinspection.

**Violation Description:** All liquid waste must drain to an approved fully functioning sewage disposal system. (114197) Toilet facilities must be operable.

#### Overall Inspection Comments

Facility posted closed and permit suspended due to sewage overflow.

Closure notice posted. Do not remove or obstruct notice. Only an employee of San Bernardino County, Division of Environmental Health may remove the closure notice and reinstate your permit.

#### FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

#### Signature(s) of Acknowledgement

NAME: mohammad feroz

TITLE: person in charge



Public Health  
Environmental Health Services

**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME CIRCLE K	DATE 7/1/2021
LOCATION 1292 W MILL ST 101, SAN BERNARDINO, CA 92410	INSPECTOR Steven Uhlman

Total # of Images: 0