



Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME ALANBERTO'S FRESH MEX				REINSPECTION DATE Next Routine	INSPECTOR Rebecca Koo	DATE 9/22/2020
LOCATION 477 S E ST, SAN BERNARDINO, CA 92408				PERMIT EXPIRATION 6/30/2070	IDENTIFIER: None	
TIME IN 8:20 AM	TIME OUT 8:56 AM	FACILITY ID FA0010096	RELATED ID PR0002921	PE 1621	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED	

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A reinspection was conducted on this date to verify proper elimination of cockroaches observed during the routine inspection conducted on 9/21/2020. During the routine inspection, 1 live adult cockroach was observed behind the ice machine near the drive-thru window. Another 3 live adult cockroaches were observed in a gap in the wall behind the air-drying rack near the steam table on the cook's line. The gap in the wall measured approximately 3 inches in height and 5 inches in width. The Person in Charge was instructed to take appropriate measures to eliminate all cockroaches from the facility and to permanently seal the gap in the wall with an approved material.

On this date, a thorough inspection was conducted throughout the entire facility to ensure no active infestation was present. Observed no signs of cockroach activity on this date. The Person in Charge provided an invoice from Antmart Pest Management indicating the facility was professionally treated for cockroaches on 9/21/2020. Observed the gap in the wall to be sealed with tile and plaster. Observed the material to be smooth, durable, easily cleanable, and nonabsorbent.

Continue to take appropriate measures to prevent the entrance and harborage of vermin throughout the facility. At this time, no further follow-up is required.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

No summary comments have been made for this inspection.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: Wendy Aguirre
TITLE: Person in Charge

Total # of Images: 0