



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUPERIOR LIQUOR & GROCERY		DATE 12/18/2018	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 4/30/2019
LOCATION 2950 N DEL ROSA AV, SAN BERNARDINO, CA 92404			INSPECTOR Steven Uhlman	
MAILING ADDRESS 2950 N DEL ROSA AV, SAN BERNARDINO, CA 92404			IDENTIFIER: None	
TIME IN 9:45 AM	TIME OUT 11:18 AM	FACILITY ID FA0010003	RELATED ID PR0009591	PE 1684
			SERVICE: 001 - Inspection - Routine	
			RESULT: 03 - Corrective Action / No Follow up Required	
			ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 89

Reduce food loss, and feed those in need by donating your surplus food. [Learn more about donating surplus food.](#)

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊗
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			⊗
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	⊗
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	3
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUPERIOR LIQUOR & GROCERY	DATE 12/18/2018
LOCATION 2950 N DEL ROSA AV, SAN BERNARDINO, CA 92404	INSPECTOR Steven Uhlman

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113947-113947.1	Inspector Comments: Facility is bagging ice and grinding coffee beans for sale without a certified food manager. Either cease the sale of any open food (house bagged ice or ground coffee) or apply for a permit upgrade (to a 1648) and obtain a certified food manager certificate.
--------------------	---	---

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS 2	Compliance date not specified Not In Compliance Violation Reference -	Inspector Comments: Observed no paper towels in either the handwash sink next to the three compartment sink or the restroom. Also, a bar of soap was observed at both handwash sinks. Ensure all paper towel dispensers are kept stocked at all times. Discontinue the unsanitary practice of using bar soap. Use only liquid
--------------------	---	---

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114115 (c)	Inspector Comments: Observed very dirty fan guards and chiller housing in the walk-in refrigerator. Clean these items and maintain them in clean condition.
--------------------	--	--

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

34. WAREWASHING FACILITIES: INSTALLED, MAINTAINED, USED; TEST STRIPS

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114067(f,g), 114099	Inspector Comments: Observed that there were no chlorine test strips to test the three compartment sink. Obtain a supply of test strips.
--------------------	---	---

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/ThreeCompartmentSink.pdf>

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	Inspector Comments: 1) Observed that the neoprene wrapping on the refrigerant piping in the walk-in refrigerator was deteriorating causing condensation to condense on the bare pipe. Repair the damaged neoprene and maintain it in good condition. 2) Observed a large accumulation of ice on the refrigeration piping / neoprene wrapping in the reach-in bagged ice freezer.
--------------------	--	--

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUPERIOR LIQUOR & GROCERY	DATE 12/18/2018
LOCATION 2950 N DEL ROSA AV, SAN BERNARDINO, CA 92404	INSPECTOR Steven Uhlman

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS

1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114149, 114149.1

Inspector Comments: Observed many missing or non-working fluorescent tubes in the doors of the display portion of the walk-in refrigerator.

Maintain the lighting as it was originally designed.

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS

1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114171, 114189.1

Inspector Comments: 1) Observed the faucet at the three compartment sink to be badly leaking. This was cited as a violation on the previous report.

Repair faucet and maintain it in good condition.

2) Observed an inadequate air gap at the ice machine / three compartment sink.

Ensure there is at least a one inch air gap between the terminal ends of the drain lines and the over flow rim of their receiving floor sink.

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS

1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114250, 114276

Inspector Comments: Observed the urinal to be non-functional. This was cited as a violation on the previous report.

Repair and maintain urinal in good condition.

Observed an empty toilet paper dispenser. Instead a bare roll of toilet paper was observed sitting on a box next to the toilet.

Discontinue the unsanitary practice of offering toilet paper outside of a sanitary dispenser.

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



CAL CODE OFFICIAL INSPECTION REPORT

Table with 2 columns: Facility Name (SUPERIOR LIQUOR & GROCERY), Date (12/18/2018), Location (2950 N DEL ROSA AV, SAN BERNARDINO, CA 92404), Inspector (Steven Uhlman)

45. FLOORS, WALLS AND CEILING: BUILT, MAINTAINED, AND CLEAN

Table with 2 columns: Points (1), Compliance status (Not In Compliance), Violation Reference (114143 (d), 114266), Inspector Comments (Observed that the floors in the walk-in refrigerator to be dirty...)

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable.

IMPORTANT: Risk Based Inspection Frequency

Food facilities that pose a higher risk level for causing foodborne illness will be subject to an additional inspection, to be billed at the hourly rate as provided in the San Bernardino County Code Schedule of Fees.

- A score letter of "C" or lower on one of the last two graded inspections,
- A score letter of "B" on two of the last three graded inspections,
- Repeated "four (4) point violation Risk Factor" (critical violation codes 1-23) on the last two inspections, or
- Four (4) or more critical violations (codes 1-23) noted during an inspection, or
- A permit suspension (closure) on your last graded inspection.

Overall Inspection Comments

"B" grade card posted.
Permit class 1684 which covers the sale of prepackage foods only.
The facility is currently bagging ice and grinding whole coffee beans for sale. The owner is directed to cease the sale of non-prepackaged foods and apply for a 1648 permit which will cover the sale of non-prepackaged foods.
Current equipment observed: three compartment sink, handwash sink, mop sink and two floor sinks; one restroom with non-functional urinal.

Signature(s) of Acknowledgement

Handwritten signature in blue ink

NAME: weel kardoh
TITLE: manager