



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME LA MICHOACANA ICE CREAM PARLOR				REINSPECTION DATE Not Specified	INSPECTOR Gisel Saldana	DATE 3/17/2022
LOCATION 1053 N MT VERNON, COLTON, CA 92324				PERMIT EXPIRATION 10/31/2021	IDENTIFIER: None	
TIME IN 12:10 PM	TIME OUT 12:50 PM	FACILITY ID FA0028930	RELATED ID PR0037732	PE 1620	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN	

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified **Inspector Comments:** The health permit to operate is hereby reinstated and the facility may open

Not In Compliance

Reference - HSC

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified **Inspector Comments:** The purpose of this visit was to conduct a re-opening inspection.

Not In Compliance

Reference - HSC

FINDING(S):
The owner stated the following:
- Protection Plus Pest Control serviced the facility on 3/11/22 and 3/12/22.
- All refrigeration units were removed and the entire facility was cleaned and sanitized.
- Contacted Environmental Health Services on 3/12/22 to re-open and was given permission to re-open the facility.
- The facility re-opened on 3/12/22.

OBSERVATION(S):
- No live cockroaches anywhere in the facility.
- Four (4) dead cockroaches under the dry storage rack located in the back, left corner of the dry storage area.
- One (1) dead cockroach under the desk in the office.
- The owner provided the Protection Plus Pest Control service reports upon request.
- Report (3/11/22) indicated one (1) nymph cockroach near the back sink.
- Report (3/12/22) indicated no infestation.
- The next pest control service is scheduled for 4/11/22.

RESULT(S):
The health permit to operate is hereby reinstated and the facility may open.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Letter "A" grade was posted at the front of this facility.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Total # of Images: 0