



Public Health
Environmental Health Services

www.SBCounty.gov

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME TRONA SHELL		DATE 4/9/2015	REINSPECTION DATE 4/23/2015	PERMIT EXPIRATION 4/30/2015
LOCATION 82264 TRONA RD, TRONA, CA 93562			INSPECTOR Dawn LaFlower	
MAILING ADDRESS 82057 SEVEN ST, TRONA CA 93562			IDENTIFIER: None	
			SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
			RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU	
			ACTION: 03 - REINSPECTION REQUIRED	
TIME IN 10:48 AM	TIME OUT 1:09 PM	FACILITY ID FA0005730	RELATED ID PR0003470	PE 1611

RETAIL FOOD PROTECTION - Food Handling PI (500-2499 SqFt)

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: A reinspection is being conducted this date to observe if facility is operating within the scope of the current health permit.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Owner/Operator has submitted plans to the Environmental Health Plan Check Department for an addition to 1620 Public Eating Place category permit. Per the preliminary plan check inspection, operator was ordered to cease desist all open food related activity with the exception of the soda fountain. Operator was advised that follow up inspections would be conducted and a supervisor review will be scheduled if found to be operating the food preparation business illegally.

Observed most of the requirements on plan check preliminary report remain uncorrected. Provided owner with a copy of the plan check report dated 3/27/15 as owner states not receiving a copy of the plan check report.

Observed active preparation being conducted at time of this reinspection. Burritos and sandwiches prepared on site for hot holding indicate that food items are being prepared at Big Pine Chevron, in Big Pine (out of county).

Observed correction notice from San Bernardino County Fire Department dated 11/14/14 instructing operator to submit plans within 7 days by 11/21/14 and failure to comply would result in system and stove being red tagged. A second correction notice was issued on 4/7/15 requiring operator to schedule a final inspection on or before 4/8/15 or cease use. Operator states a reinspection has been scheduled for 4/21/15.

Immediately cease and desist all food preparation. No food preparation is to be conducted at facility until final approval from the Environmental Health Plan Check Department has been given, and a valid health permit has been obtained. Follow up reinspections will be conducted to observe compliance and will charged at the current hourly rate of \$245.00 per hour.

Complete construction per the approved plan. If unable to accommodate shelving or any other requirement, submit a Change to Approved Plan to Environmental Health for review.

If you have any questions, please contact the Environmental Health Plan Check Department at 800-442-2283.

Signature(s) of Acknowledgement

NAME: Roger Sandoval
TITLE: owner

Total # of Images: 0