



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME SALVATION ARMY PINE SUMMIT				REINSPECTION DATE Next Routine	INSPECTOR Bernadette Agrazal	DATE 9/24/2021
LOCATION 700 S WREN DR, BIG BEAR LAKE, CA 92315				PERMIT EXPIRATION 1/31/2070	IDENTIFIER: Food SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
TIME IN 12:09 PM	TIME OUT 12:52 PM	FACILITY ID FA0006906	RELATED ID PR0020655	PE 1650	RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED	

RETAIL FOOD PROTECTION - Camp Public Eating Place

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K993 Re-Reinspection

<p>Compliance Date: Not Specified</p> <p>Not In Compliance</p> <p>Reference - HSC</p>	<p>Inspector Comments: PURPOSE:</p> <p>A follow-up inspection was conducted on this day in reference to violations noted during the re-score conducted on 09/17/2021.</p> <p>PREVIOUS VIOLATIONS:</p> <p>During the routine inspection the following was observed:</p> <ul style="list-style-type: none"> - Observed old rodent droppings on the floor inside the bottom cabinets of the three (3) self service beverage machines. - Observed the ice machine waste pipe to be draining into a black box with pipe leading into the ground. Note: Machine is located near the seating area on the west end of the facility. <p>OBSERVATIONS:</p> <p>Observed the following:</p> <ul style="list-style-type: none"> - Observed old rodent droppings on the cabinet shelving of the self service area located nearest to the restroom. - Observed the ice machine waste pipe to be draining into a black box with pipe leading into the ground. Note: Machine is located near the seating area on the west end of the facility. Upon questioning, operator indicated that the part needed was ordered and is pending. <p>OUTCOME:</p> <ul style="list-style-type: none"> - Inspector(s) recommend to contract a permanent pest control service. - Contact Plan Check services before construction or modifications within 30 days. Call Environmental Health Services at (800) 442 - 2283 and ask to speak with the plan checker of the day.
--	---

Description: Billable re-reinspection conducted at this time to determine compliance from prior reinspection.

Overall Inspection Comments

A follow-up inspection was conducted on this day due to violations noted on the re-score inspection conducted on 09/17/2021.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

no sig

NAME: Michelle
TITLE: Person in charge



Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

<small>FACILITY NAME</small> SALVATION ARMY PINE SUMMIT	<small>DATE</small> 9/24/2021
<small>LOCATION</small> 700 S WREN DR, BIG BEAR LAKE, CA 92315	<small>INSPECTOR</small> Bernadette Agrazal

Total # of Images: 0