



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BURGER KING		REINSPECTION 7/30/2018	INSPECTOR Tamara King	DATE 7/16/2018
LOCATION 71707 29 PALMS HWY, TWENTYNINE PALMS, CA 92277		PERMIT 12/31/2018	IDENTIFIER: PEP	
TIME IN 11:38 AM	TIME OUT 12:18 PM	FACILITY ID FA0005232	RELATED ID PR0012133	PE 1621
		SERVICE: 013 - FOOD - BILLABLE INSPECTION SERVICES RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQUIR ACTION: 03 - REINSPECTION REQUIRED		

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice,

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K993 Re-Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: The purpose of this visit was to conduct a billable follow up inspection for the reopening inspection conducted on 7/13/2018 to verify continued compliance with vermin proofing the facility and elimination of the rodent infestation within the facility.

On this date the following observations were made:

- The dipping sauces and sauce packets located under the front counter have been placed in plastic containers with lids to exclude vermin from potential entry.
- The foam insulation that was used to seal the gap under the soda machine in the far left cabinet was covered with a sheet of metal to exclude vermin from potential entry.
- The drainage pipe to the left of the trashcans on the exterior of the facility was sealed with a permanent cap to prevent vermin harborage/ entrance.
- The electrical outlet on the exterior of the facility that was previously uncovered was observed to have a permanent outlet cover installed to prevent vermin entrance /harborage.
- 2 old droppings were observed at the floor sink under the ice machine.
- No new droppings were observed in the facility.
- No new evidence of gnawing or contaminated surfaces or foods were observed.
- Pest control records were observed for 7/13/2018- Per the records droppings were observed around food preparation area on the floor, all traps were rodent free, traps were relocated and 2 traps have been added in the drop ceiling, 2 rodent bait stations were added on the roof. Different bait in all 6 bait stations. Follow up scheduled for 7/16/2018.
- Pest control records were observed for 7/16/2018- Per the records no new activity was observed, traps were rodent free.

Continue to eliminate the infestation and evidence of an infestation. Manager has been instructed to continue efforts and increase efforts to eliminate harborage and elimination of pests and evidence of pests from the facility. Continue to thoroughly clean all areas where rodent droppings/activity have been observed during recent inspections. Provide your local health inspector follow ups regarding progress by sending the Pest control records via email or text to your health inspector, including Dewey pest control documents immediately after their follow ups.

A follow up with local health inspector required to verify continued compliance on 7/30/2018. A follow up inspection will be conducted in 2 weeks time to verify continued compliance and to inspect for continued signs of rodent activity.

Description: Billable re-reinspection conducted at this time to determine compliance from prior reinspection.

Overall Inspection Comments



Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BURGER KING	DATE 7/16/2018
LOCATION 71707 29 PALMS HWY, TWENTYNINE PALMS, CA 92277	INSPECTOR Tamara King

The purpose of this visit was to conduct a follow up inspection for the reopening inspection conducted on 7/13/2018 to verify continued compliance with vermin proofing the facility and elimination of the rodent infestation within the facility.

On this date no new evidence of infestation was observed.

Continue to eliminate the infestation and evidence of an infestation. Manager has been instructed to continue efforts and increase efforts to eliminate harborage and elimination of pests and evidence of pests from the facility. Continue to thoroughly clean all areas where rodent droppings/activity have been observed during recent inspections. Provide your local health inspector follow ups regarding progress by sending the Pest control records via email or text to your health inspector, including Dewey pest control documents immediately after their follow ups.

A follow up with local health inspector required to verify continued compliance on 7/30/2018.

Signature(s) of Acknowledgement

A handwritten signature in blue ink, appearing to read "Sanna Shere".

NAME: sanna shere
TITLE: VP of Operations

Total # of Images: 0