



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SAYAKA JAPANESE RESTAURANT		DATE 4/21/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 2/28/2015
LOCATION 1060 S MT VERNON AV, COLTON, CA 92324			INSPECTOR John Babalola	
MAILING ADDRESS 9130 SAN LUIS OBISPO LN, RIVERSIDE CA 92508			IDENTIFIER: None	
TIME IN 12:55 PM			SERVICE: 001 - Inspection - Routine	
TIME OUT 2:54 PM			RESULT: 03 - Corrective Action / No Follow up Required	
FACILITY ID FA0003592			ACTION: 01 - No Further Action Required	
RELATED ID PR0013207			PE 1622	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	⊗
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	⊗

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SAYAKA JAPANESE RESTAURANT	DATE 4/21/2015
LOCATION 1060 S MT VERNON AV, COLTON, CA 92324	INSPECTOR John Babalola

7. PROPER HOT AND COLD HOLDING TEMPERATURES

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113996, 113998, 114037	Inspector Comments: Observed tofu, required to be kept refrigerated, at 49 degrees F in the prep area. Maintain at 41 degrees F or below. Note: Correction is being made.
---------------------------	---	---

Violation Description: Potentially hazardous foods shall be held at or below 41F or at or above 135F. (113996, 113998, 114037, 114343(a))

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/510012_how_to_keep_food_out_of_danger_zone.pdf

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED

POINTS 2	Compliance date not specified Not In Compliance Violation Reference - HSC - 113984(e), 114097, 114099	Inspector Comments: Observed chlorine sanitizer water in use at 50 ppm. Maintain at 100 ppm.
---------------------------	--	---

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114115 (c)	Inspector Comments: Debris buildup observed under the sink in Sushi Station 3 area. Maintain clean.
---------------------------	---	--

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	Inspector Comments: Replace the damaged door gasket of the refrigeration unit in the 'Tappan' Station. Water buildup observed inside the sushi case in the sushi station 3 area. Maintain clean.
---------------------------	---	--

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114135, 114185.1	Inspector Comments: Observed wet cloth towels sitting on the prep table in waitress station 1. Keep inside the sanitizer water.
---------------------------	---	--

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Repair the leaking sink in the warewashing area. Repair the leaking pipe under the 3-compartment sink.
---------------------------	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



Public Health
Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SAYAKA JAPANESE RESTAURANT	DATE 4/21/2015
LOCATION 1060 S MT VERNON AV, COLTON, CA 92324	INSPECTOR John Babalola

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Debris buildup observed, especially at corners, in the warewashing area, in sushi station 3 area, and in the storage area. Maintain clean.
	Not In Compliance Violation Reference - HSC - 114143 (d), 114266	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

Posted an A grade placard.

Signature(s) of Acknowledgement

NAME: diego gonzalez
 TITLE: manager