



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM  
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

[www.sbcounty.gov/dph/dehs](http://www.sbcounty.gov/dph/dehs)

(800) 442-2283

FACILITY NAME <b>WALMART 3464</b>				DATE <b>2/5/2015</b>	SIGNATURE	
LOCATION <b>3943 GRAND AV, CHINO, CA 91710</b>				REINSPECTION DATE <b>7/05/2015</b>	PERMIT EXPIRATION <b>5/31/2015</b>	
MAILING ADDRESS <b>702 SW 8TH ST, BENTONVILLE AR 72716-0500</b>				<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT REHS <b>Hanan Megalla</b>		
FA # <b>FA0011278</b>	PR # <b>PR0019284</b>	SR # <b>Not Specified</b>	CO # <b>Not Specified</b>	PE <b>1619</b>	PROGRAM IDENTIFIER: Retail	
TIME IN <b>3:43 PM</b>	TIME OUT <b>4:22 PM</b>	CONTACT <b>Not Captured</b>			SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
					RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP REQ	
					ACTION: 01 - NO FURTHER ACTION REQUIRED	

**RETAIL FOOD PROTECTION - Food Handling PI (2500-Up SqFt)**

**16K994 Reinspection**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Violation Reference** - HSC

**Inspector Comments:** Re-inspection conducted today to determine on compliance from prior inspection conducted on 1/28/2015. The person in charge stated the cooler service came out later on the same day the routine inspection was conducted and stated that the walk in cooler in the deli department go through defrost cycles that's way the fans were turned off in the cooler during inspection . In regards of ice build up in the walk in freezer ,it's due to leaving the door open for long period of time during delivering products , parts for the fly fan on the back receiving door has been ordered , the missing food handler cards form will be faxed as soon as the last associate on the list submit his certificate . Facility operator working on the other minor violations stated on the routine inspection report.

**Violation Description:** Reinspection conducted at this time to determine compliance from prior inspection.

**Overall Inspection Comments**

No summary comments have been made for this inspection.

**Photo Attachments:**  
No Photo Attachments