



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

| | | | | |
|--|--|-------------------|---|--------------------------------|
| FACILITY NAME CJ'S MARKET | | DATE 4/15/2015 | REINSPECTION DATE Next Routine | PERMIT EXPIRATION 4/30/2015 |
| LOCATION 2963 S ARCHIBALD AV, ONTARIO, CA 91761 | | | INSPECTOR Veronica Martinez | |
| MAILING ADDRESS 2963 S ARCHIBALD AV, ONTARIO CA 91761 | | | IDENTIFIER: Retail-Food | |
| TIME IN 4:20 PM | | | SERVICE: 001 - Inspection - Routine | |
| TIME OUT 4:58 PM | | | RESULT: 01 - Corrective Action Not Required | |
| FACILITY ID FA0009884 | | | ACTION: 01 - No Further Action Required | |
| RELATED ID PR0003434 | | | PE 1611 | |

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 97

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊘ MAJ = Major violation
- N/A = Not applicable
⊘ OUT = Out of compliance

| DEMONSTRATION OF KNOWLEDGE | | | COS | MAJ | OUT |
|--------------------------------------|-----|--|-----|-----|-----|
| In | N/O | 1. Demonstration of knowledge; food safety certification | | | 2 |
| EMPLOYEE HEALTH & HYGIENIC PRACTICES | | | | | |
| In | | 2. Communicable disease; reporting, restrictions & excl | | 4 | |
| In | N/O | 3. No discharge from eyes, nose, and mouth | | | 2 |
| In | N/O | 4. Proper eating, tasting, drinking or tobacco use | | | 2 |
| PREVENTING CONTAMINATION BY HANDS | | | | | |
| In | N/O | 5. Hands clean and properly washed; gloves used prop | | 4 | 2 |
| In | | 6. Adequate handwashing facilities supplied & accessib | | | 2 |
| TIME AND TEMPERATURE RELATIONSHIPS | | | | | |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| PROTECTION FROM CONTAMINATION | | | | | |
| In | N/O | N/A | | | 2 |
| In | | 13. Food in good condition, safe and unadulterated | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |

| FOOD FROM APPROVED SOURCES | | | COS | MAJ | OUT |
|--------------------------------------|-----|--|-----|-----|-----|
| In | | 15. Food obtained from approved source | | 4 | |
| In | N/O | N/A | | | 2 |
| In | N/O | N/A | | | 2 |
| CONFORMANCE WITH APPROVED PROCEDURES | | | | | |
| In | | N/A | | | 2 |
| CONSUMER ADVISORY | | | | | |
| In | N/O | N/A | | | 2 |
| HIGHLY SUSCEPTIBLE POPULATIONS | | | | | |
| In | | N/A | | 4 | |
| WATER/HOT WATER | | | | | |
| In | | | | 4 | 2 |
| LIQUID WASTE DISPOSAL | | | | | |
| In | | | | 4 | 2 |
| VERMIN | | | | | |
| In | | | | 4 | 2 |

| SUPERVISION | OUT |
|---|-----|
| 24. Person in charge present and performs duties | 1 |
| PERSONAL CLEANLINESS | |
| 25. Personal cleanliness and hair restraints | 1 |
| GENERAL FOOD SAFETY REQUIREMENTS | |
| 26. Approved thawing methods used, frozen food | 1 |
| 27. Food separated and protected | 1 |
| 28. Washing fruits and vegetables | 1 |
| 29. Toxic substances properly identified, stored, use | 1 |
| FOOD STORAGE/DISPLAY/SERVICE | |
| 30. Food storage; food storage containers identified | ⊘ |
| 31. Consumer self-service | 1 |
| 32. Food properly labeled & honestly presented | 1 |

| EQUIPMENT/UTENSILS/LINENS | OUT |
|--|-----|
| 33. Nonfood contact surfaces clean | 1 |
| 34. Warewashing facilities: installed, maintained, used | 1 |
| 35. Equipment/Utensils approved; installed; clean; good repa | 1 |
| 36. Equipment, utensils and linens: storage and use | 1 |
| 37. Vending machines | 1 |
| 38. Adequate ventilation and lighting; designated area | ⊘ |
| 39. Thermometers provided and accurate | 1 |
| 40. Wiping cloths: properly used and stored | 1 |
| PHYSICAL FACILITIES | |
| 41. Plumbing: proper backflow devices | 1 |
| 42. Garbage and refuse properly disposed; facilities m | 1 |
| 43. Toilet facilities: properly constructed, supplied, clea | ⊘ |
| 44. Premises; personal/cleaning items; vermin-proofin | 1 |

| PERMANENT FOOD FACILITIES | OUT |
|--|-----|
| 45. Floor, walls, ceilings: built, maintained, and clean | 1 |
| 46. No unapproved private homes/living or sleeping qu | 1 |
| SIGNS REQUIREMENTS | |
| 47. Signs posted; last inspection report available | 1 |
| 48. Food worker cards | 2 |
| COMPLIANCE & ENFORCEMENT | |
| 49. Permits Available | |
| 50. Restrooms Required | |
| 51. Plan Review | |
| 52. VC&D | |
| 53. Impoundment | |
| 54. Permit Suspension | |



Public Health
Environmental Health Services

www.SBCounty.gov

CAL CODE OFFICIAL INSPECTION REPORT

| | |
|--|--------------------------------|
| FACILITY NAME CJ'S MARKET | DATE 4/15/2015 |
| LOCATION 2963 S ARCHIBALD AV, ONTARIO, CA 91761 | INSPECTOR Veronica Martinez |

30. FOOD STORAGE; FOOD STORAGE CONTAINERS IDENTIFIED

| | | |
|--------------------|---|--|
| POINTS 1 | Compliance date not specified | Inspector Comments: Observed milk containers stored directly on floor of walk in refrigerator. Store milk containers inside of plastic crates on clean floor. On site correction: Operator moved milk containers to display shelving located inside of walk in refrigerator. |
| | Not In Compliance Violation Reference - HSC - 114047, 114049, 114051 | |

Violation Description: Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

| | | |
|--------------------|---|---|
| POINTS 1 | Compliance date not specified | Inspector Comments: Observed unprotected light bulb in walk in refrigerator. Provide protective cover. |
| | Not In Compliance Violation Reference - HSC - 114149, 114149.1 | |

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

| | | |
|--------------------|---|---|
| POINTS 1 | Compliance date not specified | Inspector Comments: Observed paper towels and soap unavailable in employee bathroom. Provide and maintain. |
| | Not In Compliance Violation Reference - HSC - 114250, 114276 | |

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)

Overall Inspection Comments

Letter grade "A" posted.

Signature(s) of Acknowledgement

NAME: George Zayer
 TITLE: