



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

| | | | | | |
|---|----------------------|-----------------------------------|-------------------------|----------------------------|---|
| FACILITY NAME KING FISH & DELI | | REINSPECTION DATE Next Routine | | INSPECTOR Dawn LaFlower | DATE 8/14/2018 |
| LOCATION 11336 BARTLETT AV 1, ADELANTO, CA 92301 | | PERMIT EXPIRATION 6/30/2018 | | IDENTIFIER: None | |
| TIME IN 11:11 AM | TIME OUT 11:37 AM | FACILITY ID FA0015642 | RELATED ID PR0020791 | PE 1620 | SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE ACTION: 01 - NO FURTHER ACTION REQUIRED |

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified

Inspector Comments: Health permit reinstated. Facility approved to reopen.

Not In Compliance

Reference - HSC

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified

Inspector Comments: Reinspection conducted this date to determine compliance from the routine inspection on August 8, 2018. Facility was closed due to lack of a hot water supply.

Not In Compliance

Reference - HSC

Water observed on this date measuring 122 degrees throughout facility.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Notice of Closure sign removed and a "B" grade placard was posted - Do not remove, relocate, or obscure from public view. Failure to comply may result in a reposting assessment of \$245.00 per hour.

Please note that it is the responsibility of the operator to close facility whenever a significant health risk occurs. Failure to close could result in suspension or of health permit and/or other legal action.

Signature(s) of Acknowledgement

NAME: Deuk

TITLE: Owner

Total # of Images: 0