



Inland Counties Emergency Medical Agency

Serving San Bernardino, Inyo, and Mono Counties

*Virginia Hastings, Executive Director
Reza Vaezazizi, M.D., Medical Director*

DATE: February 2, 2012

TO: EMS Providers – ALS, BLS, EMS Aircraft
Hospital CEOs, ED Directors, Nurse Managers and PLNs
EMS Training Institutions and Continuing Education Providers
Inyo, Mono and San Bernardino County EMCC Members
Other Interested Parties

FROM: Virginia Hastings, Executive Director
Reza Vaezazizi, MD, Medical Director

SUBJECT: IMPLEMENTATION OF PROTOCOLS EFFECTIVE MARCH 15, 2012

After extensive work on behalf of the Protocol Education Committee and public comments received, the Medical Advisory Committee and the Emergency Medical Care Committee endorsed the protocols listed below effective March 15, 2012.

Reference # 2020 ICEMA Abbreviation List
2030 Minimum Documentation Requirements for Transfer of Patient Care
7010 BLS/ALS Standard Drug & Equipment List
7020 EMS Aircraft Standard Drug & Equipment List

Please insert and replace the enclosed policies and the Table of Contents in your EMS Policy, Procedure and Protocol Manual with the updated documents and ensure every station or facility has a reference copy. The ICEMA protocols and policies can also be found on ICEMA's website at www.ICEMA.net under Emergency Medical Services Information and select the EMS Policy, Procedure and Protocol Manual section.

Please contact Sherri Shimshy, RN, EMS Nurse Specialist, for questions related to documents in the manual. She can be reached at (909) 388-5816 or via e-mail at sshimshy@cao.sbcounty.gov.

VH/mae

Enclosures

c: File Copy

TABLE OF CONTENTS
March 15, 2012

SERIES	SYSTEM POLICIES AND PROCEDURES	EFFECTIVE DATE
1000	ACCREDITATION AND CERTIFICATION	
1010	Emergency Medical Dispatch Certification Requirements	01/01/93
1020	First Responder Certification Requirements	05/01/94
1030	EMT Certification Requirements	07/01/10
	- EMT Skills Competency Verification Form (EMSA Form SCV)	08/01/10
1040	Requirements for EMT-P Accreditation	09/15/11
1050	MICN Certification Requirements	03/15/11
1060	Certification/Accreditation Review Policy	09/15/11
1070	EMT Incident Investigation, Determination of Action, Notification and Administrative Hearing Process	07/01/10
1080	Flight Nurse Authorization	03/15/11
1090	Criminal History Background Checks (Livescan)	07/01/10
2000	DATA COLLECTION	
2010	Requirements for Patient Care Records	05/01/06
2020	ICEMA Abbreviation List	NEW 03/15/12
2030	Minimum Documentation Requirements for Transfer of Patient Care	NEW 03/15/12
2120	Instructions for the 01A/F1612 Forms	04/01/09
	- 01A – Sample	02/01/09
	- F1612 Run Report Form – Sample	
3000	EDUCATION	
3010	Annual Review Class (ARC)	09/15/11
3020	Continuing Education Provider Requirements	03/15/11
	- CE Class Roster Form	04/11/11
	- Monthly CE Class Roster Form	04/01/05
3030	EMT Continuing Education Requirements	03/15/11
4000	QUALITY IMPROVEMENT	
4010	Continuous Quality Improvement Plan	02/28/11
	- Incident Report Form	02/01/95
5000	MISCELLANEOUS SYSTEM POLICIES	
5010	Licensure Changes, 911 Receiving Hospitals Policy	01/01/10
5020	Base Hospital Selection Criteria Policy	07/15/00
5030	Procedure for Adoption of Protocols and Policies	09/15/11
5040	Radio Communication Policy	03/15/11
5050	Medical Response to a Multi-Casualty Incident	01/01/10
5050 I/Mono Annex	Inyo and Mono Counties Medical Response to a Multi-Casualty Incident	05/01/11
5060	Multi-Casualty Incident Definitions	01/01/10
5070	Medical Response to a Haz-Mat Incident	04/01/07
5080	ICEMA Ambulance Rate Setting Policy - San Bernardino County	03/01/10
5090	2011/2012 Fee Schedule	09/27/11

TABLE OF CONTENTS
March 15, 2012

SERIES		EFFECTIVE DATE
6000	SPECIALTY PROGRAM/ PROVIDER POLICIES	
6010	Paramedic Vaccination Policy	10/27/09
6030	Automatic External Defibrillation (AED) Service Provider Policy – Public Safety	09/15/11
6040	Lay Rescuer Automatic External Defibrillation (AED) Implementation Guidelines	09/15/11
6060	Specialty Program/EMT Optional Scope Provider Policy	11/01/09
	- Specialty Program/EMT Optional Scope Application	
6070	Cardiovascular ST Elevation Myocardial Infarction (STEMI) Receiving Center Policy	03/01/10
6080	Paramedic Blood Draw for Chemical Test at the Request of a Peace Officer	07/01/10
6090	Fireline Paramedic	03/15/11
6100	Stroke “NSRC” Receiving Centers	11/15/11
7000	STANDARD DRUG & EQUIPMENT LISTS	
7010	ALS and BLS, Standard Drug and Equipment List	REVISED 03/15/12
7020	EMS Aircraft Standard Drug and Equipment List	REVISED 03/15/12
7030	Controlled Substance Policy	09/15/11
8000	TRANSPORT/TRANSFERS AND DESTINATION POLICIES	
8010	Interfacility Transport Guidelines (ALS)	03/15/11
8020	Interfacility Transport – Nurse Staffed Units	05/01/06
8030	Burn Destination and Criteria Policy	09/15/11
8040	Interfacility Transfer of STEMI Patients	11/06/09
8050	Transport of Patients (BLS)	02/01/92
8060	San Bernardino County Requests for Hospital Diversion Policy	09/15/11
8070	Aircraft Destination Policy	03/20/06
8080	Bed Delay Patient Destination Policy (SB County High Desert Area Only)	09/15/11
8090	Fort Irwin Continuation of Trauma Care	06/25/10
8100	Continuation of Trauma Care	07/05/11
	PATIENT CARE POLICIES	
9000	GENERAL PATIENT CARE POLICIES	
9010	General Patient Guidelines	12/01/01
9020	Physician on Scene	07/01/10
9030	Responsibility for Patient Management	11/01/04
9040	Reporting Incidents of Suspected Abuse Policy	07/01/10
9050	Organ Donor Information	07/01/10
9060	Local Medical Emergency	09/01/93
9070	Applying Patient Restraints Guidelines	05/01/06
9080	Care of Minors in the Field	05/01/06

TABLE OF CONTENTS
March 15, 2012

9000	GENERAL PATIENT CARE POLICIES (Continued)	EFFECTIVE DATE
9090	Patient Refusal of Care Guidelines – Adult	05/01/06
9100	Patient Refusal of Care or Other Patient Requests	04/15/96
9110	Treatment of Patients with Airborne Infections & Transport Recommendations	09/15/11
9120	Nausea and Vomiting	03/01/10
10000	SKILLS	
10010	King Airway Device (Perilaryngeal) – Adult	01/01/10
10020	King Airway Device (Perilaryngeal) – Pediatric	01/01/10
10030	Oral Endotracheal Intubation – Adult	01/01/10
10040	Oral Endotracheal Intubation – Pediatric	01/01/10
10050	Nasotracheal Intubation	01/01/10
10060	Needle Thoracostomy	09/15/11
10070	Needle Cricothyrotomy	09/15/11
10080	Insertion of Nasogastric/Orogastric Tube	07/01/08
10090	Vagal Maneuvers	01/01/10
10100	12 Lead Electrocardiography	03/01/10
10110	Transcutaneous Cardiac Pacing	09/15/11
10120	Synchronized Cardioversion	09/15/11
10130	Automatic External Defibrillation (AED) - BLS	09/15/11
10140	Intraosseous Infusion	01/01/10
10150	External Jugular Vein Access	01/01/10
10160	Axial Spinal Stabilization	03/15/11
10170	Pulse Oximetry (BLS)	02/15/04
11000	ADULT EMERGENCIES	
11010	Respiratory Emergencies – Adult	07/21/09
11020	Airway Obstruction – Adult	09/15/11
11030	Non-traumatic Hypertensive Crisis	01/01/10
11040	Bradycardias – Adult	09/15/11
11050	Tachycardias – Adult	09/15/11
11060	Suspected Acute MI	09/15/11
11070	Cardiac Arrest – Adult	09/15/11
11080	Altered Level of Consciousness/Seizures – Adult	07/01/10
11090	Shock (Non-Traumatic)	09/15/11
11100	Burns – Adult	11/15/11
11110	Stroke Treatment – Adult	11/15/11
12000	END OF LIFE CARE	
12010	Determination Of Death on Scene	08/01/08
12020	Withholding Resuscitative Measures	02/05/09
	- 2011 California POLST Form	04/01/11
	- EMSA Do Not Resuscitate (DNR) Report Form	01/01/09
	- ICEMA Do Not Resuscitate (DNR) Report Form	01/01/09

TABLE OF CONTENTS
March 15, 2012

SERIES		EFFECTIVE DATE
13000	ENVIRONMENTAL EMERGENCIES	
13010	Poisonings	01/01/10
13020	Heat Related Emergencies	01/01/10
13030	Cold Related Emergencies	01/01/10
14000	PEDIATRIC EMERGENCIES (<i>less than 15 years of age</i>)	
14010	Respiratory Emergencies – Pediatric	07/21/09
14020	Airway Obstruction – Pediatric	04/01/06
14030	Allergic Reactions – Pediatric	07/21/09
14040	Cardiac Arrest – Pediatric	07/21/09
14050	Altered Level of Consciousness – Pediatric	07/01/10
14060	Seizure – Pediatric	07/01/10
14070	Burns – Pediatric	11/15/11
14080	Obstetrical Emergencies	05/01/06
14090	Newborn Care	04/01/09
14100	Suspected Sudden Infant Death Syndrome Incident	11/01/04
15000	TRAUMA	
15010	Trauma – Adult	11/15/11
15020	Trauma – Pediatric	11/15/11
15030	Trauma Triage Criteria & Destination	11/15/11
15040	Glasgow Coma Scale Operational Definitions	04/15/96

Updated 02/02/12:mae



ICEMA ABBREVIATION LIST

PURPOSE

To provide uniform documentation and universal understanding of approved abbreviations.

AUTHORITY

Health and Safety Code. EMCC AD Hoc Committee.

REQUIREMENTS

All EMS providers will only use ICEMA approved abbreviations provided on this list to prevent confusion on documentation.

DEFINITION	ABBREVIATION
Abdomen, abdominal	Abd
Abdominal aortic aneurysm	AAA
Abduction	Abd; abd
Above knee	AK
Above knee amputation	AKA
Acquired immune deficiency syndrome	AIDS
Active range of motion	AROM
Activities of daily living	ADL
Acute myocardial infarction	AMI
Acute renal failure	ARF
Admission, admitted	Adm
Adult respiratory distress syndrome	ARDS
Advanced Cardiac Life Support	ACLS
Advanced life support	ALS
After surgery	Post op
Against medical advice	AMA
Airway, breathing, circulation	ABC
Alcohol Intoxication	ETOH
Alert & oriented to (person, place, time & event)	A & O x 4
Alert, verbal, pain, unresponsive	AVPU
Altered level of consciousness	ALOC
Ambulate, ambulating, ambulated, etc.	Amb
Amount	Amt
Ampule	Amp

DEFINITION	ABBREVIATION
And	&
Antecubital	AC
Anterior	Ant
Apparent Life Threatening Event	ALTE
Appearance, pulse, grimace, activity, respiration	APGAR
Appointment	Appt
Approximate	approx
Arterial blood gas	ABG
As soon as possible	ASAP; asap
Aspirin	ASA
At	@
Atherosclerotic heart disease	ASHD
Atrial fibrillation	A-fib; afib
Atrial flutter	A-flutter
Atrial tachycardia	A-Tach
Attention Deficit Hyperactivity Disorder	ADHD
Auscultation	Ausc
Automated External Defibrillator	AED
Automatic Implanted Cardiac Defibrillator	AICD
Bag of waters	BOW
Bag valve mask	BVM
Base Station Order	BSO
Base Station	Base
Basic Life Support	BLS
Beats per minute	Bpm
Below knee amputation	BKA
Bicarbonate, NaCO ₃	bicarb
Bilateral	Bilat
Blood alcohol content	BAC
Blood pressure	BP
Body Surface Area	BSA
Bowel movement	BM
Breath/bowel sounds	BS; b.s.
Bundle branch block	BBB
By mouth	PO; p.o.
Calcium	Ca
Calcium Chloride	CACL
Cancer, carcinoma	CA
Carbon dioxide	CO ₂
Cardiopulmonary resuscitation	CPR
Centimeter	Cm
Central Nervous System	CNS

DEFINITION	ABBREVIATION
Cerebral spinal fluid	CSF
Cerebrovascular accident	CVA
Cervical collar	C-collar
Cervical immobilization device	CID
Cervical spine	C-spine
Chest pain	CP
Chief complaint	CC; C/C
Chronic obstructive pulmonary disease	COPD
Circulation, motor and sensation	CMS
Clear bi-lateral	CBL
Complains of	C/O; c/o
Complete blood count	CBC
Computerized axial tomography	CAT
Congestive heart failure	CHF
Conscious, alert & oriented to person, place, time & event	CAOx4
Continue, continuous	cont.
Continuous positive airway pressure	CPAP
Coronary artery bypass graft	CABG
Coronary artery disease	CAD
Date of birth	DOB
Days old	d/o
Dead on arrival	DOA
Deep vein thrombosis	DVT
Defibrillation	Defib
Delirium tremor	DT
Department	dept.
Dextrose 25% (diluted D50)	D25
Dextrose in water	D5W 5%
Dextrose solution	D50 50%
Diabetes mellitus	DM
Diagnosis	Dx
Did not obtain/Did not order	DNO
Difficulty breathing	Diff Breath
Dilation and curettage	D&C
Discontinue or discharged	DC; D/C; dc
Do not resuscitate	DNR
Drops	gtts
Dyspnea on exertion	DOE
Electrocardiogram	ECG; EKG
Electroencephalogram	EEG
Emergency department	ED; E.D.
Emergency Medical Services	EMS

DEFINITION	ABBREVIATION
Emergency medical technician	EMT
Emergency medical technician-paramedic	EMT-P
Emergency room	E.R.
Endotracheal tube	ET
Epinephrine	EPI
Equal	=
Esophageal Tracheal Airway Device	ETAD
Estimated blood loss	EBL
Estimated Time of Arrival	ETA; eta
Et cetera	Etc
Ethanol (alcohol)	ETOH
Evaluation	eval.
Evening	Pm
Every	Q
Extension	ext.
Eyes, ears, nose, throat	EENT
Female	F
Fire department	FD
Flexion	Flex
Foot, feet (not anatomy)	ft.
Foreign body	Fb
Fracture	Fx; fx
Full range of motion	From
Gallbladder	GB
Gastrointestinal	GI
Gavida 1, 2, 3 etc.	G
Glasgow Coma Scale	GCS
Grain	Gr
Gram	Gm
Gunshot wound	GSW
Gynecology	GYN
Head, eyes, ears, nose, throat	HEENT
Headache	HA; H/A
Heart rate	HR
Height	ht.
Hematocrit	Hct
Hemoglobin	Hb; hgb
History	Hx
History & physical	H&P
History of	h/o
Hour	h; hr
Human immunodeficiency virus	HIV

DEFINITION	ABBREVIATION
Hydrochlorothiazide	HCTZ
Hypertension	Htn; HTN
Immediately	Stat
Inch	in.
Incident Commander	IC
Infant respiratory distress syndrome	IRDS
Inferior	Inf
Intake (input) & output	I&O
Intensive care unit	ICU
Intracranial pressure	ICP
Intramuscular	IM
Intraosseous	IO
Intrauterine Device	IUD
Intravenous	IV
Intravenous piggy back	IVPB
Intravenous push	IVP
Intravenously	IV
Irregular	irreg
Joules	J
Jugular venous distension	JVD
Kilograms	Kg
Kilometer	Km
Labor and delivery	L&D
Laboratory	Lab
Laceration	LAC
Landing Zone	LZ
Last menstrual period	LMP
Lateral	Lat
Left	L; Lt
Left bundle branch block	LBBB
Left lower extremity	LLE
Left lower lobe	LLL
Left lower quadrant	LLQ
Left lower quadrant of abd	LLQ
Left upper extremity	LUE
Left upper lobe of lung	LUL
Left upper quadrant of abd	LUQ
Level or loss of consciousness	LOC; loc; KO
Licensed practical nurse	LPN
Lidocaine	Lido
Liter	L
Liter per minute	Lpm; l/m

DEFINITION	ABBREVIATION
Long back board	LBB
Loss/level of consciousness (as noted by context)	LOC
Lumbar puncture	LP
Lung sounds	L/S
Magnesium Sulfate	Mag
Maximum	Max
Mechanism of injury	MOI
Medical Doctor	MD; M.D.
Medications	Meds
Mercury	Hg
Microgram(s)	Mcg
Miles per hour	Mph
Military anti-shock trousers	MAST
Millidrops, microdrops	Mgtt
Milliequivalents	MEq
Milligram(s)	Mg
Milliliter	ml
Millimeter	Mm
Millivolt	Mv
Minimal	Min
Minute(s)	min.
Mobile intensive care nurse	MICN
Mobile intensive care unit	MICU
Moderate	Mod
Month, months old	mo; m/o
Morning	a.m.
Motor Vehicle Accident (Multi-Victim Accident)	MVA
Multiple Casualty Incident	MCI
Multiple sclerosis, morphine sulfate	MS
Myocardial infarction	MI
Narcotic	NARC
Nasal cannula	Nc
Nasogastric	NG; ng
Nasogastric (tube)	NG
Nausea/vomiting	n/v
Nausea/vomiting/diarrhea	n/v/d
Negative	neg.
Nitroglycerin	Nitro; NTG
No Acute Distress	NAD
No known allergies	NKA
No known drug allergies	NKDA
Non rebreather mask	NRB

DEFINITION	ABBREVIATION
Non Steroidal Anti-inflammatory Drugs	NSAIDS
Normal saline	NS
Normal sinus rhythm	NSR
Not applicable	N/A
Nothing by mouth	NPO
Obstetrics	OB
Occupational therapist/therapy	OT
Onset, provocation, quality, radiation, severity, time	OPQRST
Operating room	OR
Orogastric (tube)	OG
Ounce	oz.
Overdose	OD
Oxygen	O2
Oxygen Saturation	O2 sat
Palpable	Palp
Para, number of pregnancies	P
Paramedic	Medic
Paroxysmal Nocturnal Dyspnea	PAT
Paroxysmal supraventricular tachycardia	PSVT
Passenger space intrusion	PSI
Past history	P.H.; PHx
Past medical history	PMH
Patient	Pt; pt
Pediatric	Ped
Pediatric Advanced Life Support	PALS
Pelvic inflammatory disease	PID
Percutaneously Inserted Central Catheter	PICC
Phencyclidine	PCP
Physical exam, pulmonary embolism, pedal Edema (as noted by context)	PE
Physician's Assistant	P.A.; PA
Police department	PD
Positive	pos.
Possible	Poss
Post, after	P
Posterior	Post
Potassium	K
Potassium Chloride	KCL
Pound	lb; #
Pregnancy Induced Hypertension	PIH
Premature atrial contraction	PAC
Premature junctional contraction	PJC

DEFINITION	ABBREVIATION
Premature ventricular contraction	PVC
Prescription; intervention plan; therapy	Rx
Prior to (our) arrival	PTOA; PTA
Privately owned vehicle	POV
Psychiatric	Psych
Pulse, motor, sensation	PMS
Pulse, motor, sensory, cap refill	PMSC
Pulseless electrical activity	PEA
Pupils equal reactive to light	PERL; PEARL; PERRLA
Quart	qt.
Range of motion	ROM
Red blood cell (count)	RBC
Regarding	re:
Registered nurse	RN
Rehabilitation	Rehab
Respiration, respiratory	Resp
Respiratory rate	RR
Respiratory Therapist	RT
Response	RESPS
Rheumatoid arthritis	RA
Right	R
Right bundle branch block	RBBB
Right lower extremity	RLE
Right lower quadrant of abd	RLQ
Right upper lobe of lung	RUL
Right upper quadrant of abd	RUQ
Ringer's Lactate	RL
Rule out	R/O; r/o
Saline Lock	SL
Second(s)	sec.
Sexually transmitted disease	STD
Short(ness) of breath	SOB
Signs and symptoms	S/S; s/s
Signs, symptoms, allergies medications, past history, last intake, events	SAMPLE
Sinus Bradycardia	SB; S-Brady
Sinus Tachycardia	ST; S-Tach
Sodium	Na
Sodium bicarbonate	NaCO3
Sodium chloride	NaCl
Streptococcus	Strep
Strong and regular	S&R

DEFINITION	ABBREVIATION
Subcutaneous	sc; subQ
Sublingual	SL
Sudden Acute Respiratory Syndrome	SARS
Sudden infant death syndrome	SIDS
Supraventricular tachycardia	SVT
Tablespoon	Tbsp
Tablet	Tab
Teaspoon	Tsp
Temperature	Temp
Temperature, pulse, respirations	TPR
Three times a day	Tid
Tidal Volume	TV
Times	X
To keep open	TKO
Tracheostomy	Trach
Traffic collision	TC
Transient ischemic attack	TIA
Transport	Trans
Traumatic brain injury	TBI
Treatment	Tx
Tuberculosis	TB
Twice a day	BID; b.i.d.
Tylenol	APAP
Ultraviolet	UV
Unable to locate	UTL
Unknown	Unk
Upper respiratory infection	URI
Urinary tract infection	UTI
Venereal disease	VD
Ventricular fibrillation	V-Fib; VF
Ventricular tachycardia	V-Tach; VT
Versus	Vs
Vital signs	v.s.
Volume	Vol
Warm, dry and pink	w/d/p
Water	H ₂ O
Watts per second	W/S
Weight	Wt
Wheelchair	w/c
Whenever necessary, as needed	Prn
White (Caucasian)	Wht
White blood cell (count)	WBC

DEFINITION	ABBREVIATION
With	- c
Within normal limits	WNL; wnl
Without	- s
Wolf-Parkinson-White	WPW
Year	Yr
Years old	Y/O; y.o.



ICEMA ABBREVIATION LIST

PURPOSE:

To provide uniform documentation and universal understanding of approved abbreviations.

~~Authority~~AUTHORITY:

Health and Safety Code. EMCC AD Hoc Committee

~~Requirements~~REQUIREMENTS:

All EMS providers will only use ICEMA approved abbreviations provided on this list to prevent confusion on documentation.

~~List the abbreviations and definitions.~~

<u>DEFINITION</u>	<u>ABBREVIATION</u>
abdomen, abdominal	abd
abdominal aortic aneurysm	AAA
acquired immune deficiency syndrome	AIDS
acute myocardial infarction	AMI
advanced life support	ALS
against medical advice	AMA
airway, breathing, circulation	ABC
appearance, pulse, grimace, activity, respiration	APGAR
as soon as possible	ASAP; asap
aspirin	ASA
At	@
atrial fibrillation	A-fib; afib
atrial flutter	A-flutter
atrial tachycardia	A-Tach

Automated External Defibrillator	AED
bag valve mask	BVM
Basic Life Support	BLS
blood pressure	BP
bowel movement	BM
bundle branch block	BBB
by mouth	PO; p.o.
carbon dioxide	CO2
cardiopulmonary resuscitation	CPR
cerebrovascular accident	CVA
Chest pain	CP
chief complaint	CC; C/C
chronic obstructive pulmonary disease	COPD
complains of	C/O; c/o
congestive heart failure	CHF
continuous positive airway pressure	CPAP
coronary artery disease	CAD
date of birth	DOB
dead on arrival	DOA
diagnosis	Dx
do not resuscitate	DNR
electrocardiogram	ECG; EKG
emergency department	ED
Emergency Medical Services	EMS
Emergency medical technician	EMT
Emergency medical technician-paramedic	EMT-P
emergency room	E.R.
emergency department	E.D.
endotracheal tube	ET
Estimated Time of Arrival	ETA: eta
fracture	Fx: fx

gram	gm
gunshot wound	GSW
history	Hx
hypertension	Htn; HTN
intensive care unit	ICU
intramuscular	IM
intravenous	IV
Intravenous push	IVP
jugular venous distension	JVD
kilograms	kg
laceration	LAC
last menstrual period	LMP
left lower quadrant of abd	LLQ
Level or loss of consciousness	LOC, loc, KO
liter	L
milligram(s)	mg
milliliter	ml
minute(s)	min.
myocardial infarction	MI
nasal cannula	nc
negative	neg.
nitroglycerin	Nitro or NTG
No known allergies	NKA
obstetrics	OB
oxygen	O2
Oxygen Saturation	O2 sat
paroxysmal supraventricular tachycardia	PSVT
patient	Pt; pt
pound	lb; #
premature ventricular contraction	PVC
prescription; intervention plan; therapy	Rx

prior to (our) arrival	PTOA; PTA
Privately owned vehicle	POV
psychiatric	psych
pupils equal reactive to light	PERL, PEARL, or PERRLA
right	R
right lower quadrant of abd	RLQ
short(ness) of breath	SOB
Sinus Bradycardia	SB, S-Brady
Sinus Tachycardia	ST, S-Tach
subcutaneous	sc; subQ
sublingual	SL
to keep open	TKO
transient ischemic attack	TIA
tuberculosis	TB
urinary tract infection	UTI
vital signs	v.s.
within normal limits	WNL; wnl
Wolf-Parkinson-White	WPW
year	Yr
years old	Y/O; y.o.
above knee amputation	AKA
Below knee amputation	BKA
Advanced Cardiac Life Support	ACLS
after surgery	Post op
Alcohol Intoxication	ETOH
alert & oriented to (person, place, time & event)	A & O x of 4
alert, verbal, pain, unresponsive	AVPU
Altered level of consciousness	ALOC
ampule	amp
anterior	ant
arterial blood gas	ABG
Base Station	Base

beats per minute	bpm
Body Surface Area	BSA
cancer, carcinoma	CA
cerebral spinal fluid	CSF
Cervical collar	C-collar
Cervical spine	C-spine
dextrose solution	D50 50%
discontinue or discharged	DC; D/C; dc
drops	gtts
epinephrine	EPI
Estimated blood loss	EBL
evaluation	eval.
Evening	pm
foreign body	fb
gastrointestinal	GI
Glasgow Coma Scale	GCS
heart rate	HR
hour	h; hr
human immunodeficiency virus	HIV
intraosseous	IO
Intravenously	IV
Landing Zone	LZ
lateral	Lat
left	L; Lt
left bundle branch block	LBBB
left upper quadrant of abd	LUQ
loss/level of consciousness (as noted by context)	LOC
maximum	max
medical doctor	M.D.
Miles per hour	mph

milliequivalents	mEq
morning	a.m.
motor vehicle accident	MVA
Multiple Casualty Incident	MCI
multiple sclerosis, morphine sulfate	MS
nausea/vomiting	n/v
nausea/vomiting/diarrhea	n/v/d
normal sinus rhythm	NSR
not applicable	N/A
nothing by mouth	NPO
onset, provocation, quality, radiation, severity, time	OPQRST
overdose	OD
past medical history	PMH
pediatric	ped
posterior	post
pulse, motor, sensation	PMS
Pulse, motor, sensory, cap refill	PMSC
Rehabilitation	rehab
right bundle branch block	RBBB
second(s)	sec.
supraventricular tachycardia	SVT
Traffic collision	TC
ventricular fibrillation	V-Fib or VF
ventricular tachycardia	V-Tach or VT
versus	vs
weight	wt
whenever necessary, as needed	prn
acute renal failure	ARF
admission, admitted	adm
adult respiratory distress syndrome	ARDS

amount	amt
Apparent Life Threatening Event	ALTE
Appointment	appt
approximate	approx
auscultation	ausc
Automatic Implanted Cardiac Defibrillator	AICD
Bag of waters	BOW
Base Station Order	BSO
bilateral	Bilat
calcium	Ca
carbon monoxide	CO
Centimeter	cm
central nervous system	CNS
circulation, motor and sensation	CMS
Clear bi-lateral	CBL
complete blood count	CBC
coronary artery bypass graft	CABG
Defibrillation	Defib
delirium tremor	DT
Dextrose 25% (diluted D50)	D25
dextrose in water	D5W 5%
Did not obtain/Did not order	DNO
Difficulty breathing	Diff Breath
ethanol (alcohol)	ETOH
every	q
female	f
gynecology	GYN
height	ht.
history of	h/o

Hydrochlorothiazide	HCTZ
inch	in.
Incident Commander	IC
intracranial pressure	ICP
Intravenous piggy back	IVPB
irregular	irreg
joules	J
Left lower quadrant	LLQ
mechanism of injury	MOI
microgram(s)	mcg
military anti-shock trousers	MAST
Mobile intensive care nurse	MICN
month, months old	mo; m/o
Nasogastric (tube)	NG
No Acute Distress	NAD
No known drug allergies	NKDA
Non Steroidal Anti-inflammatory Drugs	NSAIDS
normal saline	NS
Para, number of pregnancies	P
Paramedic	Medic
Passenger space intrusion	PSI
Pediatric Advanced Life Support	PALS
pelvic inflammatory disease	PID
physical exam, pulmonary embolism, pedal edema (as noted by context)	PE
post, after	p
Pregnancy Induced Hypertension	PIH
premature atrial contraction	PAC
premature junctional contraction	PJC

pulseless electrical activity	PEA
range of motion	ROM
registered nurse	RN
rule out	R/O; r/o
Saline Lock	SL
sexually transmitted disease	STD
signs and symptoms	S/S; s/s
signs, symptoms, allergies medications, past history, last intake, events	SAMPLE
Strong and regular	S&R
sudden infant death syndrome	SIDS
transport	trans
Unable to locate	UTL
Unknown	unk
water	H2O
white blood cell (count)	WBC
with	c
without	s
abduction	Abd;abd
above knee	AK
active range of motion	AROM
activities of daily living	ADL
ambulate, ambulating, ambulated, etc.	amb
and	&
Antecubital	AC
arteriosclerotic heart disease	ASHD

Atherosclerotic heart disease	ASHD
Attention Deficit Hyperactivity Disorder	ADHD
below knee amputation	BJA
bicarbonate, NaCO ₃	bicarb
blood alcohol content	BAC
breath/bowel sounds	BS; b.s.
Calcium Chloride	CACL
cervical immobilization device	CID
computerized axial tomography	CAT
conscious, alert & oriented to person, place, time and event	CAOx4
continue, continuous	cont.
days old	d/o
deep vein thrombosis	DVT
department	dept.
diabetes mellitus	DM
Dilation and curettage	D&C
dyspnea on exertion	DOE
electroencephalogram	EEG
Equal	=
Esophageal Tracheal Airway Device	ETAD
et cetera	etc
extension	ext.
eyes, ears, nose, throat	EENT
fire department	FD
flexion	flex
foot, feet (not anatomy)	ft.
full range of motion	FRom
gallbladder	GB

Gavida 1, 2, 3 etc.	<u>G</u>
Grain	Gr
Greater than or equal to	
head, eyes, ears, nose, throat	HEENT
headache	HA; H/A
hematocrit	Hct
hemoglobin	Hb; hgb
history & physical	H&P
immediately	stat
infant respiratory distress syndrome	IRDS
inferior	inf
intake (input) & output	I&O
Intrauterine Device	IUD
Kilometer	Km
Labor and delivery	L&D
Laboratory	Lab
Last normal menstrual period	LMP
Left lower extremity	LLE
Left lower lobe	LLL
Left upper extremity	LUE
left upper lobe of lung	LUL
Less than	
licensed practical nurse	LPN
Lidocaine	Lido
liter per minute	lpm; l/m
long back board	LBB
lumbar puncture	LP
lung sounds	L/S
Magnesium Sulfate	Mag
medications	meds
mercury	Hg
millidrops, microdrops	mgtt
millimeter	mm
millivolt	mv

minimal	min
mobile intensive care unit	MICU
moderate	mod
Motor Vehicle Accident (Multi-Victim Accident)	MVA
Narcotic	NARC
nasogastric	NG; ng
Non rebreather mask	NRB
occupational therapist/therapy	OT
operating room	OR
Orogastric (tube)	OG
ounce	oz.
Palpable	palp
Paroxysmal Nocturnal Dyspnea	PAT
past history	P.H.; PHx
Percutaneously Inserted Central Catheter	PICC
Phencyclidine	PCP
physician's assistant	P.A.
police department	PD
positive	pos.
possible	poss
potassium	K
Potassium Chloride	KCL
quart	qt.
red blood cell (count)	RBC
regarding	re:
respiration, respiratory	resp
respiratory rate	RR
Respiratory Therapist	RT
response	RESPS
rheumatoid arthritis	RA
Right lower extremity	RLE
right upper lobe of lung	RUL
right upper quadrant of abd	RUQ

Ringer's Lactate	RL
sodium	Na
sodium bicarbonate	NaCO ₃
sodium chloride	NaCl
Streptococcus	Strep
Sudden Acute Respiratory Syndrome	SARS
tablespoon	tbsp
tablet	tab
teaspoon	tsp
temperature	temp
temperature, pulse, respirations	TPR
three times a day	tid
Tidal Volume	TV
Times	x
Tracheostomy	Trach
traumatic brain injury	TBI
Treatment	Tx
twice a day	BID; b.i.d.
Tylenol	APAP
ultraviolet	UV
upper respiratory infection	URI
venereal disease	VD
Volume	vol
warm, dry and pink	w/d/p
watts per second	W/S
wheelchair	w/c
white (Caucasian)	Wht



MINIMUM DOCUMENTATION REQUIREMENTS FOR TRANSFER OF PATIENT CARE

PURPOSE

To define the minimum amount of fields on a patient care record that must be completed prior to the transfer of care between pre-hospital providers if available, applicable or known.

AUTHORITY

Title 22, Division 9, Chapter 4, Article 8, §100170. EMCC AD Hoc Committee.

PROCEDURE

First responders must complete the following mandatory fields prior to transferring care of a patient to a transporting agency whether using paper or electronic documentation.

1. Patient identifier.
 - a. Name
 - b. Sex
 - c. Birth date
2. Chief complaint.
3. Mechanism of injury.
4. Time of onset/ last seen normal.
5. Pertinent medical history.
 - a. Medications
 - b. Allergies
6. Vital signs.
 - a. Blood pressure
 - b. Pulse rate and quality
 - c. Respiration rate and quality
 - d. Skin signs

7. Glasgow Coma Scale.
8. PQRST for pain.
9. All 12 Lead ECG with patient name will accompany the patient.
10. All medications and procedures, including attempts with times done prior to transfer.
11. If base station contact made document which base station contacted.
12. First responder unit identifier.
13. Transport unit identifier.
14. Any other pertinent information not seen by the transport agency that might affect patient care.

The narrative should be written if there is time or shall be given verbally to the next provider. Other fields should be completed if possible or if the fields pertain to the chief complaint.

In the event of a MCI, the minimum mandatory documentation required is the triage tags. All patients in a MCI, regardless of the degree of injury or lack of injury, must have a triage tag.



MINIMUM DOCUMENTATION REQUIREMENTS FOR TRANSFER OF PATIENT CARE

PURPOSE:

To define the minimum amount of fields on a patient care record that must be completed prior to the transfer of care between pre-hospital providers if available, applicable or known.

AUTHORITY:

Title 22, Division 9, Chapter 4, Article 8, §100170. EMCC AD HOC Committee

PROCEDURE:

First responders must complete the following mandatory fields prior to transferring care of a patient to a transporting agency whether using paper or electronic documentation.

- 1) Patient identifier
 - a. Name
 - b. Sex
 - c. Birth date

- 2) Chief complaint.
- 3) Mechanism of injury
- 4) Time of onset/ last seen normal
- 5) Pertinent medical history
 - a. Medications
 - b. Allergies
- 6) Vital signs
 - a. Blood pressure
 - b. Pulse rate and quality
 - c. Respiration rate and quality
 - d. Skin signs

- 7) Glasgow Coma Scale
- 8) PQRST for pain.
- 9) All 12 Lead ECG with patient name will accompany the patient
- 10) All medications, and procedures including attempts with times done prior to transfer

- 11) If base station contact made document which base station contacted
- 12) First responder unit identifier.

- 13) Transport unit identifier
- 14) Any other pertinent information not seen by the transport agency that might affect patient care.

The narrative should be written if there is time or shall be given verbally to the next provider. Other fields should be completed if possible or if the fields pertain to the chief complaint.

In the event of a MCI the minimum mandatory documentation required are the triage tags. All patients in an MCI regardless of the degree of injury or lack of injury must have a triage tag.



BLS/ALS STANDARD DRUG & EQUIPMENT LIST

Each ambulance and first responder unit will be equipped with the following functional equipment and supplies. **This list represents mandatory items with minimum quantities** excluding narcotics which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

All ALS (transport and non-transport) and BLS transport vehicles shall be inspected annually.

MEDICATIONS/SOLUTIONS

Exchanged Medications/Solutions	BLS	ALS Non-Transport	ALS Transport
Activated Charcoal 25 gm		2	2
Adenosine (Adenocard) 6 mg		1	1
Adenosine (Adenocard) 12 mg		2	2
Adrenaline (Epinephrine) 1:1000 1 mg		2	2
Adrenaline (Epinephrine) 1:10,000 1 mg preload		3	3
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5mg		4 doses	4 doses
Aspirin, chewable – 81mg tablet		1 bottle	1 bottle
Atropine 1 mg preload		4	4
Calcium Chloride 1 gm preload		1	1
Dextrose 25% 2.5 gm preload		2	2
Dextrose 50% 25 gm preload		2	2
Diphenhydramine (Benadryl) 50 mg		1	1
Dopamine 400 mg		1	1
Glucagon 1 mg		1	1
Glucose paste	1 tube	1 tube	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5mg		4	4
Irrigating Saline and/or Sterile Water (1000cc)	2	1	2
Lidocaine 100 mg		3	3
Lidocaine 1gm or 1 bag pre-mixed 1gm/250cc D5W		1	1
Lidocaine 2% (Viscous) bottle		1	1
Magnesium Sulfate 10 gm		1	1
Naloxone (Narcan) 2 mg preload (needle less)		2	2
Nitroglycerine – Spray 0.4mg metered dose and/or tablets (tablets to be discarded 90 days after opening)		1	2
Normal Saline for Injection (10cc)		2	2

Exchanged Medications/Solutions	BLS	ALS Non-Transport	ALS Transport
Normal Saline 100cc		1	2
Normal Saline 250cc		1	1
Normal Saline 1000cc		3	6
Ondansetron (Zofran) 4mg Oral Disintegrating Tablets (ODT)		4	4
Ondansetron (Zofran) 4 mg IM/ IV		4	4
Phenylephrine HCL - 0.5mg per metered dose		1 bottle	1 bottle
Procainamide 1 gm		1	2
Sodium Bicarbonate 50 mEq preload		2	2
Verapamil 5 mg		3	3

CONTROLLED SUBSTANCE MEDICATIONS

Non-Exchange Controlled Substance Medications MUST BE DOUBLE LOCKED	BLS	ALS Non-Transport	ALS Transport
Midazolam – vials of 10mg/2cc, 2mg/2cc, or 5mg/5cc		20-40mg	20-40mg
Morphine Sulfate – ampules of 10mg or 15mg		20-60mg	30-60mg

AIRWAY/SUCTION EQUIPMENT

Exchanged Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Adult non-rebreather mask	2	2	2
BAAM Device		1	2
End Title CO2 device – Pediatric and Adult (may be integrated into bag)		1	1
CPAP circuits- all manufacture's available sizes		1 each	2 each
Endotracheal Tubes cuffed – 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet		2 each	2 each
Endotracheal Tubes, uncuffed – 2.5, 3.0, 3.5		2 each	2 each
Endotracheal Tubes, uncuffed – 4.0 or 4.5, 5.0 or 5.5		2 each	2 each
ET Tube holders – pediatric and adult		1 each	2 each
Infant Simple Mask	1	2	2
King LTS-D Adult: 4-5 feet: Size 3 (yellow) 5-6 feet: Size 4 (red) Over 6 feet: Size 5 (purple)	SPECIALTY PROGRAMS ONLY 2 each	1 each	2 each
King Ped: 35-45 inches or 12-25 kg: Size 2 (green) 41-51 inches or 25-35 kg: Size 2.5 (orange)	SPECIALTY PROGRAMS ONLY 2 each	1 each	2 each
Nasal cannulas – pediatric and adult	2 each	2 each	2 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr		1 each	1 each

Exchanged Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr		1 each	1 each
Nasopharyngeal Airways – (infant, child, and adult)	1 each	1 each	1 each
Needle Cricothyrotomy Device – Pediatric and adult or Needles for procedure 10, 12, 14 and/or 16 gauge		1 each 2 each	1 each 2 each
One way flutter valve with adapter or equivalent		1	1
Oropharyngeal Airways – (infant, child, and adult)	1 each	1 each	1 each
Pediatric non-rebreather O2 mask	2	2	2
Small volume nebulizer with universal cuff adaptor		2	2
Suction Canister 1200 cc	1	1	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each	1 each	1 each
Ventilation Bags – Infant 250ml, Pediatric 500ml (or equivalent) Adult	1 each 1 each	1 each 1 each	1 each 1 each
Water soluble lubricating jelly		1	1
Yaunkers tonsil tip	1	1	1

Non-Exchange Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Ambulance Oxygen source –10L/min for 20 minutes	1		1
Flashlight/penlight	1	1	1
Laryngeal blades - #0, #1, #2, #3, #4 curved and/or straight		1 each	1 each
Laryngoscope handle with batteries – or 2 disposable handles		1	1
Magill Forceps – Pediatric and Adult		1 each	1 each
Portable Oxygen with regulator – 10L/min for 20 minutes	1	1	1
Portable suction device (battery operated)	1	1	1
Pulse Oximetry device	(SEE OPTIONAL EQUIPMENT SECTION, PG. 5)	1	1
Stethoscope	1	1	1
Wall mount suction device	1		1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	ALS Non-Transport	ALS Transport
Blood Tubing (Y type)			2
Conductive medium or Pacer/Defibrillation pads		2 each	2 each
Disposable Tourniquets		2	2
ECG electrodes – Pediatric and Adult		3 sets each	3 sets each

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	ALS Non-Transport	ALS Transport
Glucose monitoring device with compatible strips and OSHA approved single use lancets		1	1
EZ-IO Needles – Pts. 40kg or greater: 25mm, 15 gauge Pts. 3-39 kg: 15mm, 15 gauge LD needle		2 each 1 each 1	2 each 1 each 1
3-way stopcock with extension tubing		2	2
IO Needles - sizes 16 and 18 gauge		1 each	1 each
IV Catheters – sizes 14, 16, 18, 20, 22, 24		2 each	2 each
Microdrip Administration Set (60 drops/cc)		1	2
Macro drip Administration Set (10 drops/cc)		3	3
Mucosal Atomizer Device (MAD) for nasal administration of medication		4	4
Pressure Infusion Bag (disposable)		1	1
Razors		2	2
Safety Needles – 20 or 21 gauge and 23 or 25 gauge		2 each	2 each
Saline Lock Large Bore Tubing Needleless		2	2
Sterile IV dressing		2	2
Syringes w/wo safety needles – 1cc, 3cc, 10cc, 20cc, 60cc catheter tip		2 each	2 each

Non-Exchange IV/Needles/Syringes/Monitor Equip	BLS	ALS Non-Transport	ALS Transport
12 Lead ECG Monitor		1	1
Blood pressure cuff – large adult or thigh cuff, adult, child and infant	1	1	1
Defibrillator (adult and pediatric capabilities) with TCP and printout		1	1
Needle disposal system (OSHA Approved)		1	1
Thermometer - Mercury Free with covers	1	1	1

OPTIONAL EQUIPMENT/MEDICATIONS

Non-Exchange Optional Equipment/Medications	BLS	ALS Non-Transport	ALS Transport
AED/defib pads	2		
Ammonia Inhalants		2	2
Approved Automatic ventilator		1	1
Backboard padding	1	1	1

Non-Exchange Optional Equipment/Medications	BLS	ALS Non-Transport	ALS Transport
Bone Injection Drill (adult and pediatric) or ICEMA approved IO device		2	2
Buretrol		1	1
Chemistry profile tubes		3	3
Gum Elastic intubation stylet		2	2
IV infusion pump		1	1
IV warming device		1	1
Manual IV Flow Rate Control Device			
Manual powered suction device	1	1	1
Multi-lumen peripheral catheter		2	2
Needle Thoracostomy Kit (prepackaged)		2	2
Pitocin		20 units	20 units
Pulse Oximetry device	1		
Translaryngeal Jet Ventilation Device		1	1
Vacutainer		1	1

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Exchanged Dressing Materials/Other Equip/Supplies	BLS	ALS Non-Transport	ALS Transport
Adhesive tape – 1 inch	2	2	2
Air occlusive dressing (Vaseline gauze)	1	1	1
Ankle & wrist restraints, soft ties acceptable	1	0	1
Antiseptic swabs/wipes		10	10
Bedpan or fracture pan	1		1
Urinal	1		1
Cervical Collars – Rigid Pediatric & Adult or Cervical Collars – Adjustable Adult & Pediatric	2 each 2 each	2 each 2 each	2 each 2 each
Cold Packs	2	2	2
Emesis basin or disposable bags & covered waste container	1	1	1
Head immobilization device	2	2	2
OB Kit	1	1	1
Pneumatic or rigid splints capable of splinting all extremities	4	2	4
Providence/Iodine swabs/wipes		10	10
Roller bandages – 4 inch	6	3	6
Sterile bandage compress or equivalent	6	2	6
Sterile gauze pads – 4x4 inch	4	4	4
Sterile Sheet for Burns	2	2	2
Universal Dressing 10x30 inches	2	2	2

Non-Exchange Dressing Materials/Other Equip/Supplies	BLS	ALS Non-Transport	ALS Transport
Ambulance gurney	1		1
Bandage Shears	1	1	1
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks & gowns meeting OSHA Standards)	2	2	2
Drinkable water in secured plastic container or equivalent	1 gallon		1 gallon
Long board with restraint straps	1	1	1
Pediatric immobilization board	1	1	1
Pillow, pillow case, sheets & blanket	1 set		1 set
Short extrication device	1	1	1
Straps to secure patient to gurney	1 set		1 set
Traction splint	1	1	1
Triage Tags- CAL Chiefs or ICEMA approved	30	30	30



BLS/ALS STANDARD DRUG & EQUIPMENT LIST

Each ambulance and first responder unit will be equipped with the following functional equipment and supplies. **This list represents mandatory items with minimum quantities** excluding narcotics which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

All ALS (transport and non-transport) and BLS transport vehicles shall be inspected annually.

MEDICATIONS/SOLUTIONS

Exchanged Medications/Solutions	BLS	ALS Non-Transport	ALS Transport
Activated Charcoal 25 gm		2	2
Adenosine (Adenocard) 6 mg		1	1
Adenosine (Adenocard) 12 mg		2	2
Adrenaline (Epinephrine) 1:1000 1 mg		2	2
Adrenaline (Epinephrine) 1:10,000 1 mg preload		3	3
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5mg		4 doses	4 doses
Aspirin, chewable – 81mg tablet		1 bottle	1 bottle
Atropine 1 mg preload		4	4
Calcium Chloride 1 gm preload		1	1
Dextrose 25% 2.5 gm preload		2	2
Dextrose 50% 25 gm preload		2	2
Diphenhydramine (Benadryl) 50 mg		1	1
Dopamine 400 mg		1	1
Glucagon 1 mg		1	1
Glucose paste	1 tube	1 tube	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5mg		4	4
Irrigating Saline and/or Sterile Water (1000cc)	2	1	2
Lidocaine 100 mg		3	3
Lidocaine 1gm or 1 bag pre-mixed 1gm/250cc D5W		1	1
Lidocaine 2% (Viscous) bottle		1	1
Magnesium Sulfate 10 gm		1	1
Naloxone (Narcan) 2 mg preload (needle less)		2	2
Nitroglycerine – Spray 0.4mg metered dose <u>and/or tablets (tablets to be discarded 90 days after opening)</u>		1	2
Normal Saline for Injection (10cc)		2	2

Exchanged Medications/Solutions	BLS	ALS Non-Transport	ALS Transport
Normal Saline 100cc		1	2
Normal Saline 250cc		1	1
Normal Saline 1000cc		3	6
Ondansetron (Zofran) 4mg Oral Disintegrating Tablets (ODT)		4	4
Ondansetron (Zofran) 4 mg IM/ IV		4	4
Phenylephrine HCL - 0.5mg per metered dose		1 bottle	1 bottle
Procainamide 1 gm		1	2
Sodium Bicarbonate 50 mEq preload		2	2
Verapamil 5 mg		3	3

CONTROLLED SUBSTANCE MEDICATIONS

Non-Exchange Controlled Substance Medications MUST BE DOUBLE LOCKED	BLS	ALS Non-Transport	ALS Transport
Midazolam – vials of 10mg/2cc, 2mg/2cc, or 5mg/5cc		20-40mg	20-40mg
Morphine Sulfate – ampules of 10mg or 15mg		20-60mg	30-60mg

AIRWAY/SUCTION EQUIPMENT

Exchanged Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Adult non-rebreather mask	2	2	2
BAAM Device		1	2
End Title CO2 device – Pediatric and Adult (may be integrated into bag)		1	1
CPAP circuits- all manufacture's available sizes		1 each	2 each
Endotracheal Tubes cuffed – 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet		2 each	2 each
Endotracheal Tubes, uncuffed – 2.5, 3.0, 3.5		2 each	2 each
Endotracheal Tubes, uncuffed – 4.0 or 4.5, 5.0 or 5.5		2 each	2 each
ET Tube holders – pediatric and adult		1 each	2 each
Infant Simple Mask	1	2	2
King LTS-D Adult: 4-5 feet: Size 3 (yellow) 5-6 feet: Size 4 (red) Over 6 feet: Size 5 (purple)	SPECIALTY PROGRAMS ONLY 2 each	1 each	2 each
King Ped: 35-45 inches or 12-25 kg: Size 2 (green) 41-51 inches or 25-35 kg: Size 2.5 (orange)	SPECIALTY PROGRAMS ONLY 2 each	1 each	2 each
Nasal cannulas – pediatric and adult	2 each	2 each	2 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr		1 each	1 each

Exchanged Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr		1 each	1 each
Nasopharyngeal Airways – (infant, child, and adult)	1 each	1 each	1 each
Needle Cricothyrotomy Device – Pediatric and adult or Needles for procedure 10, 12, 14 and/or 16 gauge		1 each 2 each	1 each 2 each
One way flutter valve with adapter or equivalent		1	1
Oropharyngeal Airways – (infant, child, and adult)	1 each	1 each	1 each
Pediatric non-rebreather O2 mask	2	2	2
Small volume nebulizer with universal cuff adaptor		2	2
Suction Canister 1200 cc	1	1	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each	1 each	1 each
Ventilation Bags – Infant 250ml, Pediatric 500ml (or equivalent) Adult	1 each 1 each	1 each 1 each	1 each 1 each
Water soluble lubricating jelly		1	1
Yaunkers tonsil tip	1	1	1

Non-Exchange Airway/Suction Equipment	BLS	ALS Non-Transport	ALS Transport
Ambulance Oxygen source –10L/min for 20 minutes	1		1
Flashlight/penlight	1	1	1
Laryngeal blades - #0, #1, #2, #3, #4 curved and/or straight		1 each	1 each
Laryngoscope handle with batteries – or 2 disposable handles		1	1
Magill Forceps – Pediatric and Adult		1 each	1 each
Portable Oxygen with regulator – 10L/min for 20 minutes	1	1	1
Portable suction device (battery operated)	1	1	1
Pulse Oximetry device	(SEE OPTIONAL EQUIPMENT SECTION, PG. 5)	1	1
Stethoscope	1	1	1
Wall mount suction device	1		1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	ALS Non-Transport	ALS Transport
Blood Tubing (Y type)			2
Conductive medium or Pacer/Defibrillation pads		2 each	2 each
Disposable Tourniquets		2	2
ECG electrodes – Pediatric and Adult		3 sets each	3 sets each

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	ALS Non-Transport	ALS Transport
Glucose monitoring device with compatible strips and OSHA approved single use lancets		1	1
EZ-IO Needles – Pts. 40kg or greater: 25mm, 15 gauge Pts. 3-39 kg: 15mm, 15 gauge LD needle		2 each 1 each 1	2 each 1 each 1
3-way stopcock with extension tubing		2	2
IO Needles - sizes 16 and 18 gauge		1 each	1 each
IV Catheters – sizes 14, 16, 18, 20, 22, 24		2 each	2 each
Microdrip Administration Set (60 drops/cc)		1	2
Macro drip Administration Set (10 drops/cc)		3	3
Mucosal Atomizer Device (MAD) for nasal administration of medication		4	4
Pressure Infusion Bag (disposable)		1	1
Razors		2	2
Safety Needles – 20 or 21gauge and 23 or 25 gauge		2 each	2 each
Saline Lock Large Bore Tubing Needleless		2	2
Sterile IV dressing		2	2
Syringes w/wo safety needles – 1cc, 3cc, 10cc, 20cc, 60cc catheter tip		2 each	2 each

Non-Exchange IV/Needles/Syringes/Monitor Equip	BLS	ALS Non-Transport	ALS Transport
12 Lead ECG Monitor		1	1
Blood pressure cuff – large adult or thigh cuff, adult, child and infant	1	1	1
Defibrillator (adult and pediatric capabilities) with TCP and printout		1	1
Needle disposal system (OSHA Approved)		1	1
Thermometer - Mercury Free with covers	1	1	1

OPTIONAL EQUIPMENT/MEDICATIONS

Non-Exchange Optional Equipment/Medications	BLS	ALS Non-Transport	ALS Transport
AED/defib pads	2		
Ammonia Inhalants		2	2
Approved Automatic ventilator		1	1
Backboard padding	1	1	1

Non-Exchange Optional Equipment/Medications	BLS	ALS Non-Transport	ALS Transport
Bone Injection Drill (adult and pediatric) or ICEMA approved IO device		2	2
Buretrol		1	1
Chemistry profile tubes		3	3
Gum Elastic intubation stylet		2	2
IV infusion pump		1	1
IV warming device		1	1
Manual IV Flow Rate Control Device			
Manual powered suction device	1	1	1
Multi-lumen peripheral catheter		2	2
Needle Thoracostomy Kit (prepackaged)		2	2
Pitocin		20 units	20 units
Pulse Oximetry device	1		
Translaryngeal Jet Ventilation Device		1	1
Vacutainer		1	1

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Exchanged Dressing Materials/Other Equip/Supplies	BLS	ALS Non-Transport	ALS Transport
Adhesive tape – 1 inch	2	2	2
Air occlusive dressing (Vaseline gauze)	1	1	1
Ankle & wrist restraints, soft ties acceptable	1	0	1
Antiseptic swabs/wipes		10	10
Bedpan or fracture pan	1		1
Urinal	1		1
Cervical Collars – Rigid Pediatric & Adult or Cervical Collars – Adjustable Adult & Pediatric	2 each 2 each	2 each 2 each	2 each 2 each
Cold Packs	2	2	2
Emesis basin or disposable bags & covered waste container	1	1	1
Head immobilization device	2	2	2
OB Kit	1	1	1
Pneumatic or rigid splints capable of splinting all extremities	4	2	4
Providence/Iodine swabs/wipes		10	10
Roller bandages – 4 inch	6	3	6
Sterile bandage compress or equivalent	6	2	6
Sterile gauze pads – 4x4 inch	4	4	4
Sterile Sheet for Burns	2	2	2
Universal Dressing 10x30 inches	2	2	2

Non-Exchange Dressing Materials/Other Equip/Supplies	BLS	ALS Non-Transport	ALS Transport
Ambulance gurney	1		1
Bandage Shears	1	1	1
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks & gowns meeting OSHA Standards)	2	2	2
Drinkable water in secured plastic container or equivalent	1 gallon		1 gallon
Long board with restraint straps	1	1	1
Pediatric immobilization board	1	1	1
Pillow, pillow case, sheets & blanket	1 set		1 set
Short extrication device	1	1	1
Straps to secure patient to gurney	1 set		1 set
Traction splint	1	1	1
Triage Tags- CAL Chiefs or ICEMA approved	30	30	30



EMS AIRCRAFT STANDARD DRUG & EQUIPMENT LIST

Each Aircraft will be equipped with the following functional equipment and supplies. This list represents mandatory items with minimum quantities, to exclude narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

MEDICATIONS/SOLUTIONS

Medications/Solutions	Amount
Activated Charcoal 25 gm	2
Adenosine (Adenocard) 6mg	30mg
Adrenaline (Epinephrine) 1:1,000	2mg
Adrenaline (Epinephrine) 1:10,000	3mg
Albuterol Aerosolized Solution (Proventil)-unit dose 2.5mg	2 doses
Aspirin, chewable - 81mg tablet	1 bottle
Atropine 1mg preload	3mg
Calcium Chloride	1gm
Dextrose 25%	50gm
Dextrose 50%	50gm
Diphenhydramine (Benadryl) 50mg	50mg
Furosemide (Lasix)	40mg
Glucagon	1mg
Intropin (Dopamine)	200mg
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5mg	4
Lidocaine	300mg
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250cc D5W	2gm
Lidocaine 2% (Viscous)	2oz
Magnesium Sulfate 10mg	10gms
Naloxone (Narcan)	10mg
Nitroglycerin – Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening.)	1
Normal Saline for Injection (10cc)	2
Normal Saline 250ml	1
Normal Saline 1000ml	4
Ondansetron (Zofran) 4mg Oral Disintegrating Tablets (ODT)	4
Ondansetron (Zofran) 4 mg IM/ IV	4
Phenylephrine HCL - 0.5mg per metered dose	1 bottle
Procainamide	1gm

Medications/Solutions	Amount
Sodium Bicarbonate	100mEq
Verapamil (Isoptin)	15mg

CONTROLLED SUBSTANCE MEDICATIONS

Controlled Substance Medications – MUST BE DOUBLE LOCKED	Amount
Midazolam – vials of 10mg / 2ml	20-40mg
Morphine Sulfate – ampules of 10mg	20-60mg

AIRWAY/SUCTION EQUIPMENT

Airway/Suction Equipment	Amount
BAAM Device	1
C-PAP circuits - all manufacture's available sizes	1 each
Endotracheal tubes, uncuffed – 2.5, 3.0, 3.5	2 each
Endotracheal Tubes, uncuffed – 4.0 or 4.5, 5.0 or 5.5	2 each
Endotracheal Tubes cuffed – 6.0, 7.0, 7.5 and 8.0	2 each
ET Tube holders – pediatric and adult	1 each
King LTS-D Adult: 4-5 feet: Size 3 (yellow) 5-6 feet: Size 4 (red) Over 6 feet: Size 5 (purple)	1 each
King Ped: 35-45 inches or 12-25 kg: Size 2 (green) 41-51 inches or 25-35 kg: Size 2.5 (orange)	1 each
Malleable Stylet – pediatric and adult	1 each
Nasal Cannulas – infant, pediatric and adult	2 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr	1 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr	1 each
Nasopharyngeal Airways – infant, child, and adult	1 each
Needle Cricothyrotomy Device (Approved) – Pediatric and adult <i>or</i>	1 each
Needles for procedure 10, 12, 14 and/or 16 gauge	2 each
Non Re-Breather O ₂ Mask – Pediatric and Adult	2 each
One way flutter valve with adapter or equivalent	1
Oropharyngeal Airways – infant, child, and adult	1 each
Small volume nebulizer with universal cuff adaptor	2
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each
Ventilation Bags – Infant 250ml, Pediatric 500ml and Adult 1L	1 each
Water soluble lubricating jelly	1
Yaunkers tonsil tip	1

OPTIONAL EQUIPMENT/MEDICATIONS

Optional Equipment/Medications	Amount
Ammonia Inhalants	2
Automatic ventilator (Approved)	1
Backboard padding	1
BLS AED/defib pads	1
BLS/ALS Handheld Resuscitator (CAREvent ^R)	1
Bone Drill (adult & Peds) or ICEMA approved IO device	2
Chemistry profile tubes	3
D5W in bag	1
IV infusion pump	1
IV warming device	1
Manual powered suction device	1
Multi-lumen peripheral catheter	1
Needle Thoracostomy Kit (prepackaged)	2
Pitocin	2
Translaryngeal Jet Ventilation Device	20 units
Vacutainer	1

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Dressing Materials/Other Equipment Supplies	Amount
Adhesive tape – 1 inch	2
Air occlusive dressing (Vaseline gauze)	1
Ankle & wrist restraints, soft ties acceptable	1
Antiseptic swabs/wipes	
Cervical Collars – Rigid Pediatric & Adult <i>or</i>	2 each
Cervical Collars – Adjustable Adult & Pediatric	2 each
Emesis basin or disposable bags & covered waste container	1
Head immobilization device	2
OB Kit	1
Pneumatic or rigid splints capable of splinting all extremities	4
Provoidine/Iodine swabs/wipes	
Roller bandages – 4 inch	3
Sterile bandage compress or equivalent	6
Sterile gauze pads – 4x4 inch	4
Sterile Sheet for Burns	2
Universal Dressing 10x30 inches	2

Durable Use Dressing Materials/Other Equipment Supplies	Amount
Aircraft stretcher or litter system with approved FAA straps that allows for Axial Spinal Immobilization	1
Bandage Shears	1
Blanket or sheet	2
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks & gowns meeting OSHA Standards)	2
Pediatric immobilization board	1
Short extrication device	1
Traction splint	1



EMS AIRCRAFT STANDARD DRUG & EQUIPMENT LIST

Each Aircraft will be equipped with the following functional equipment and supplies. This list represents mandatory items with minimum quantities, to exclude narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

MEDICATIONS/SOLUTIONS

Medications/Solutions	Amount
Activated Charcoal 25 gm	2
Adenosine (Adenocard) 6mg	30mg
Adrenaline (Epinephrine) 1:1,000	2mg
Adrenaline (Epinephrine) 1:10,000	3mg
Albuterol Aerosolized Solution (Proventil)-unit dose 2.5mg	2 doses
Aspirin, chewable - 81mg tablet	1 bottle
Atropine 1mg preload	3mg
Calcium Chloride	1gm
Dextrose 25%	50gm
Dextrose 50%	50gm
Diphenhydramine (Benadryl) 50mg	50mg
Furosemide (Lasix)	40mg
Glucagon	1mg
Intropin (Dopamine)	200mg
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5mg	4
Lidocaine	300mg
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250cc D5W	2gm
Lidocaine 2% (Viscous)	2oz
Magnesium Sulfate 10mg	10gms
Naloxone (Narcan)	10mg
Nitroglycerin – Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening.)	1
Normal Saline for Injection (10cc)	2
Normal Saline 250ml	1
Normal Saline 1000ml	4
Ondansetron (Zofran) 4mg Oral Disintegrating Tablets (ODT)	4
Ondansetron (Zofran) 4 mg IM/ IV	4
Phenylephrine HCL - 0.5mg per metered dose	1 bottle
Procainamide	1gm

Medications/Solutions	Amount
Sodium Bicarbonate	100mEq
Verapamil (Isoptin)	15mg

CONTROLLED SUBSTANCE MEDICATIONS

Controlled Substance Medications – MUST BE DOUBLE LOCKED	Amount
Midazolam – vials of 10mg / 2ml	20-40mg
Morphine Sulfate – ampules of 10mg	20-60mg

AIRWAY/SUCTION EQUIPMENT

Airway/Suction Equipment	Amount
BAAM Device	1
C-PAP circuits - all manufacture's available sizes	1 each
Endotracheal tubes, uncuffed – 2.5, 3.0, 3.5	2 each
Endotracheal Tubes, uncuffed – 4.0 or 4.5, 5.0 or 5.5	2 each
Endotracheal Tubes cuffed – 6.0, 7.0, 7.5 and 8.0	2 each
ET Tube holders – pediatric and adult	1 each
King LTS-D Adult: 4-5 feet: Size 3 (yellow) 5-6 feet: Size 4 (red) Over 6 feet: Size 5 (purple)	1 each
King Ped: 35-45 inches or 12-25 kg: Size 2 (green) 41-51 inches or 25-35 kg: Size 2.5 (orange)	1 each
Malleable Stylet – pediatric and adult	1 each
Nasal Cannulas – infant, pediatric and adult	2 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr	1 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr	1 each
Nasopharyngeal Airways – infant, child, and adult	1 each
Needle Cricothyrotomy Device (Approved) – Pediatric and adult <i>or</i>	1 each
Needles for procedure 10, 12, 14 and/or 16 gauge	2 each
Non Re-Breather O ₂ Mask – Pediatric and Adult	2 each
One way flutter valve with adapter or equivalent	1
Oropharyngeal Airways – infant, child, and adult	1 each
Small volume nebulizer with universal cuff adaptor	2
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each
Ventilation Bags – Infant 250ml, Pediatric 500ml and Adult 1L	1 each
Water soluble lubricating jelly	1
Yaunkers tonsil tip	1

OPTIONAL EQUIPMENT/MEDICATIONS

Optional Equipment/Medications	Amount
Ammonia Inhalants	2
Automatic ventilator (Approved)	1
Backboard padding	1
BLS AED/defib pads	1
BLS/ALS Handheld Resuscitator (CAREvent ^R)	1
Bone Drill (adult & Peds) or ICEMA approved IO device	2
Chemistry profile tubes	3
D5W in bag	1
IV infusion pump	1
IV warming device	1
Manual powered suction device	1
Multi-lumen peripheral catheter	1
Needle Thoracostomy Kit (prepackaged)	2
Pitocin	2
Translaryngeal Jet Ventilation Device	20 units
Vacutainer	1

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Dressing Materials/Other Equipment Supplies	Amount
Adhesive tape – 1 inch	2
Air occlusive dressing (Vaseline gauze)	1
Ankle & wrist restraints, soft ties acceptable	1
Antiseptic swabs/wipes	
Cervical Collars – Rigid Pediatric & Adult <i>or</i>	2 each
Cervical Collars – Adjustable Adult & Pediatric	2 each
Emesis basin or disposable bags & covered waste container	1
Head immobilization device	2
OB Kit	1
Pneumatic or rigid splints capable of splinting all extremities	4
Providence/Iodine swabs/wipes	
Roller bandages – 4 inch	3
Sterile bandage compress or equivalent	6
Sterile gauze pads – 4x4 inch	4
Sterile Sheet for Burns	2
Universal Dressing 10x30 inches	2

Durable Use Dressing Materials/Other Equipment Supplies	Amount
Aircraft stretcher or litter system with approved FAA straps that allows for Axial Spinal Immobilization	1
Bandage Shears	1
Blanket or sheet	2
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks & gowns meeting OSHA Standards)	2
Pediatric immobilization board	1
Short extrication device	1
Traction splint	1