Inland Counties Emergency Medical Agency

Serving San Bernardino, Inyo, and Mono Counties

Tom Lynch, EMS Administrator
Reza Vaezazizi, MD, Medical Director

DATE: September 30, 2016

TO: EMS Providers - ALS, LALS, BLS, EMS Aircraft
Hospital CEOs, ED Directors, Nurse Managers and PLNs
EMS Training Institutions and Continuing Education Providers
Inyo, Mono and San Bernardino County EMCC Members
Medical Advisory Committee (MAC) Members
Systems Advisory Committee (SAC) Members

FROM: Tom Lynch, EMS Administrator; Reza Vaezazizi, MD, Medical Director

SUBJECT: IMPLEMENTATION OF REVISED POLICIES EFFECTIVE OCTOBER 15, 2016

The revised policies listed below are effective October 15, 2016.

ICEMA Reference Number and Name
7010 - BLS/LALS/ALS Standard Drug & Equipment List
7020 - EMS Aircraft Standard Drug & Equipment List
8090 - Fort Irwin Continuation of Care

Please insert and replace the attached policies in the ICEMA Policy, Procedure and Protocol Manual with the updated documents and ensure every station or facility has a reference copy. The ICEMA policies and protocols can also be found on ICEMA's website at ICEMA.net under the Policy, Procedure and Protocol Manual section.

These policies reflect changes in ICEMA's standardized drug and equipment lists and for Fort Irwin Continuation of Care that were to be implemented on October 15, 2016. These changes include the removal of Procainamide and the addition of #0, #1 and #2 straight and curved laryngoscope blades for laryngoscopy related to foreign body removal using Magill forceps.

If you have any questions related to documents in the manual, please contact Ron Holk, RN, EMS Coordinator, at (909) 388-5808 or via e-mail at ron.holk@cao.sbcounty.gov.

TL/RV/jlm

Attachments

c: File Copy

1425 South "D" Street ▪ San Bernardino, CA 92415-0060
(909) 388-5823 office ▪ (909) 388-5825 fax ▪ www.icema.net

POLICIES/PROTOCOLS CHANGES EFFECTIVE OCTOBER 15, 2016

Reference #	Name	Changes
NEW		
None		
1000 ACCREDITATION AND CERTIFICATION		
None		
2000 DATA COLLECTION		
None		
3000 EDUCATION		
None		
4000 QUALITY IMPROVEMENT		
None		
5000 MISCELLANEOUS SYSTEM POLICIES		
None		
6000 SPECIALTY PROGRAM/ PROVIDER POLICIES		
None		
7000 STANDARD DRUG & EQUIPMENT LISTS		
7010 (Revised)	BLS/LALS/ALS Standard Drug & Equipment List	• Addition of Laryngeal Blades #0, #1, and #2 curved and/or straight for pediatric foreign body object removal using direct laryngoscopy and Magill Forceps. • Removal of pediatric cuffed endotracheal tubes for Specialty Programs.
7040 (Revised)	EMS Aircraft Standard Drug & Equipment LIst	• Addition of Laryngeal Blades #0, #1, and #2 curved and/or straight for pediatric foreign body object removal using direct laryngoscopy and Magill Forceps.
8000 TRANSPORT/TRANSFERS AND DESTINATION POLICIES		
8090 (Revised)	Fort Irwin Continuation of Care	• Removal of Procainamide as an authorized medication during transport.
9000 GENERAL PATIENT CARE POLICIES		
None		
10000 SKILLS		
None		
11000 ADULT EMERGENCIES		
None		

POLICIES/PROTOCOLS CHANGES EFFECTIVE OCTOBER 15, 2016

12000 END OF LIFE CARE		
None		
13000 ENVIRONMENTAL EMERGENCIES		
None		
14000 PEDIATRIC EMERGENCIES		
None		
15000 TRAUMA		
None		
DELETIONS		
None		
Below are some of the policies/protocols designated for review in the next few months. If there are specific policies/protocols recommended for review, please contact ICEMA.		
None		

BLS/LALS/ALS STANDARD DRUG & EQUIPMENT LIST

Each ambulance and first responder unit shall be equipped with the following functional equipment and supplies. **This list represents mandatory items with minimum quantities** excluding narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

All ALS (transport and non-transport) and BLS transport vehicles shall be inspected annually.

MEDICATIONS/SOLUTIONS

Exchanged Medications/Solutions	BLS	LALS	ALS Non-Transport	ALS Transport
Adenosine (Adenocard) 6 mg			1	1
Adenosine (Adenocard) 12 mg			2	2
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5 mg		4 doses	4 doses	4 doses
Albuterol MDI with spacer		1 SPECIALTY PROGRAMS ONLY	1 SPECIALTY PROGRAMS ONLY	1 SPECIALTY PROGRAMS ONLY
Aspirin, chewable - 81 mg tablet		2	1 bottle	1 bottle
Atropine 1 mg preload			2	2
Calcium Chloride 1 gm preload			1	1
Dextrose 10% in 250 ml Water (D10W) *		2	2	2
Diphenhydramine (Benadryl) 50 mg			1	1
Dopamine 400 mg			1	1
Epinephrine 1:1000 1 mg		2	2	2
Epinephrine 1:10,000 1 mg preload			3	3
Glucagon 1 mg		1	1	1
Glucose paste	1 tube	1 tube	1 tube	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5 mg			4	4
Irrigating Saline and/or Sterile Water (1000 cc)	2	1	1	2
Lidocaine 100 mg			3	3
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250 cc D5W			1	1
Lidocaine 2% Intravenous solution			1	1
Lidocaine 2% (Viscous) dose			1	1
Magnesium Sulfate 10 gm			1	1
Naloxone (Narcan) 2 mg preload		2	2	2
Nitroglycerine - Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening)		2	1	2
Normal Saline for Injection (10 cc)		2	2	2

Exchanged Medications/Solutions	BLS	LALS	ALS Non-Transport	ALS Transport
Normal Saline 100 cc			1	2
Normal Saline 250 cc			1	1
Normal Saline 500 ml and/or 1000 ml		2000 ml	3000 ml	6000 ml
Ondansetron (Zofran) 4 mg Oral Disintegrating Tablets (ODT)			4	4
Ondansetron (Zofran) 4 mg IM/ IV			4	4
Phenylephrine HCL - 0.5 mg per metered dose			1 bottle	1 bottle
Sodium Bicarbonate 50 mEq preload			2	2

CONTROLLED SUBSTANCE MEDICATIONS

Non-Exchange Controlled Substance Medications MUST BE DOUBLE LOCKED	BLS	LALS	ALS Non-Transport	ALS Transport
Fentanyl			200-400 mcg	200-400 mcg
Midazolam			20-40mg	20-40mg

AIRWAY/SUCTION EQUIPMENT

Exchanged Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
BAAM Device			1	2
CPAP circuits - all manufacture's available sizes	1 (if CPAP is carried)	1 (if CPAP is carried)	1 each	2 each
End-tidal CO2 device - Pediatric and Adult (may be integrated into bag)			1 each	1 each
Endotracheal Tubes cuffed - 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet			2 each	2 each
ET Tube holders - adult		1 each	1 each	2 each
King LTS-D Adult: Size 3 (yellow) Size 4 (red) Size 5 (purple)	2 each SPECIALTY PROGRAMS ONLY	1 each	1 each	2 each
King Ped: 12-25 kg: Size 2 (green) 25-35 kg: Size 2.5 (orange)	2 each SPECIALTY PROGRAMS ONLY	1 each	1 each	2 each
Mask - Adult & Pediatric non-rebreather oxygen mask	2 each	2 each	2 each	2 each
Mask - Infant Simple Mask	1	1	1	1
Nasal cannulas - pediatric and adult	2 each	2 each	2 each	2 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr			1 each	1 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr			1 each	1 each
Nasopharyngeal Airways - (infant, child, and adult)	1 each	1 each	1 each	1 each
Needle Cricothyrotomy Device - Pediatric and adult or Needles for procedure 10, 12, 14 and/or 16 gauge			1 each 2 each	1 each 2 each
One way flutter valve with adapter or equivalent			1	1

Exchanged Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Oropharyngeal Airways - (infant, child, and adult)	1 each	1 each	1 each	1 each
Rigid tonsil tip suction	1		1	1
Small volume nebulizer with universal cuff adaptor		2	2	2
Suction Canister	1		1	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each		1 each	1 each
Ventilation Bags - Infant 250 ml Pediatric 500 ml (or equivalent) Adult	 1 1 1	 1 1 1	 1 1 1	 1 1 1
Water soluble lubricating jelly		1	1	1

Non-Exchange Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Ambulance oxygen source -10 L /min for 20 minutes	1			1
Flashlight/penlight	1	1	1	1
Laryngoscope blades - #0, #1, #2, #3, #4 curved and/or straight			1 each	1 each
Laryngoscope handle with batteries - or 2 disposable handles			1	1
Magill Forceps - Pediatric and Adult			1 each	1 each
Manual powered suction device		1		
Portable oxygen with regulator - 10 L /min for 20 minutes	1	1	1	1
Portable suction device (battery operated)	1		1	1
Pulse Oximetry device	(SEE OPTIONAL EQUIPMENT SECTION, PG. 5)	1	1	1
Stethoscope	1	1	1	1
Wall mount suction device	1 (BLS TRANSPORT ONLY)			1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Conductive medium or Pacer/Defibrillation pads			2 each	2 each
Disposable Tourniquets		2	2	2
ECG electrodes			20	20
EZ-IO Driver			1 each	1 each
EZ-IO Needles: 25 mm 45 mm			 2 each 1 each	 2 each 1 each
Glucose monitoring device with compatible strips and		1	1	1

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
OSHA approved single use lancets				
3-way stopcock with extension tubing			2	2
IV Catheters - sizes 14, 16, 18, 20, 22, 24		2 each	2 each	2 each
Macrodrip Administration Set Microdrip Administration Set (60 drops /cc)		3 1	3 1	3 2
Mucosal Atomizer Device (MAD) for nasal administration of medication		2	2	4
Pressure Infusion Bag (disposable)		1	1	1
Razors		1	2	2
Safety Needles - 20 or 21gauge and 23 or 25 gauge		2 each	2 each	2 each
Saline Lock Large Bore Tubing Needleless		2	2	2
Sterile IV dressing		2	2	2
Syringes w/wo safety needles - 1 cc, 3 cc, 10 cc catheter tip		2 each		
Syringes w/wo safety needles - 1 cc, 3 cc, 10 cc, 20 cc, 60 cc catheter tip			2 each	2 each

Non-Exchange IV/Needles/Syringes/Monitor Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
12-lead ECG Monitor and Defibrillator with TCP and printout			1	1
Blood pressure cuff - large adult or thigh cuff, adult, child and infant (one of each size)	1	1	1	1
Capnography monitor and supplies, may be integrated in the cardiac monitor			1	1
Needle disposal system (OSHA approved)		1	1	1
Thermometer - Mercury Free with covers	1	1	1	1

OPTIONAL EQUIPMENT/MEDICATIONS

Non-Exchange Optional Equipment/Medications	BLS	LALS	ALS Non-Transport	ALS Transport
AED/defib pads - Adult (1), Pediatric (1)	1 each	1 each		
Ammonia Inhalants			2	2
Automatic CPR device (FDA approved)	1	1	1	1
Automatic ventilator (ICEMA approved)			1	1
Backboard padding	1	1	1	1
Buretrol			1	1
Chemistry profile tubes			3	3
CPAP - (must be capable of titrating pressure between 2 and 15 cm H_2O)	1 (optional)	1 (optional)	1	1
CyanoKit (Specialty Program Only)			1	1
EMS Tourniquet	1		1	1
Gum Elastic intubation stylet			2	2

Non-Exchange Optional Equipment/Medications	BLS	LALS	ALS Non-Transport	ALS Transport
Hemostatic Dressings *	1	1	1	1
IO Needles - Manual, Adult and Pediatric, Optional		Pediatric sizes only or EZ-IO needles and drivers	1 each	1 each
IV infusion pump			1	1
IV warming device		1	1	1
Manual IV Flow Rate Control Device			1	1
Manual powered suction device	1	1	1	1
Multi-lumen peripheral catheter			2	2
Needle Thoracostomy Kit (prepackaged)			2	2
Pulse Oximetry device	1			
Translaryngeal Jet Ventilation Device			1	1
Vacutainer			1	1

* Hemostatic Dressings

- Quick Clot®, Z-Medica®
  - Quick Clot®, Combat Gauze® LE
  - Quick Clot®, EMS Rolled Gauze, 4x4 Dressing, TraumaPad®
- Celox®
  - Celox® Gauze, Z-Fold Hemostatic Gauze
  - Celox® Rapid, Hemostatic Z-Fold Gauze

Note:

- The above products are "packaged" in various forms (i.e., Z-fold, rolled gauze, trauma pads, 4"x4"pads) and are authorized provided they are comprised of the approved product.
- Hemostatic Celox Granules, or granules delivered in an applicator, are not authorized.

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Exchanged Dressing Materials/Other Equipment/Supplies	BLS	LALS	ALS Non-Transport	ALS Transport
Adhesive tape - 1 inch	2	2	2	2
Air occlusive dressing	1	1	1	1
Ankle and wrist restraints, soft ties acceptable	1		1	1
Antiseptic swabs/wipes		10	10	10
Bedpan or fracture pan Urinal	1(BLS TRANSPORT UNITS ONLY 1(BLS TRANSPORT UNITS ONLY			1 1
Cervical Collars - Rigid Pediatric and Adult all sizes or Cervical Collars - Adjustable Adult and Pediatric	2 each 2 each	2 each 2 each	2 each 2 each	2 each 2 each
Cold Packs	2	2	2	2

Exchanged Dressing Materials/Other Equipment/Supplies	BLS	LALS	ALS Non-Transport	ALS Transport
Emesis basin or disposable bags and covered waste container	1	1	1	1
Head immobilization device	2	2	2	2
OB Kit	1	1	1	1
Pneumatic or rigid splints capable of splinting all extremities	4	2	2	4
Provodine/Iodine swabs/wipes or antiseptic equivalent		4	10	10
Roller bandages - 4 inch	6	3	3	6
Sterile bandage compress or equivalent	6	2	2	6
Sterile gauze pads - 4x4 inch	4	4	4	4
Sterile sheet for Burns	2	2	2	2
Universal dressing 10x30 inches	2	2	2	2

Non-Exchange Dressing Materials/Other Equipment/Supplies	BLS	LALS	ALS Non-Transport	ALS Transport
800 MHz Radio		1	1	1
Ambulance gurney	1(BLS TRANSPORT UNITS ONLY			1
Bandage shears	1	1	1	1
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks and gowns meeting OSHA Standards)	2	1	2	2
Drinkable water in secured plastic container or equivalent	1 gallon			1 gallon
Long board with restraint straps	1	1	1	1
Pediatric immobilization board	1	1	1	1
Pillow, pillow case, sheets and blanket	1 set (BLS TRANSPORT UNITS ONLY			1 set
Short extrication device	1	1	1	1
Straps to secure patient to gurney	1 set (BLS TRANSPORT UNITS ONLY			1 set
Traction splint	1	1	1	1
Triage Tags - CAL Chiefs or ICEMA approved	20	20	20	20

EMS AIRCRAFT STANDARD DRUG & EQUIPMENT LIST

Each Aircraft shall be equipped with the following functional equipment and supplies. This list represents mandatory items with minimum quantities, to exclude narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

MEDICATIONS/SOLUTIONS	AMOUNT
Adenosine (Adenocard) 6 mg	1
Adenosine (Adenocard) 12 mg	2
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5 mg	3 doses
Aspirin, chewable - 81 mg tablet	1 bottle
Atropine 1 mg preload	2
Calcium Chloride 1 gm preload	1
Dextrose 10% in 250 ml Water (D10W) *	2
Diphenhydramine (Benadryl) 50 mg	1
Dopamine 400 mg	1
Epinephrine 1:1,000	2
Epinephrine 1:10,000	2
Glucagon 1 mg	1
Glucopaste	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5 mg	3
Lidocaine 100 mg	3
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250 cc D5W	1 gm
Lidocaine 2% Intravenous solution	1
Lidocaine 2% (Viscous)	1 dose
Magnesium Sulfate 10 gms	1
Naloxone (Narcan) 2 mg preload	2
Nitroglycerin - Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening.)	1
Normal Saline for Injection (10 cc)	2
Normal Saline 250 ml	1
Normal Saline 500 ml and/or 1000 ml	2000 ml
Ondansetron (Zofran) 4 mg Oral Disintegrating Tablets (ODT)	4
Ondansetron (Zofran) 4 mg IM/ IV	4
Phenylephrine HCL - 0.5 mg per metered dose	1 bottle
Sodium Bicarbonate 50 mEq preload	2

CONTROLLED SUBSTANCE MEDICATIONS-MUST BE DOUBLE LOCKED	AMOUNT
Fentanyl	200-400 mcg
Midazolam	20-40 mg

AIRWAY/SUCTION EQUIPMENT	AMOUNT
Aircraft Oxygen source -10 L /min for 20 minutes	1
BAAM Device	1
C-PAP circuits - all manufacture's available sizes	1 each
End-tidal CO2 device - pediatric and adult (may be integrated into bag)	1 each
Endotracheal Tubes cuffed - 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet	2 each
ET Tube holders - adult	1 each
Flashlight/penlight	1
King LTS-D Adult: Size 3 (yellow) Size 4 (red) Size 5 (purple)	1 each
King Ped: 12-25 kg: Size 2 (green) 25-35 kg: Size 2.5 (orange)	1 each
Laryngoscope handle with batteries - or 2 disposable handles	1
Laryngoscope blades - #0, #1, #2, #3, #4 curved and/or straight	1 each
Magill Forceps - Pediatric and Adult	1 each
Nasal Cannulas - infant, pediatric and adult	2 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr	1 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr	1 each
Nasopharyngeal Airways - infant, child, and adult	1 each
Needle Cricothyrotomy Device (Approved) - Pediatric and adult *or* Needles for procedure 10, 12, 14 and/or16 gauge	1 each 2 each
Non Re-Breather O_2 Mask - Pediatric and Adult, Infant Simple Mask	2 each
One way flutter valve with adapter or equivalent	1
Oropharyngeal Airways - infant, child, and adult	1 each
Portable Oxygen with regulator - 10 L /min for 20 minutes	1
Portable suction device (battery operated) *and/or* Wall mount suction device	1 each
Pulse Oximetry device	1
Small volume nebulizer with universal cuff adaptor	1
Stethoscope	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each
Ventilation Bags - Infant 250 ml, Pediatric 500 ml and Adult 1 L	1 each
Water soluble lubricating jelly	1
Ridged tonsil tip suction	1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT	AMOUNT
12-Lead ECG Monitor and Defibrillator with TCP and printout	1
800 MHz Radio	1
Blood pressure cuff - large adult or thigh cuff, adult, child and infant	1 set
Capnography monitor and supplies, may be integrated in the cardiac monitor	1
Conductive medium *or* Adult and Pediatric Pacer/Defibrillation pads	2 each
ECG - Pediatric and Adult	20 patches
EZ IO Needles and Driver 25 mm and 45 mm	2 each 1 each
3-way stopcock with extension tubing	2
IO Needles - Manual, Adult and Pediatric, Optional	1 each
IV Catheters - sizes 14, 16, 18, 20, 22, 24	2 each
Glucose monitoring device	1
Macrodrip Administration Set Microdrip Administration Set (60 drops/ml)	3 1
Mucosal Atomizer Device (MAD) for nasal administration of medication	4
Needle disposal system (OSHA approved)	1
Pressure infusion bag	1
Safety Needles - 20 or 21 gauge and 23 or 25 gauge	2 each
Saline Lock	2
Syringes w/wo safety needles - 1 ml, 3 ml, 10 ml, 20 ml	2 each
Syringe - 60 ml catheter tip	2
Thermometer - Mercury free with covers	1

DRESSING MATERIALS/OTHER EQUIPMENT SUPPLIES	AMOUNT
Adhesive tape - 1 inch	2
Air occlusive dressing	1
Aircraft stretcher or litter system with approved FAA straps that allows for Axial Spinal Immobilization	1
Ankle and wrist restraints, soft ties acceptable	1
Antiseptic swabs/wipes	
Bandage shears	1
Blanket or sheet	2
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks and gowns meeting OSHA Standards)	2
Cervical Collars - Rigid Pediatric & Adult all sizes *or* Cervical Collars - Adjustable Adult and Pediatric	1 each 1 each
Emesis basin or disposable bags and covered waste container	1
Head immobilization device	1
OB Kit	1
Pneumatic or rigid splints capable of splinting all extremities	4
Provodine/Iodine swabs/wipes or antiseptic equivalent	
Roller bandages - 4 inch	3
Sterile bandage compress or equivalent	6
Sterile gauze pads - 4x4 inch	4

DRESSING MATERIALS/OTHER EQUIPMENT SUPPLIES	AMOUNT
Sterile Sheet for Burns	2
Traction splint	1
Universal Dressing 10x30 inches	2

OPTIONAL EQUIPMENT/MEDICATIONS	Amount
Ammonia Inhalants	2
Automatic ventilator (Approved)	1
Backboard padding	1
BLS AED/defib pads	1
Chemistry profile tubes	3
CyanoKit (Specialty Program Only)	SPECIALTY PROGRAMS ONLY
D5W in bag	1
Hemostatic Dressing *	1
IV infusion pump	1
IV warming device	1
Manual powered suction device	1
Medical Tourniquet	1
Needle Thoracostomy Kit (prepackaged)	2
Pediatric immobilization board	1
Translaryngeal Jet Ventilation Device	1
Vacutainer	1

* Hemostatic Dressings

- Quick Clot®, Z-Medica®
  - Quick Clot®, Combat Gauze® LE
  - Quick Clot®, EMS Rolled Gauze, 4x4 Dressing, TraumaPad®
- Celox®
  - Celox® Gauze, Z-Fold Hemostatic Gauze
  - Celox® Rapid, Hemostatic Z-Fold Gauze

Note:

- The above products are “packaged” in various forms (i.e., Z-fold, rolled gauze, trauma pads, and 4”x4” pads) and are authorized provided they are comprised of the approved product.
- Hemostatic Celox Granules, or granules delivered in an applicator, are not authorized.

FORT IRWIN CONTINUATION OF CARE

THIS POLICY IS FOR FORT IRWIN FIRE DEPARTMENT (FIFD), FORT IRWIN DEPARTMENT OF EMERGENCY SERVICES (DES), FORT IRWIN ARMY AIR AMBULANCE AND WEED ARMY COMMUNITY HOSPITAL (WACH) FOR TRANSPORTATION AND TRANSFER OF STEMI, STROKE OR TRAUMA PATIENTS TO A TRAUMA CENTER OR SPECIALTY CARE CENTER ONLY AND SHALL NOT BE USED FOR ANY OTHER TRANSFERS OR REQUESTS FOR TRANSFER FROM OTHER FACILITIES.

I. PURPOSE

To provide a mechanism of rapid transport of STEMI, stroke, or trauma patients from within the boundaries of Fort Irwin and the National Training Center to an appropriate STEMI, stroke, or trauma center for higher level of care with minimal delay. The terrain and nature of the National Training Center at Fort Irwin presents particular obstacles for the transport of STEMI, stroke, or trauma patients. Most STEMI, stroke, or trauma patients must be airlifted to an appropriate Specialty Care Center.

II. POLICY

1. Weed Army Community Hospital (WACH) to a STEMI Receiving Center (SRC), Neurovascular Stroke Center (NRSC) or Trauma Center (TC).

   a. PATIENT INCLUSION CRITERIA

   - Any patient meeting ICEMA Trauma Triage Criteria, (refer to ICEMA Reference #15030 - Trauma Triage Criteria and #8130 - Destination Policy) arriving at a non-trauma hospital by EMS or non-EMS transport.

   - Any patient with a positive STEMI requiring EMS transport to a SRC (refer to ICEMA Reference #6070 - Cardiovascular ST Elevation Myocardial Infarction Receiving Centers Destination Policy).

   - Any patient with a positive mLAPSS or stroke scale requiring EMS transport to a NSRC (refer to ICEMA Reference #6100 - Neurovascular Stroke Receiving Centers Destination Policy).

- These procedures are not to be used for any other form of interfacility transfer of patients.

b. INITIAL TREATMENT GOAL AT WACH

- Initiate resuscitative measures within the capabilities of the hospital.

- Ensure patient stabilization is adequate for subsequent transport.

- DO NOT DELAY TRANSPORT by initiating any diagnostic procedures that do not have direct impact on immediate resuscitative measures.

- WACH ED physician will determine the appropriate mode of transportation for the patient. WACH will contact Fort Irwin Army MEDEVAC for air ambulance transport utilizing established procedures for Fort Irwin.

- GUIDELINES:

  < 30 minutes at WACH (door-in/door-out).
  < 45 minutes to complete continuation of care transport.
  < 30 minutes door-to-intervention at Specialty Care Center.

- WACH shall contact the appropriate Specialty Care Center ED physician directly without calling for an inpatient bed assignment. WACH will contact the assigned Specialty Care Center in accordance with ICEMA Policy #8120 - Continuation of Care (San Bernardino County Only).

  SRC: Desert Valley Hospital, St. Mary Medical Center
  NSRC: Loma Linda University Medical Center, Arrowhead Regional Medical Center
  TC: Loma Linda University Medical Center, Arrowhead Regional Medical Center

- WACH ED physician will provide a verbal report to the ED physician at the Specialty Care Center.

- Fort Irwin Army MEDEVAC will make Specialty Care Center base hospital contact.

- Specialty Care Centers shall accept all referred STEMI, stroke, or trauma patients unless they are on Internal Disaster as defined in ICEMA Reference #8060 - Requests for Hospital Diversion Policy (San Bernardino County Only).

- The Specialty Care Center ED physician is the accepting physician at the Specialty Care Center and will activate the internal STEMI, Stroke, or Trauma Team according to internal SRC, NSRC or TC policies or protocols.

  WACH must send all medical records, test results and radiologic evaluations to the Specialty Care Center. DO NOT DELAY TRANSPORT - these documents may be FAXED to the Specialty Care Center.

c. SPECIAL CONSIDERATIONS

- If a suspected stroke patient is outside of the tPA administration window (greater than 4.5 hours from "last seen normal"), contact nearest NSRC to determine the best destination.

- ICEMA EMT-Ps may only transport patients on Dopamine and Lidocaine drips. Heparin and Integrillin drips are not within the ICEMA EMT-P scope of practice.

- WACH should consider sending one of its nurses, or a physician, with the Fort Irwin Army MEDEVAC if deemed necessary due to the patient's condition or scope of practice. This practice is highly encouraged. US Army Flight Medics and Critical Care Flight Paramedics may request additional providers from WACH upon its assessment of the patient's condition and en route care needs.

- Specialty Care Center diversion is not permitted except for Internal Disaster. However, Specialty Care Center base hospitals are allowed to facilitate redirecting of EMS patients to nearby SRCs, NSRCs or TCs when the closest Specialty Care Center is over capacity to minimize door-to-intervention times. Specialty Care Center base hospitals shall ensure physician to physician contact when redirecting patients.

2. AIR AMBULANCE

a. Fort Irwin maintains internal 24-hour US Army Air Ambulance with MEDEVAC capabilities conducted by C Company (Air Ambulance), 2916th Aviation Battalion. Fort Irwin Army Air Ambulance is the primary method of air transport for medical and trauma patients originating within the boundaries of the National Training Center and Fort Irwin. Requests for use of this asset by Fort Irwin Range Control, DES, FIFD and WACH will be in accordance with the procedures established within Fort Irwin. To expedite appropriate treatment of STEMI, stroke, or trauma patients, Fort Irwin Army Air Ambulance will proceed directly to the most appropriate SRC, NSRC or TC, for patients that meet the criteria of ICEMA Reference #15030 - Trauma Triage Criteria, #8120 - Continuation of Care and #8130 - Destination Policy when immediate lifesaving intervention or stabilization is <u>not</u> required. These patients will bypass WACH and proceed directly to a SRC, NSRC or TC for treatment.

b. Fort Irwin Army Air Ambulance will contact the County Communication Center (CCC) for TC destination. TC destination will be rotated by the CCC in accordance with ICEMA Reference #8070 - Aircraft Rotation Policy (San Bernardino County Only). If unable to contact the CCC, Fort Irwin Army MEDEVAC will follow the destination policy established in ICEMA Reference #8130 - Destination Policy.

c. The assigned base hospital for medical control will be Loma Linda University Medical Center (LLUMC). ICEMA EMT-Ps will follow ICEMA's policies, procedures and protocols. US Army Flight Medics and Critical Care Flight Paramedics will follow the Standard Medical Operating Guidelines (SMOG) established by the US Army Surgeon General and the assigned US Army Flight Surgeon. When conflicts in procedure or protocol of patient care exists between ICEMA and the US Army SMOG, each EMS provider will work in accordance with its individual protocols and confer jointly to assure the best possible care is provided and achieves the best outcome for the patient. US Army Flight Medics and Critical Care Flight Paramedics are authorized to perform all treatments and procedures that are provided as en route medical orders from the receiving hospital or the medical direction of LLUMC.

d. The onboard attending FIFD ICEMA EMT-P will make contact with the destination SRC, NSRC or TC prior to arrival in order to alert the STEMI, Stroke, or Trauma Teams. In the absence of the FIFD ICEMA EMT-P, the US Army Flight Medic or US Army Critical Care Flight Paramedic will ensure contact is made in accordance with Fort Irwin's procedures.

e. In the event of special considerations, such as weather, time, distance and patient location, the Fort Irwin Army Air Ambulance Pilot-in-Command may choose to divert to University Medical Center (UMC) Las Vegas in accordance with the Memorandum of Agreement established between Fort Irwin Army Air Ambulance and UMC Las Vegas.

f. In times of inclement weather or due to aircraft emergencies where landing at the destination hospital is not feasible, Fort Irwin MEDEVAC will contact the CCC for assistance in order to arrange for ground ambulance transportation at an appropriate airfield or the precautionary landing zone so that transportation of the patient can continue to the designated hospital.

g. Should Fort Irwin Army Air Ambulance be unavailable for patient transportation, requests for civilian air ambulance support shall be made through the CCC by FIFD or WACH.

3. GROUND AMBULANCE

a. Ground ambulances on Fort Irwin are provided and staffed by WACH and are dispatched by Fort Irwin DES with support from FIFD.

b. Patients that are determined to meet ICEMA's Trauma Triage Criteria (refer to ICEMA Reference #15030 - Trauma Triage Criteria) or are in immediate need of a Specialty Care Center as determined by a FIFD ICEMA EMT-P may be transported directly to the Fort Irwin Main Post Helipad or designated ambulance exchange point for immediate transfer by air ambulance when immediate lifesaving intervention or stabilization is <u>not</u> required. These patients will bypass WACH and proceed directly to a SRC, NSRC or TC for treatment. Coordination for this exchange will be conducted by FIFD utilizing established procedures to contact Fort Irwin Army MEDEVAC.

c. Patients that do not meet ICEMA's Trauma Triage Criteria or require immediate lifesaving interventions or stabilization will be transported directly to WACH.

III. REFERENCES

Number	Name
6070	Cardiovascular ST Elevation Myocardial Infarction Receiving Centers Destination Policy
6100	Neurovascular Stroke Receiving Centers Destination Policy (San Bernardino County Only)
8060	Requests for Hospital Diversion Policy (San Bernardino County Only)
8070	Aircraft Rotation Policy (San Bernardino County Only)
8120	Continuation of Care (San Bernardino County Only)
8130	Destination Policy
15030	Trauma Triage Criteria

BLS/LALS/ALS STANDARD DRUG & EQUIPMENT LIST

Each ambulance and first responder unit shall be equipped with the following functional equipment and supplies. **This list represents mandatory items with minimum quantities** excluding narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

All ALS (transport and non-transport) and BLS transport vehicles shall be inspected annually.

MEDICATIONS/SOLUTIONS

Exchanged Medications/Solutions	BLS	LALS	ALS Non-Transport	ALS Transport
Adenosine (Adenocard) 6 mg			1	1
Adenosine (Adenocard) 12 mg			2	2
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5 mg		4 doses	4 doses	4 doses
Albuterol MDI with spacer		1 SPECIALTY PROGRAMS ONLY	1 SPECIALTY PROGRAMS ONLY	1 SPECIALTY PROGRAMS ONLY
Aspirin, chewable - 81 mg tablet		2	1 bottle	1 bottle
Atropine 1 mg preload			2	2
Calcium Chloride 1 gm preload			1	1
Dextrose 10% in 250 ml Water (D10W) *		2	2	2
Diphenhydramine (Benadryl) 50 mg			1	1
Dopamine 400 mg			1	1
Epinephrine 1:1000 1 mg		2	2	2
Epinephrine 1:10,000 1 mg preload			3	3
Glucagon 1 mg		1	1	1
Glucose paste	1 tube	1 tube	1 tube	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5 mg			4	4
Irrigating Saline and/or Sterile Water (1000 cc)	2	1	1	2
Lidocaine 100 mg			3	3
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250 cc D5W			1	1
Lidocaine 2% Intravenous solution			1	1
Lidocaine 2% (Viscous) dose			1	1
Magnesium Sulfate 10 gm			1	1
Naloxone (Narcan) 2 mg preload		2	2	2
Nitroglycerine - Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening)		2	1	2
Normal Saline for Injection (10 cc)		2	2	2

Exchanged Medications/Solutions	BLS	LALS	ALS Non-Transport	ALS Transport
Normal Saline 100 cc			1	2
Normal Saline 250 cc			1	1
Normal Saline 500 ml and/or 1000 ml		2000 ml	3000 ml	6000 ml
Ondansetron (Zofran) 4 mg Oral Disintegrating Tablets (ODT)			4	4
Ondansetron (Zofran) 4 mg IM/ IV			4	4
Phenylephrine HCL - 0.5 mg per metered dose			1 bottle	1 bottle
Sodium Bicarbonate 50 mEq preload			2	2

CONTROLLED SUBSTANCE MEDICATIONS

Non-Exchange Controlled Substance Medications MUST BE DOUBLE LOCKED	BLS	LALS	ALS Non-Transport	ALS Transport
Fentanyl			200-400 mcg	200-400 mcg
Midazolam			20-40mg	20-40mg

AIRWAY/SUCTION EQUIPMENT

Exchanged Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
BAAM Device			1	2
CPAP circuits - all manufacture's available sizes	1 (if CPAP is carried)	1 (if CPAP is carried)	1 each	2 each
End-tidal CO2 device - Pediatric and Adult (may be integrated into bag)			1 each	1 each
Endotracheal Tubes cuffed - 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet			2 each	2 each
ET Tube holders - adult		1 each	1 each	2 each
King LTS-D Adult: Size 3 (yellow) Size 4 (red) Size 5 (purple)	2 each SPECIALTY PROGRAMS ONLY	1 each	1 each	2 each
King Ped: 12-25 kg: Size 2 (green) 25-35 kg: Size 2.5 (orange)	2 each SPECIALTY PROGRAMS ONLY	1 each	1 each	2 each
Mask - Adult & Pediatric non-rebreather oxygen mask	2 each	2 each	2 each	2 each
Mask - Infant Simple Mask	1	1	1	1
Nasal cannulas - pediatric and adult	2 each	2 each	2 each	2 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr			1 each	1 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr			1 each	1 each
Nasopharyngeal Airways - (infant, child, and adult)	1 each	1 each	1 each	1 each
Needle Cricothyrotomy Device - Pediatric and adult or Needles for procedure 10, 12, 14 and/or 16 gauge			1 each 2 each	1 each 2 each
One way flutter valve with adapter or equivalent			1	1

Exchanged Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Oropharyngeal Airways - (infant, child, and adult)	1 each	1 each	1 each	1 each
Rigid tonsil tip suction	1		1	1
Small volume nebulizer with universal cuff adaptor		2	2	2
Suction Canister	1		1	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each		1 each	1 each
Ventilation Bags -				
Infant 250 ml	1	1	1	1
Pediatric 500 ml (or equivalent)	1	1	1	1
Adult	1	1	1	1
Water soluble lubricating jelly		1	1	1

Non-Exchange Airway/Suction Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Ambulance oxygen source -10 L /min for 20 minutes	1			1
Flashlight/penlight	1	1	1	1
Laryngoscope~~eal~~ blades - #0, #1, #2, #3, #4 curved and/or straight			1 each	1 each
Laryngoscope handle with batteries - or 2 disposable handles			1	1
Magill Forceps - Pediatric and Adult			1 each	1 each
Manual powered suction device		1		
Portable oxygen with regulator - 10 L /min for 20 minutes	1	1	1	1
Portable suction device (battery operated)	1		1	1
Pulse Oximetry device	(SEE OPTIONAL EQUIPMENT SECTION, PG. 5)	1	1	1
Stethoscope	1	1	1	1
Wall mount suction device	1 (BLS TRANSPORT ONLY)			1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT

Exchanged IV/Needles/Syringes/Monitor Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
Conductive medium or Pacer/Defibrillation pads			2 each	2 each
Disposable Tourniquets		2	2	2
ECG electrodes			20	20
EZ-IO Driver			1 each	1 each
EZ-IO Needles: 25 mm 45 mm			 2 each 1 each	 2 each 1 each
Glucose monitoring device with compatible strips and OSHA approved single use lancets		1	1	1
3-way stopcock with extension tubing			2	2
IV Catheters - sizes 14, 16, 18, 20, 22, 24		2 each	2 each	2 each
Macrodrip Administration Set Microdrip Administration Set (60 drops /cc)		3 1	3 1	3 2
Mucosal Atomizer Device (MAD) for nasal administration of medication		2	2	4
Pressure Infusion Bag (disposable)		1	1	1
Razors		1	2	2
Safety Needles - 20 or 21gauge and 23 or 25 gauge		2 each	2 each	2 each
Saline Lock Large Bore Tubing Needleless		2	2	2
Sterile IV dressing		2	2	2
Syringes w/wo safety needles - 1 cc, 3 cc, 10 cc catheter tip		2 each		
Syringes w/wo safety needles - 1 cc, 3 cc, 10 cc, 20 cc, 60 cc catheter tip			2 each	2 each

Non-Exchange IV/Needles/Syringes/Monitor Equipment	BLS	LALS	ALS Non-Transport	ALS Transport
12-lead ECG Monitor and Defibrillator with TCP and printout			1	1
Blood pressure cuff - large adult or thigh cuff, adult, child and infant (one of each size)	1	1	1	1
Capnography monitor and supplies, may be integrated in the cardiac monitor			1	1
Needle disposal system (OSHA approved)		1	1	1
Thermometer - Mercury Free with covers	1	1	1	1

OPTIONAL EQUIPMENT/MEDICATIONS

Non-Exchange Optional Equipment/Medications	BLS	LALS	ALS Non-Transport	ALS Transport
AED/defib pads - Adult (1), Pediatric (1)	1 each	1 each		
Ammonia Inhalants			2	2
Automatic CPR device (FDA approved)	1	1	1	1
Automatic ventilator (ICEMA approved)			1	1
Backboard padding	1	1	1	1
Buretrol			1	1
Chemistry profile tubes			3	3
CPAP - (must be capable of titrating pressure between 2 and 15 cm H_2O)	1 (optional)	1 (optional)	1	1
CyanoKit (Specialty Program Only)			1	1
EMS Tourniquet	1		1	1
~~Endotracheal Tubes, cuffed - 2.5, 3.0, 3.5 with stylet~~			~~SPECIALTY PROGRAMS ONLY~~	~~SPECIALTY PROGRAMS ONLY~~
~~Endotracheal Tubes, cuffed - 4.0 or 4.5, 5.0 or 5.5 with stylet~~			~~SPECIALTY PROGRAMS ONLY~~	~~SPECIALTY PROGRAMS ONLY~~
Gum Elastic intubation stylet			2	2
Hemostatic Dressings *	1	1	1	1
IO Needles - Manual, Adult and Pediatric, Optional		Pediatric sizes only or EZ-IO needles and drivers	1 each	1 each
IV infusion pump			1	1
IV warming device		1	1	1
Manual IV Flow Rate Control Device			1	1
Manual powered suction device	1	1	1	1
Multi-lumen peripheral catheter			2	2
Needle Thoracostomy Kit (prepackaged)			2	2
Pulse Oximetry device	1			
Translaryngeal Jet Ventilation Device			1	1
Vacutainer			1	1

* Hemostatic Dressings

- Quick Clot®, Z-Medica®
  - Quick Clot®, Combat Gauze® LE
  - Quick Clot®, EMS Rolled Gauze, 4x4 Dressing, TraumaPad®
- Celox®
  - Celox® Gauze, Z-Fold Hemostatic Gauze
  - Celox® Rapid, Hemostatic Z-Fold Gauze

Note:

- The above products are "packaged" in various forms (i.e., Z-fold, rolled gauze, trauma pads, 4"x4"pads) and are authorized provided they are comprised of the approved product.
- Hemostatic Celox Granules, or granules delivered in an applicator, are not authorized.

DRESSING MATERIALS/OTHER EQUIPMENT/SUPPLIES

Exchanged Dressing Materials/Other Equipment/Supplies	**BLS**	**LALS**	**ALS Non-Transport**	**ALS Transport**
Adhesive tape - 1 inch	2	2	2	2
Air occlusive dressing	1	1	1	1
Ankle and wrist restraints, soft ties acceptable	1		1	1
Antiseptic swabs/wipes		10	10	10
Bedpan or fracture pan Urinal	1(BLS TRANSPORT UNITS ONLY 1(BLS TRANSPORT UNITS ONLY			1 1
Cervical Collars - Rigid Pediatric and Adult all sizes or Cervical Collars - Adjustable Adult and Pediatric	2 each 2 each	2 each 2 each	2 each 2 each	2 each 2 each
Cold Packs	2	2	2	2
Emesis basin or disposable bags and covered waste container	1	1	1	1
Head immobilization device	2	2	2	2
OB Kit	1	1	1	1
Pneumatic or rigid splints capable of splinting all extremities	4	2	2	4
Provodine/Iodine swabs/wipes or antiseptic equivalent		4	10	10
Roller bandages - 4 inch	6	3	3	6
Sterile bandage compress or equivalent	6	2	2	6
Sterile gauze pads - 4x4 inch	4	4	4	4
Sterile sheet for Burns	2	2	2	2
Universal dressing 10x30 inches	2	2	2	2

Non-Exchange Dressing Materials/Other Equipment/Supplies	**BLS**	**LALS**	**ALS Non-Transport**	**ALS Transport**
800 MHz Radio		1	1	1
Ambulance gurney	1(BLS TRANSPORT UNITS ONLY			1
Bandage shears	1	1	1	1
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks and gowns meeting OSHA Standards)	2	1	2	2
Drinkable water in secured plastic container or equivalent	1 gallon			1 gallon
Long board with restraint straps	1	1	1	1
Pediatric immobilization board	1	1	1	1
Pillow, pillow case, sheets and blanket	1 set (BLS TRANSPORT UNITS ONLY			1 set

Non-Exchange Dressing Materials/Other Equipment/Supplies	BLS	LALS	ALS Non-Transport	ALS Transport
Short extrication device	1	1	1	1
Straps to secure patient to gurney	1 set (BLS TRANSPORT UNITS ONLY			1 set
Traction splint	1	1	1	1
Triage Tags - CAL Chiefs or ICEMA approved	20	20	20	20

EMS AIRCRAFT STANDARD DRUG & EQUIPMENT LIST

Each Aircraft shall be equipped with the following functional equipment and supplies. This list represents mandatory items with minimum quantities, to exclude narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packaging may be used.

MEDICATIONS/SOLUTIONS	AMOUNT
Adenosine (Adenocard) 6 mg	1
Adenosine (Adenocard) 12 mg	2
Albuterol Aerosolized Solution (Proventil) - unit dose 2.5 mg	3 doses
Aspirin, chewable - 81 mg tablet	1 bottle
Atropine 1 mg preload	2
Calcium Chloride 1 gm preload	1
Dextrose 10% in 250 ml Water (D10W) *	2
Diphenhydramine (Benadryl) 50 mg	1
Dopamine 400 mg	1
Epinephrine 1:1,000	2
Epinephrine 1:10,000	2
Glucagon 1 mg	1
Glucopaste	1 tube
Ipratropium Bromide Inhalation Solution (Atrovent) unit dose 0.5 mg	3
Lidocaine 100 mg	3
Lidocaine 1 gm or 1 bag pre-mixed 1 gm/250 cc D5W	1 gm
Lidocaine 2% Intravenous solution	1
Lidocaine 2% (Viscous)	1 dose
Magnesium Sulfate 10 gms	1
Naloxone (Narcan) 2 mg preload	2
Nitroglycerin - Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening.)	1
Normal Saline for Injection (10 cc)	2
Normal Saline 250 ml	1
Normal Saline 500 ml and/or 1000 ml	2000 ml
Ondansetron (Zofran) 4 mg Oral Disintegrating Tablets (ODT)	4
Ondansetron (Zofran) 4 mg IM/ IV	4
Phenylephrine HCL - 0.5 mg per metered dose	1 bottle
Sodium Bicarbonate 50 mEq preload	2

CONTROLLED SUBSTANCE MEDICATIONS-MUST BE DOUBLE LOCKED	AMOUNT
Fentanyl	200-400 mcg
Midazolam	20-40 mg

AIRWAY/SUCTION EQUIPMENT	AMOUNT
Aircraft Oxygen source -10 L /min for 20 minutes	1
BAAM Device	1
C-PAP circuits - all manufacture's available sizes	1 each
End-tidal CO2 device - pediatric and adult (may be integrated into bag)	1 each
Endotracheal Tubes cuffed - 6.0 and/or 6.5, 7.0 and/or 7.5 and 8.0 and/or 8.5 with stylet	2 each
ET Tube holders - adult	1 each
Flashlight/penlight	1
King LTS-D Adult: Size 3 (yellow) Size 4 (red) Size 5 (purple)	1 each
King Ped: 12-25 kg: Size 2 (green) 25-35 kg: Size 2.5 (orange)	1 each
Laryngoscope handle with batteries - or 2 disposable handles	1
Laryngoscope~~eal~~ blades - #0, #1, #2, #3, #4 curved and/or straight	1 each
Magill Forceps - Pediatric and Adult	1 each
Nasal Cannulas - infant, pediatric and adult	2 each
Naso/Orogastric tubes - 10fr or 12fr, 14fr, 16fr or 18fr	1 each
Naso/Orogastric feeding tubes - 5fr or 6fr, and 8fr	1 each
Nasopharyngeal Airways - infant, child, and adult	1 each
Needle Cricothyrotomy Device (Approved) - Pediatric and adult *or* Needles for procedure 10, 12, 14 and/or16 gauge	1 each 2 each
Non Re-Breather O_2 Mask - Pediatric and Adult, Infant Simple Mask	2 each
One way flutter valve with adapter or equivalent	1
Oropharyngeal Airways - infant, child, and adult	1 each
Portable Oxygen with regulator - 10 L /min for 20 minutes	1
Portable suction device (battery operated) *and/or* Wall mount suction device	1 each
Pulse Oximetry device	1
Small volume nebulizer with universal cuff adaptor	1
Stethoscope	1
Suction catheters - 6fr, 8fr or 10fr, 12fr or 14fr	1 each
Ventilation Bags - Infant 250 ml, Pediatric 500 ml and Adult 1 L	1 each
Water soluble lubricating jelly	1
Ridged tonsil tip suction	1

IV/NEEDLES/SYRINGES/MONITORING EQUIPMENT	AMOUNT
12-Lead ECG Monitor and Defibrillator with TCP and printout	1
800 MHz Radio	1
Blood pressure cuff - large adult or thigh cuff, adult, child and infant	1 set
Capnography monitor and supplies, may be integrated in the cardiac monitor	1
Conductive medium *or* Adult and Pediatric Pacer/Defibrillation pads	2 each
ECG - Pediatric and Adult	20 patches
EZ IO Needles and Driver 25 mm and 45 mm	2 each 1 each
3-way stopcock with extension tubing	2
IO Needles - Manual, Adult and Pediatric, Optional	1 each
IV Catheters - sizes 14, 16, 18, 20, 22, 24	2 each
Glucose monitoring device	1
Macrodrip Administration Set Microdrip Administration Set (60 drops/ml)	3 1
Mucosal Atomizer Device (MAD) for nasal administration of medication	4
Needle disposal system (OSHA approved)	1
Pressure infusion bag	1
Safety Needles - 20 or 21 gauge and 23 or 25 gauge	2 each
Saline Lock	2
Syringes w/wo safety needles - 1 ml, 3 ml, 10 ml, 20 ml	2 each
Syringe - 60 ml catheter tip	2
Thermometer - Mercury free with covers	1

DRESSING MATERIALS/OTHER EQUIPMENT SUPPLIES	AMOUNT
Adhesive tape - 1 inch	2
Air occlusive dressing	1
Aircraft stretcher or litter system with approved FAA straps that allows for Axial Spinal Immobilization	1
Ankle and wrist restraints, soft ties acceptable	1
Antiseptic swabs/wipes	
Bandage shears	1
Blanket or sheet	2
Blood Borne Pathogen Protective Equipment - (nonporous gloves, goggles face masks and gowns meeting OSHA Standards)	2
Cervical Collars - Rigid Pediatric & Adult all sizes *or* Cervical Collars - Adjustable Adult and Pediatric	1 each 1 each
Emesis basin or disposable bags and covered waste container	1
Head immobilization device	1
OB Kit	1
Pneumatic or rigid splints capable of splinting all extremities	4
Provodine/Iodine swabs/wipes or antiseptic equivalent	
Roller bandages - 4 inch	3
Sterile bandage compress or equivalent	6
Sterile gauze pads - 4x4 inch	4

DRESSING MATERIALS/OTHER EQUIPMENT SUPPLIES	AMOUNT
Sterile Sheet for Burns	2
Traction splint	1
Universal Dressing 10x30 inches	2

OPTIONAL EQUIPMENT/MEDICATIONS	Amount
Ammonia Inhalants	2
Automatic ventilator (Approved)	1
Backboard padding	1
BLS AED/defib pads	1
Chemistry profile tubes	3
CyanoKit (Specialty Program Only)	SPECIALTY PROGRAMS ONLY
D5W in bag	1
Hemostatic Dressing *	1
IV infusion pump	1
IV warming device	1
Manual powered suction device	1
Medical Tourniquet	1
Needle Thoracostomy Kit (prepackaged)	2
Pediatric immobilization board	1
Translaryngeal Jet Ventilation Device	1
Vacutainer	1

* Hemostatic Dressings

- Quick Clot®, Z-Medica®
  - Quick Clot®, Combat Gauze® LE
  - Quick Clot®, EMS Rolled Gauze, 4x4 Dressing, TraumaPad®
- Celox®
  - Celox® Gauze, Z-Fold Hemostatic Gauze
  - Celox® Rapid, Hemostatic Z-Fold Gauze

Note:

- The above products are “packaged” in various forms (i.e., Z-fold, rolled gauze, trauma pads, and 4”x4” pads) and are authorized provided they are comprised of the approved product.
- Hemostatic Celox Granules, or granules delivered in an applicator, are not authorized.

FORT IRWIN CONTINUATION OF CARE

THIS POLICY IS FOR FORT IRWIN FIRE DEPARTMENT (FIFD), FORT IRWIN DEPARTMENT OF EMERGENCY SERVICES (DES), FORT IRWIN ARMY AIR AMBULANCE AND WEED ARMY COMMUNITY HOSPITAL (WACH) FOR TRANSPORTATION AND TRANSFER OF STEMI, STROKE OR TRAUMA PATIENTS TO A TRAUMA CENTER OR SPECIALTY CARE CENTER ONLY AND SHALL NOT BE USED FOR ANY OTHER TRANSFERS OR REQUESTS FOR TRANSFER FROM OTHER FACILITIES.

I. PURPOSE

To provide a mechanism of rapid transport of STEMI, stroke, or trauma patients from within the boundaries of Fort Irwin and the National Training Center to an appropriate STEMI, stroke, or trauma center for higher level of care with minimal delay. The terrain and nature of the National Training Center at Fort Irwin presents particular obstacles for the transport of STEMI, stroke, or trauma patients. Most STEMI, stroke, or trauma patients must be airlifted to an appropriate Specialty Care Center.

II. POLICY

1. Weed Army Community Hospital (WACH) to a STEMI Receiving Center (SRC), Neurovascular Stroke Center (NRSC) or Trauma Center (TC).

   a. PATIENT INCLUSION CRITERIA

   - Any patient meeting ICEMA Trauma Triage Criteria, (refer to ICEMA Reference #15030 - Trauma Triage Criteria and #8130 - Destination Policy) arriving at a non-trauma hospital by EMS or non-EMS transport.

   - Any patient with a positive STEMI requiring EMS transport to a SRC (refer to ICEMA Reference #6070 - Cardiovascular ST Elevation Myocardial Infarction Receiving Centers Destination Policy).

   - Any patient with a positive mLAPSS or stroke scale requiring EMS transport to a NSRC (refer to ICEMA Reference #6100 - Neurovascular Stroke Receiving Centers Destination Policy).

- These procedures are not to be used for any other form of interfacility transfer of patients.

b. INITIAL TREATMENT GOAL AT WACH

- Initiate resuscitative measures within the capabilities of the hospital.

- Ensure patient stabilization is adequate for subsequent transport.

- DO NOT DELAY TRANSPORT by initiating any diagnostic procedures that do not have direct impact on immediate resuscitative measures.

- WACH ED physician will determine the appropriate mode of transportation for the patient. WACH will contact Fort Irwin Army MEDEVAC for air ambulance transport utilizing established procedures for Fort Irwin.

- GUIDELINES:

  < 30 minutes at WACH (door-in/door-out).
  < 45 minutes to complete continuation of care transport.
  < 30 minutes door-to-intervention at Specialty Care Center.

- WACH shall contact the appropriate Specialty Care Center ED physician directly without calling for an inpatient bed assignment. WACH will contact the assigned Specialty Care Center in accordance with ICEMA Policy #8120 - Continuation of Care (San Bernardino County Only).

  SRC: Desert Valley Hospital, St. Mary Medical Center
  NSRC: Loma Linda University Medical Center, Arrowhead Regional Medical Center
  TC: Loma Linda University Medical Center, Arrowhead Regional Medical Center

- WACH ED physician will provide a verbal report to the ED physician at the Specialty Care Center.

- Fort Irwin Army MEDEVAC will make Specialty Care Center base hospital contact.

- Specialty Care Centers shall accept all referred STEMI, stroke, or trauma patients unless they are on Internal Disaster as defined in ICEMA Reference #8060 - Requests for Hospital Diversion Policy (San Bernardino County Only).

- The Specialty Care Center ED physician is the accepting physician at the Specialty Care Center and will activate the internal STEMI, Stroke, or Trauma Team according to internal SRC, NSRC or TC policies or protocols.

  WACH must send all medical records, test results and radiologic evaluations to the Specialty Care Center. DO NOT DELAY TRANSPORT - these documents may be FAXED to the Specialty Care Center.

c. SPECIAL CONSIDERATIONS

- If a suspected stroke patient is outside of the tPA administration window (greater than 4.5 hours from "last seen normal"), contact nearest NSRC to determine the best destination.

- ICEMA EMT-Ps may only transport patients on Dopamine~~,~~ and Lidocaine ~~and Procainamide~~ drips. Heparin and Integrillin drips are not within the ICEMA EMT-P scope of practice.

- WACH should consider sending one of its nurses, or a physician, with the Fort Irwin Army MEDEVAC if deemed necessary due to the patient's condition or scope of practice. This practice is highly encouraged. US Army Flight Medics and Critical Care Flight Paramedics may request additional providers from WACH upon its assessment of the patient's condition and en route care needs.

- Specialty Care Center diversion is not permitted except for Internal Disaster. However, Specialty Care Center base hospitals are allowed to facilitate redirecting of EMS patients to nearby SRCs, NSRCs or TCs when the closest Specialty Care Center is over capacity to minimize door-to-intervention times. Specialty Care Center base hospitals shall ensure physician to physician contact when redirecting patients.

2. AIR AMBULANCE

a. Fort Irwin maintains internal 24-hour US Army Air Ambulance with MEDEVAC capabilities conducted by C Company (Air Ambulance), 2916th Aviation Battalion. Fort Irwin Army Air Ambulance is the primary method of air transport for medical and trauma patients originating within the boundaries of the National Training Center and Fort Irwin. Requests for use of this asset by Fort Irwin Range Control, DES, FIFD and WACH will be in accordance with the procedures established within Fort Irwin. To expedite appropriate treatment of STEMI, stroke, or trauma patients, Fort Irwin Army Air Ambulance will proceed directly to the most appropriate SRC, NSRC or TC, for patients that meet the criteria of ICEMA Reference #15030 - Trauma Triage Criteria, #8120 - Continuation of Care and #8130 - Destination Policy when immediate lifesaving intervention or stabilization is <u>not</u> required. These patients will bypass WACH and proceed directly to a SRC, NSRC or TC for treatment.

b. Fort Irwin Army Air Ambulance will contact the County Communication Center (CCC) for TC destination. TC destination will be rotated by the CCC in accordance with ICEMA Reference #8070 - Aircraft Rotation Policy (San Bernardino County Only). If unable to contact the CCC, Fort Irwin Army MEDEVAC will follow the destination policy established in ICEMA Reference #8130 - Destination Policy.

c. The assigned base hospital for medical control will be Loma Linda University Medical Center (LLUMC). ICEMA EMT-Ps will follow ICEMA's policies, procedures and protocols. US Army Flight Medics and Critical Care Flight Paramedics will follow the Standard Medical Operating Guidelines (SMOG) established by the US Army Surgeon General and the assigned US Army Flight Surgeon. When conflicts in procedure or protocol of patient care exists between ICEMA and the US Army SMOG, each EMS provider will work in accordance with its individual protocols and confer jointly to assure the best possible care is provided and achieves the best outcome for the patient. US Army Flight Medics and Critical Care Flight Paramedics are authorized to perform all treatments and procedures that are provided as en route medical orders from the receiving hospital or the medical direction of LLUMC.

d. The onboard attending FIFD ICEMA EMT-P will make contact with the destination SRC, NSRC or TC prior to arrival in order to alert the STEMI, Stroke, or Trauma Teams. In the absence of the FIFD ICEMA EMT-P, the US Army Flight Medic or US Army Critical Care Flight Paramedic will ensure contact is made in accordance with Fort Irwin's procedures.

e. In the event of special considerations, such as weather, time, distance and patient location, the Fort Irwin Army Air Ambulance Pilot-in-Command may choose to divert to University Medical Center (UMC) Las Vegas in accordance with the Memorandum of Agreement established between Fort Irwin Army Air Ambulance and UMC Las Vegas.

f. In times of inclement weather or due to aircraft emergencies where landing at the destination hospital is not feasible, Fort Irwin MEDEVAC will contact the CCC for assistance in order to arrange for ground ambulance transportation at an appropriate airfield or the precautionary landing zone so that transportation of the patient can continue to the designated hospital.

g. Should Fort Irwin Army Air Ambulance be unavailable for patient transportation, requests for civilian air ambulance support shall be made through the CCC by FIFD or WACH.

3. GROUND AMBULANCE

a. Ground ambulances on Fort Irwin are provided and staffed by WACH and are dispatched by Fort Irwin DES with support from FIFD.

b. Patients that are determined to meet ICEMA's Trauma Triage Criteria (refer to ICEMA Reference #15030 - Trauma Triage Criteria) or are in immediate need of a Specialty Care Center as determined by a FIFD ICEMA EMT-P may be transported directly to the Fort Irwin Main Post Helipad or designated ambulance exchange point for immediate transfer by air ambulance when immediate lifesaving intervention or stabilization is <u>not</u> required. These patients will bypass WACH and proceed directly to a SRC, NSRC or TC for treatment. Coordination for this exchange will be conducted by FIFD utilizing established procedures to contact Fort Irwin Army MEDEVAC.

c. Patients that do not meet ICEMA's Trauma Triage Criteria or require immediate lifesaving interventions or stabilization will be transported directly to WACH.

III. REFERENCES

Number	Name
6070	Cardiovascular ST Elevation Myocardial Infarction Receiving Centers Destination Policy
6100	Neurovascular Stroke Receiving Centers Destination Policy (San Bernardino County Only)
8060	Requests for Hospital Diversion Policy (San Bernardino County Only)
8070	Aircraft Rotation Policy (San Bernardino County Only)
8120	Continuation of Care (San Bernardino County Only)
8130	Destination Policy
15030	Trauma Triage Criteria